

DLF HOMES PANCHKULA PRIVATE LIMITED

Regd. Office: 2nd Floor, DLF Gateway Tower, DLF City Phase III, NH-8, Gurugram-122002
CIN NO. U454001HR2007PTC038443

Date: 27.11.2024

To

The Joint Director

Ministry of Environment, Forest & Climate Change,

Regional Office (North),

Government of India

Bay Nos. 24-25, Sector-31A

Chandigarh.

(Mail id: cccompliance-nro@gov.in and ronz.chd-mef@nic.in)

Subject: Submission of Six Monthly Compliance Report for period ending 30.09.2024 for the project "DLF Garden City" located at Village Islam Nagar, Kalka-Pinjore Urban Complex, Sector 3, Distt. Panchkula, Haryana by M/s DLF Homes Panchkula Pvt. Ltd.

Sir,


With reference to the EIA Notification & its amendments regarding submission of six monthly compliance report. We are hereby submitting six monthly compliance report for period ending 30.09.2024 for the above said project through e-mail for your perusal.

Kindly acknowledge the receipt of the same.

Thanking you

Sincerely,

For M/s DLF Homes Panchkula Pvt. Ltd.



(Authorized Signatory)

Name: Rohit Sharma

Designation: Director

Contact No. 8146990000

Email: sonawane-asim@dlf.in

CC to:

1. **Member Secretary, SEIAA Haryana**, Bay No. 55-58, Paryatan Bhawan, 1st Floor, Sector 2, Panchkula, Haryana-134109 (Upload on PARIVESH portal, soft copy through CD and e-mail: seiaa-21.env@hry.gov.in)
2. **The Chairman, HSPCB**, C-11, Sector 6, Panchkula, Haryana-134109 (soft copy through CD and e-mail: hspcb@hry.nic.in)

2024

SIX MONTHLY COMPLIANCE REPORT

(Period ending 30.09.2024)

For

DLF GARDEN CITY

Village Islam Nagar, Kalka-Pinjore Urban
Complex, Sector 3, Panchkula, Haryana

Project by:

M/s. DLF Homes Panchkula Pvt. Ltd.

SCO No. 188-189, Sector 8C, Madhya Marg,
Chandigarh

Prepared by:



Eco Paryavaran Laboratories and Consultants Private Limited

E-207, Industrial Area, Phase-VIII B (Sector-74), Mohali (SAS Nagar),
Punjab 160071

Tele No.: 0172-4616225 **email:** compliance@ecoparyavaran.org

M: 098140-03103, 088720-43178

www.ecoparyavaran.org



CONTENT

S. No.	DESCRIPTION	Page No.
1.	Data Sheet	1
2.	Compliance of Environmental Clearance conditions	5
ANNEXURE		
A-1	Copy of Environmental Clearance Letter 2015	22
A-2(a)	NOC from Forest Department, Haryana for 34.229 acres	33
A-2(b)	NOC from Forest Department, Haryana for 15.833 acres	34
A-3(a)	Copy of Partial completion Certificates	36
A-3(b)	License for migration of 15.833 acres of land	44
A-4	Photographs of the project	49
A-5	Copy of Consent to Establish obtained from HSPCB	53
A-6	Test reports of Ambient Air, Noise, Ground water and Soil	61
A-7	Tree cutting permission obtained from Forest Dept., Haryana	94
A-8	Copy of approval for disposal of mineral extracted from the project	96
A-9	Copy of CGWA approval for water abstraction	97
A-10(a)	Copy of HWRA	98
A-10(b)	Copy of Renewal of HWRA	100
A-11	MoEFCC Notification regarding ecosensitive zone of Sukhna Wildlife Sanctuary	102
A-12(a)	Copy of Consent to Operate obtained from HSPCB	119
A-12(b)	Copy of Revised Consent to Operate under Red category from HSPCB	125
A-13	MoEF&CC mail for submission of previous Compliance	129
A-14	Copy of acknowledgement of submission of previous six monthly compliance report of period ending 31.03.2024	130
A-15	Copy of acknowledgement of form V	132

**Ministry of Environment, Forest & Climate Change
Northern Regional Office,
Chandigarh-160030**

DATA SHEET

1.	Project Type	Integrated Township
2.	Name of the Project	DLF Garden City by M/s DLF Homes Panchkula Pvt. Ltd.
3.	Clearance letter (s)/O.M No. & dates	Earlier Environmental Clearance obtained from MoEF&CC vide Letter No. 21/08/2007-IA.III dated 12.11.2008. Revision and Expansion of Environment Clearance granted by SEIAA, Haryana vide Letter No. SEIAA/HR/2015/109 dated 05.02.2015; copy of same is attached as Annexure 1 .
4.	Location	DLF Garden City Village Islam Nagar, Kalka-Pinjore Urban Complex, Sector 3, Panchkula
	a) District (s)	Panchkula
	b) State (s)	Haryana
	c) Latitudes/ Longitudes	30°45'08.66"N & 76°54'52.58"E
5.	Address for correspondence	M/s DLF Homes Panchkula Pvt. Ltd. SCO No. 188-189, Sector 8C, Madhya Marg, Chandigarh
6.	Salient features	
	a) of the project	As per the Environment Clearance, total plot area of the project is 209.603 acres and total built up area will be 10,67,141.15 sq.m.
	b) of the environmental management plans	As per the Environment Clearance, on full occupancy, total water requirement of the project will be 4,376 KLD and fresh water requirement will be 2,917 KLD. 2,642 KLD of wastewater will be generated from the project which will be treated in a STP of capacity 3,670 KLD. The total quantity of solid waste generation will be 22,410.85 kg/day which will be segregated into bio-degradable and non-biodegradable waste. The power requirement will be 35,500 KVA.
7.	Break-up of the project area	
	a) Submergence area: Forest and Non-forest	Not applicable
	b) Others	Not applicable

8.	Break-up of project affected population with enumeration of those losing houses/ dwelling units only, agricultural land only both dwelling units & agricultural land and landless labourers/ artisans.	Not applicable			
	a) SC/ST/Adivasis	Not applicable			
	b) Others <i>(Please indicate whether these figures are based on any scientific and systematic survey carried out or only provisional figures. If a survey has been carried out give details and year of survey).</i>	Not applicable			
9.	Financial details:				
	a) Project cost as originally planned and subsequent revised estimates and the year of price reference.	Estimated Project Cost: Rs. 594 Crores			
	b) Allocations made for environmental management plans with item wise and year wise break up.	Breakup of the allocations made for environmental management plan are given below:			
		S. No.	Environment Management Plan	Capital Investment	Recurring Expenditure
		1.	Dust Management during construction phase	-	Rs. 5,000 per month
		2.	Provision of DG sets with acoustic enclosures	Rs. 30.8 Lacs	Rs. 50,000 per month
		3.	Provision of clean drinking water to labours	-	Rs. 15,000 per month
		4.	Provision of septic tanks and other hygienic measures at construction site	Rs. 4 lacs	Rs. 11,400 per month
5.	Provision of First Aid	-	Rs. 36,000 per month		
6.	Tree plantation and landscaping	Rs. 200 Lakhs			

		7.	Waste management	Rs. 45 Lakhs	
		8.	Provision of PPE to workers	-	Rs. 80,000 per month
		9.	Provisions of clean water & toilets for staff	Rs. 11.2 Lacs	Rs. 10,000 per month
		10.	Rain water recharging pits and Solar Lights	Rs. 567 Lacs	-
		11.	Environmental monitoring	-	Rs. 1,00,000 per six months
	c) Benefit cost ratio/internal rate of return and the year of assessment	Benefit cost ratio/ internal rate will be calculated and submitted.			
	d) Whether (c) includes the cost of environmental management as shown in b) above.	Yes			
	e) Actual expenditure incurred on the project so far.	Rs. 580 crores have been spent on the project so far. No further, expenditure has been done on the project in the last six months. Only regular maintenance is being done.			
	f) Actual expenditure incurred on the environmental management plans so far.	Expenditure has already been done on Environment Management Plan as per the allocations. Only regular maintenance is being done. Approx. Rs. 2,50,000/- has been spent on maintenance till 30 th September, 2024. In addition of regular maintenance, approx. Rs. 1.5 Crores has been spent in past one year for technological upgradation of the existing STP as per the CPCB norms.			
10.	Forest land requirement:				
	a) the status of approval for diversion of forest land for non-forestry use	NOC has been obtained from Forest Department, Haryana for 34.229 acres of land; copy of the same is enclosed as Annexure 2(a) . Further, Forest NOC and sight levelling permission has been obtained from Forest Department Haryana for land area of 15.833 acres; copy of the same is enclosed as Annexure 2(b) .			
	b) the status of clear felling, if any	Not Applicable			
	c) the status of compensatory afforestation, if any.	Not Applicable			
	d) Comments on the viability & sustainability of compensatory	Not Applicable			

	Afforestation programme in the light of actual field experience so far.	
11.	The status of clear felling in non-forest areas (such as submergence area of reservoir, approach road) if any, with quantitative information	Not applicable
12.	Status of construction:	
	a) Date of commencement (actual and/or planned)	October, 2011
	b) Date of completion (actual and/or planned)	Partial Completion Certificate applied in February, 2015. Partial Completion Certificates obtained from Directorate of Town & Country Planning, Haryana for land area of 159.759 acres and copies of the same are enclosed as Annexure 3(a) . Further, License has been obtained for migration of 15.833 acres of land vide License No. 141 dated 11.07.2023; copy of the same is enclosed as Annexure 3(b) . Photographs of the project are attached as Annexure 4 .
13.	Reasons for the delay, if the project is yet to start	Not applicable

**Compliance report on conditions imposed in Environmental Clearance for Period ending
30.09.2024**

PART A - SPECIFIC CONDITIONS

I. Construction Phase

S. No.	EC Conditions	Compliance Status
1.	"Consent to Establish" shall be obtained from Haryana State Pollution Control Board under Air and Water Act and a copy shall be submitted to the State Level Environment Impact Assessment Authority (SEIAA), Haryana before the start of any construction work at the site.	Consent to Establish has been obtained from Haryana State Pollution Control Board prior to start of construction activity for 57.031 acres and 34.229 acres of land; copy of the same is enclosed as Annexure 5 .
2.	A first aid room as proposed in the project report shall be provided both during construction and operation of the project.	First aid kit has been provided within project premises and will remain during the operation phase also.
3.	Adequate drinking water and sanitary facility shall be provided for construction workers at the site. Provision should be made for mobile toilets. Open defecation by the labors is strictly prohibited. The safe disposal of waste water and solid wastes generated during construction phase should be ensured.	Adequate drinking water and sanitary facility was provided at Construction site during construction phase. However, presently, no construction work is going on.
4.	All the topsoil excavated during construction activities should be stored for use in horticulture/landscape development within the project site in the project.	Excavated topsoil was stored within the project and used for development of green area. Photographs showing green area provided within project premises is enclosed as Annexure 4 .
5.	The project proponent shall ensure that the building material required during construction phase is properly stored within the project area and disposal of construction of construction waste should not create any adverse effect on the neighboring communities and should be disposed off after taking precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Construction material was properly stored within the project premises. Muck generated during construction phase was disposed off properly by taking necessary precautions for general safety and health aspects of people. However, presently, no construction work is going on within project premises.
6.	Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate water courses and the dump sites for such material must be secured so that they should not leach to the ground water.	Construction spoils including bituminous material and other hazardous materials were stored separately to ensure no contamination of water resources. Further, dumping for such materials were done on the designated sites to prevent leaching into the ground

		water.
7.	The diesel generator sets to be used during construction phase shall be of ultra-low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.	Low Sulphur diesel type fuel was used in the DG sets.
8.	The diesel required for operating DG set shall be stored in underground tanks and if required, clearance from chief controller of explosives shall be taken.	Diesel required for operating DG sets are being stored within the threshold limit only. In case, if the stored quantity will increase threshold limit, then clearance from Chief Controller of explosive will be obtained.
9.	Ambient noise levels should conform to standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be taken to reduce ambient air pollution and noise level during construction phase, so as to conform to the stipulated residential standards of CPCB/ MoEF.	Monitoring of ambient noise has been done by NABL accredited laboratory and results are within the permissible limit. Test reports are attached at Annexure 6 .
10.	Fly ash shall be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and as amended on 27 th August 2003.	PPC cement was used in construction activities which constitute of fly ash.
11.	Storm water control and its re-use as per Central Ground Water Board and BIS Standards for various applications should be ensured.	Proper storm water management is being provided within the project premises.
12.	Water demand during construction should be reduced by use of pre mixed concrete, curing agents and other best practices referred.	During construction phase, pre-mixed concrete and curing agents were used to reduce the water demand.
13.	Roof should meet the perspective requirement as per energy conservation building code by using appropriate thermal insulation material.	Agreed.
14.	Opaque wall should meet perspective requirement as per energy conservation building code which is proposed to be mandatory for all air conditioned spaces while it is desirable for non-air conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.	Materials having appropriate R & U values are provided that meets prescriptive requirement of Opaque Wall as per Energy Conservation Building Code.

15.	The approval of competent authority shall be obtained for structural safety of the buildings due to earthquake, adequacy of firefighting equipments etc. as per National Building Code including protection measures from lightning etc. if any forest land is involved in the proposed site clearance under the forest conservation act shall be taken from the competent authority.	Approval has been obtained from Competent Agency for structural safety. Further, drawings are duly approved by Town and Country Planning Department, Haryana.
16.	The project proponent as stated in proposal shall construct 251 nos. rain water harvesting pits for recharging the ground water within the project premises. Rain water harvesting pits shall be designed to make provisions for silting chamber and removal of floating matter before entering harvesting pit. Maintenance budget and persons responsible for maintenance must be provided. Care shall also be taken that contaminated water do not enter any RWH pit.	20 Nos. of rain water recharging pits have been constructed within project premises and 392 nos. of the pits have been constructed within plots having independent floors. Photographs showing rain water recharging pit is enclosed as Annexure 4 .
17.	The Project Proponent shall provide for adequate fire safety measures and equipment's as required by Haryana Fire Service Act, 2009 and instruction issued by the local Authority/Directorate of fire from time to time. Further the project proponent shall take necessary permission regarding the fire safety scheme/ NOC from competent Authority is required.	Adequate fire safety measures and equipment's are being provided as per the Haryana Fire Service Act, 2009 and will be upgraded as per the instruction issued by the local Authority/ Directorate of fire from time to time. Photographs showing the same is enclosed as Annexure 4 .
18.	The project proponent shall obtain assurance from the UHBVN for supply of 35,500 KVA of power supply before start of construction. In no case project will be operational solely on generators without any power supply from any external power utility.	Agreed.
19.	Detail calculation of power load and ultimate power load of the project shall be submitted to UHBVN under intimation to SEIAA Haryana before the start of construction. Provisions shall be made for electrical infrastructure in the project area.	Agreed.

20.	The project proponent shall not raise any construction in the natural land depression/ Nallah/ water course and shall ensure that the natural flow from the Nallah/ water course is not obstructed.	Natural land depression/ Nallah/ Water course is not obstructed.
21.	The project proponent shall keep the plinth level of the building blocks sufficiently above the level of the approach road to the project. Level of the other areas in the projects shall also keep suitably so as to avoid flooding.	Plinth level of the building block is kept above the level of the approach road. Levels are suitably maintained to avoid flooding.
22.	Construction shall be carried out so that density of population does not exceed norms approved by the Director General Town and Country Department, Haryana.	Construction was done as per Building Plan to maintain population density.
23.	The project proponent shall submit an affidavit with the declaration that ground water will not be used for construction and only treated water should be used for construction.	No ground water is used for construction purpose.
24.	The project proponent shall not cut any existing tree and project landscaping plan should be modified to include those trees in green area.	Tree cutting done on 34.229 acres of land after obtaining permission from Forest Department, Haryana; copy of the same is enclosed as Annexure 7 . NOC has been obtained from Forest Department, Haryana for 34.229 acres of land; copy of the same is enclosed as Annexure 2(a) . Further, Forest NOC and sight levelling permission has been obtained from Forest Department Haryana for land area of 15.833 acres; copy of the same is enclosed as Annexure 2(b) .
25.	The project proponent shall ensure that ECBC norms for composite climate zone are met. In particular building envelope, HVAC service, water heating, pumping, lighting and electrical infrastructure must meet ECBC norms.	All the measures are being followed to meet the ECBC norms.
26.	The project proponent shall provide 3 meter high barricade around the project area, dust screen for every floor above the ground, proper sprinkling and covering of stored material to restrict dust and air pollution during construction.	Barricades were provided around project site, proper sprinkling and covering of construction material was done to avoid dust and air pollution during construction phase of the project.

27.	The project proponent shall construct a sedimentation basin in the lower level of the project site to trap pollutant and other wastes during rains.	Sedimentation basin constructed at lower level to trap pollutant and other wastes during rains.
28.	The project proponent shall provide proper rasta of proper width and proper strength for the project before start of construction.	Roads of appropriate width and strength were provided for vehicular movement and to prevent traffic congestion.
29.	The project proponent shall ensure that the U-value of the glass is less than 3.177 and maximum solar heat gain co-efficient is 0.25 for vertical fenestration.	The same was complied.
30.	The project proponent shall adequately control construction dusts like silica dust, non-silica dust and wood dust. Such dusts shall not spread outside project premises. Project Proponent shall provide respiratory protective equipment to all construction workers.	Dust was controlled at construction site by regular sprinkling and providing wind barriers during construction phase.
31.	The project proponent shall provide fire control room and fire officer for building above 30 meter as per National Building Code.	Agreed.
32.	The project proponent shall obtain permission of Mines and Geology Department for excavation of soil before the start of construction.	Permission was obtained for disposal of mineral from Department of Mines and Geology, Panchkula during excavation; copy of the same is attached as Annexure 8 .
33.	The project proponent shall provide one refuge area till 24 meter and one till 39 meter each, as per National Building Code. The project proponent shall not convert any refuse area in the habitable space and it should not be sold out/ commercialized.	Agreed.
34.	The project proponent shall seek specific prior approval from concerned local Authority/ HUDA regarding provision of storm drainage and sewerage system including their integration with external services of HUDA/ Local authorities beside other required services before taking up any construction activity.	Approval for ground water abstraction has been obtained from CGWA; copy of same is attached as Annexure 9 . Further, as per the latest notification, CGWA is not processing ground water applications for Haryana state. Thus, Haryana Water Resources (Conservation, Regulation and Management) Authority (HWRA) has been constituted to process the ground water approvals. Permission has been obtained from HWRA for groundwater withdrawal; copy of the same is enclosed as Annexure 10(a) .

		<p>Renewal of HWRA has been obtained vide NOC no. HWRA/NOC/ INF/R/2024/71 dated 9.09.2023; copy of the same is enclosed as Annexure 10(b).</p> <p>Further renewal of HWRA has been filled vide Application No. HWRA/INF/R/2024/311 dated 9.08.2024 and is under process.</p>
35.	The site for solid waste management plant be earmarked on the layout plan and the detailed project for setting up the solid waste management plant shall be submitted to the authority within one month.	Separate area has been earmarked for solid waste storage. Waste is being collected and managed as per the Solid Waste Management Rules, 2016.
36.	The project proponent shall discharge excess of treated wastewater/ storm water in the public drainage system and shall seek permission of HUDA before the start of construction.	Agreed.
37.	The project proponent shall ensure that structural stability to withstand earthquake of magnitude 8.5 on Richter scale.	Project has been approved by Structural Safety Engineer so as to withstand earthquake.
38.	The Environmental Clearance to this project is subject to obtaining fresh clearance under the Wildlife (Protection) Act, 1972 from the Standing Committee of National Board for Wildlife and the project proponent shall start development work of the project only after the recommendation of Standing Committee of NBWL in this case.	As per the MoEF&CC notification vide dated 11.11.2024, the Eco Sensitive Zone (ESZ) is falling between 1 km to 2.035 km from the boundary of Sukhna Wildlife Sanctuary; copy of the same is attached as Annexure 11 Our project is outside the notified ESZ Therefore, NBWL permission is not required
39.	The project proponent shall ensure that the plinth level of the building block to be minimum 1.5 meter above highest flood level as per study carried out.	Agreed.
40.	The project proponent shall obtain NOC from irrigation Department before the start of development work.	Agreed.
41.	The project shall have the provision for infrastructure services (water supply, sewer, storm water lines, etc.) to accommodate the additional load arising from population residing in other lands falling within the project limits/ vicinity.	Additional load has been considered while designing the services.
42.	The project shall provide the storm water drainage system in the project area strictly in	Storm water drainage system has been provided as per the approved layout plan.

	accordance with the storm water drainage plan submitted with the SEIAA Haryana.	
43.	The project proponent shall not raise any construction activity in the ROW reserved/ acquired from High Tension Wire passing through the project area and shall maintain horizontal and vertical ROW as required under Indian Electricity Rules, 1956/ DHBVN latest instructions.	Agreed. The same is being complied.
44.	The project proponent shall provide water supply @ 135 lpcd instead of 111 lpcd water supply, sewerage, STP and other services shall be provided accordingly.	The same was taken care while designing the services.
45.	The project proponent shall development of Old age home as per the plan Marked "A-11/79th" earmarking space for Old age home.	Agreed.
46.	The project proponent shall take up construction activity in the flood prone area only after specific approval from Irrigation Department/ HUDA/ DGTP Haryana.	Construction activity has been done as per specific approval from HUDA.

II. Operation Phase:

S. No.	Conditions	Reply
1.	"Consent to Operate" shall be obtained from Haryana State Pollution Control Board under Air and Water Act and a copy shall be submitted to the SEIAA, Haryana.	Consent to Operate has been obtained from HSPCB vide Letter No. HSPCB/ Consent/2821216PANCTO2517288 dated 01.02.2016 and is valid till 31.03.2026; copy of the same is attached along as Annexure 12(a) . Revised Consent to Operate (CTO) has been obtained under Red category vide Letter No. HSPCB/PKL/2024/2956 dated 19.03.2024 and is valid till 31.03.2026; copy of the same is attached along as Annexure 12(b) .
2.	The sewage Treatment Plant (STP) shall be installed for the treatment of the sewage to the prescribed standards including Odour and treated effluent will be recycled to achieve zero exit discharge. The installation of STP shall be certified by an independent expert and a report in this regard shall be submitted to the SEIAA, Haryana before the project is commissioned for	Agreed. Two individual Sewage treatment plant of capacity 1,250 KLD and 750 KLD has been proposed. Out of which, presently STP of capacity 1,250 KLD is operational due to less occupancy. Photographs of the same is enclosed as Annexure 4 .

	operation. Tertiary treatment of waste water is mandatory. The project proponent shall remove not only Ortho-Phosphorus but total phosphorus to the extent of less than 2mg/liter. Similarly, total Nitrogen level shall be less than 2 mg/liter in tertiary treated waste water. Discharge of treated sewage shall be conform to the norms and standards of CPCB/ HSPCB, whichever is environmentally better. Project Proponent shall implement such STP technology which does not require filter backwash. The project proponent shall essentially provide two numbers of STPs preferably equivalent to 50% of total capacity or per the initial occupancy as the case may be.	
3.	Separation of the grey and black water should be done by the use of dual plumbing line. Treatment of 100% grey water by decentralized treatment should be done ensuring that the re-circulated water should have BOD level less than 5 mg/liter and the recycled water will be used for flushing, gardening and DG set cooling etc.	Agreed. Dual plumbing system has been provided within the project premises.
4.	For disinfection of the treated wastewater, ultra-violet radiation or ozonization process should be used.	Agreed. UV radiation process has been provided under tertiary treatment of wastewater.
5.	Diesel power generation sets proposed as source of back-up power for lifts, common area illumination and for domestic use should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The location of the DG sets shall be in the basement as promised by the project proponent with appropriate stack height above the highest roof level of the project as per the CPCB norms. The diesel used for DG sets shall be ultra-low sulphur diesel (35 ppm sulphur), instead of low sulphur diesel.	Agreed. DG sets are being used as power backup only and provide with adequate stack height with acoustic enclosure.
6.	Ambient Noise level should be controlled to ensure that it does not exceed the prescribed standards both within and at the boundary of the proposed Township project	Monitoring of ambient noise has been done by NABL accredited laboratory and results are within the permissible limit. Test reports are attached at Annexure 6 .

7.	The project proponent as stated in the proposal shall maintain at least 33% as green cover area for tree plantation especially all around the periphery of the project and on the road sides preferably with local species which can provide protection against noise and suspended particulate matter. The open spaces inside the project shall be preferably landscaped and covered with vegetation/grass, herbs & shrubs. Only locally available plant species shall be used.	Adequate green area has been provided within project premises. Photographs showing the same are attached along as Annexure 4.
8.	The project proponent shall strive to minimize water in irrigation of landscape by minimize grass area, using native variety, xeriscaping and mulching, utilizing efficient irrigation system, scheduling irrigation only after checking evapo-transpiration data.	Agreed. Water minimization techniques are being followed to minimize the consumption of water for landscaping purpose.
9.	Rain water harvesting for roof run-off and surface run-off, as plan submitted should be implemented. Before recharging the surface run off, pre-treatment through sedimentation tanks must be done to remove suspended matter, oil and grease. The bore well for rainwater recharging shall be kept at least 5 mts. above the highest ground water table. Care shall be that contaminated water do not enter any RWH pit. The project proponent shall avoid Rain water Harvesting of first 10 minutes of rain fall. Roof top of the building shall be without any toxic material or paint which can contaminate rain water. Wire mesh and filters should be used wherever required.	20 Nos. of rain water recharging pits have been constructed within project premises and 392 nos. of the pits have been constructed within plots having independent floors. Photograph showing rain water recharging pit is enclosed as Annexure 4.
10.	The ground water level and its quality should be monitored regularly in consultation with Central Ground Water Authority.	Agreed.
11	A report on the energy conservation measures conforming to energy conservation norms finalized by Bureau of Energy Efficiency should be prepared incorporating details about building materials & technology, R & U Factors etc. and submitted to the SEIAA, Haryana in the three month time.	For energy conservation LEDs lights have provided within project. In addition to this, solar lights have been provided within the project premises. Also, solar water heater has been provided as per HAREDA norms.

12	Energy conservation measures like installation of LED only for lighting the areas outside the building and inside the building should be integral part of the project design and should be in place before project commissioning. Use of solar panels must be adapted to the maximum energy conservation.	For energy conservation LEDs lights have provided within project. In addition to this, solar lights have been provided within the project premises. Also, solar water heater has been provided as per HAREDA norms.
13.	The project proponent shall use zero ozone depleting potential material in insulation, refrigeration, air-conditional and adhesive. Project proponent shall also provide Halon free fire suppression system.	Agreed.
14.	The solid waste generated should be properly collected and segregated as per the requirement of the MSW Rules, 2000 and as from time to time. The bio-degradable waste should be treated by appropriate technology (proposed OWC) at the site ear-marked within the project area and dry/inert solid waste should be disposed off to the approved site for land filling after recovering recyclable material.	Solid waste generated is being collected & segregated and disposed off as Solid Waste Management Rules, 2016.
15.	The provision of the solar water heating system shall be as per norms specified by HAREDA and shall be made operational in each building block.	Solar water heater has been provided as per HAREDA norms.
16.	The traffic plan and the parking plan proposed by the project proponent should be meticulously adhered to with further scope of additional parking for future requirement. There should be no traffic congestion near the entry and exit points from the roads adjoining the proposed site. Parking should be fully internalized and no public space should be used.	Adequate parking space has been provided within project premises. Photographs showing parking space provided within project premises is enclosed as Annexure 4 .
17.	The project shall be operational only when HUDA/local authority will provide domestic water supply system in the area.	Approval for ground water abstraction has been obtained from CGWA; copy of same is attached as Annexure 9 . Further, as per the latest notification, CGWA is not processing ground water applications for Haryana state. Thus, Haryana Water Resources (Conservation, Regulation and Management) Authority (HWRA) has been constituted to process the ground

		<p>water approvals. Permission has been obtained from HWRA for groundwater withdrawal; copy of the same is enclosed as Annexure 10(a).</p> <p>Further, renewal of HWRA has been obtained vide NOC no. HWRA/NOC/INF/R/2024/71 dated 9.09.2023; copy of the same is enclosed as Annexure 10(b). HWRA has been filled vide Application No. HWRA/INF/R/2024/311 dated 9.08.2024 and is under process</p>
18.	Operation and maintenance of STP, solid waste management and electrical Infrastructure, pollution control measures shall be ensured even after the completion of project.	Agreed. The same is being taken care.
19.	Different type of wastes should be disposed off as per provisions of municipal solid waste, biomedical waste, hazardous waste, e-waste, batteries & plastic rules made under Environment Protection Act, 1986. Particularly E-waste and Battery waste shall be disposed of as existing E-waste Management Rules 2011 and Batteries Management Rules 2001. The project proponent shall maintain a collection center for E-waste and it shall be disposed of to only registered and authorized dismantler as per existing E-waste Management Rules 2011.	Different type of waste is being disposed off as per the norms and provisions set by the authorities. All measures are being followed to maintain the environment.
20.	Standards for discharge of environmental pollutants as enshrined in various schedules of rule 3 of Environment Protection Rules, 1986 shall be strictly complied with.	Agreed.
21.	The project proponent shall make provision for guard pond and other provisions for safety against failure in the operation of wastewater treatment facilities. The project proponent shall also identify acceptable outside for treated effluent.	Agreed.
22.	The project proponent shall ensure that the stack height of DG sets is as per the CPCB guide lines and also ensure that the emission standards of noise and air are within the CPCB latest prescribed limits. Noise and Emission level of DG sets greater than 800 KVA shall be as per	Stack height of DG sets have been kept as per the CPCB guidelines.

	CPCB latest standards for high capacity DG sets.	
23.	All electric supply exceeding 100 amp, 3 phase shall maintain the power factor between 0.98 lag to 1 at the point of connection.	Agreed.
24.	The project proponent shall minimize heat island effect through shading and reflective or pervious surface instead of hard surface.	Agreed.
25.	The project proponent shall not use fresh water for HVAC and DG cooling. Air based HVAC system should be adopted and only treated water shall be used by project proponent for cooling, if it is at all needed. The Project Proponent shall also use evaporative cooling technology and double stage cooling system for HVAC in order to reduce water consumption. Further temperature, relative humidity during drive summer and winter seasons should be kept at optimal level. Variable speed drive, best co-efficient of Performance (COP), as well as optimal Integrated Point Load Value and minimum outside fresh air supply may be resorted for conservation of power and water. Coil type cooling DG Sets shall be used for saving cooling water consumption for water cooled DG Sets.	Agreed. Only treated wastewater is being reused for HVAC and DG sets cooling.
26.	The project proponent shall ensure that the transformer is constructed with high quality grain oriented, low loss silicon steel and virgin electrolyte grade copper. The project proponent shall obtain manufacturer's certificate also for that.	Agreed.
27.	Water supply shall be metered among different users and different utilities.	Agreed. 4 Electromagnetic Flow Meters with telemetry system have been installed on 4 borewells.
28.	The project proponent shall ensure that exit velocity from the stack should be sufficiently high. Stack shall be designed in such a way that there is no stack down-wash under any meteorological conditions.	Agreed.

29.	The project proponent shall provide water sprinkling system in the project area to suppress the dust in addition to the already suggested mitigation measures in the Air Environment Chapter of EMP.	Agreed. Water sprinkling system is being provided within the project to suppress the dust emissions.
30.	The project proponent shall provide additional green area on terrace and roof top.	Agreed.
31.	The project proponent shall ensure proper Air Ventilation and lights system in the basements area for comfortable living of human being and shall ensure that number of Air Changes per hour/(ACH) in basement never falls below 15. In case of emergency capacity for increasing ACH to the extent of 30 must be provided by the project proponent.	Agreed.
32.	The project proponent shall install solar for energy conservation.	Agreed. Solar lights have been provided within project premises. Also, solar water heater has been provided as per HAREDA norms.
33.	The project proponent shall ensure availability of sunlight and air in each part of the building block.	Agreed. Building has been designed as per sun path analysis.

Part B. General Conditions

S. No.	Conditions	Reply
1.	The project proponent shall ensure the commitments made in Form-1, Form-1A, EIA/EMP and other documents submitted to the SEIAA for the protection of environment and proposed environmental safeguards are compiled with in letter and spirit. In case of contradiction between two or more documents on any point, the most environmentally friendly commitment on the point shall be taken as commitment by project proponent.	Environmental Safeguards is being implemented in true letter and spirit.
2.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the northern Regional Office of MoEF, the respective Zonal Office of CPCB, HSPCB and SEIAA, Haryana.	Agreed Six monthly compliance report is being submitted to RO, MoEF&CC, Chandigarh through e-mail. Screenshot of the e-mail showing submission of previous compliance report for period ending 31.03.2024 is enclosed as Annexure 13 . Further, six monthly compliance report has been submitted to RO, HSPCB and

		SEIAA, Haryana; acknowledgement for submission is enclosed as Annexure 14 .
3.	STP outlet after stabilization and stack emission shall be monitored monthly. Other environmental parameters and green belt shall be monitored on quarterly basis. After every 3 (three) months, the project proponent shall conduct environmental audit and shall take corrective measure, if required, without delay.	Agreed.
4.	The SEIAA, Haryana reserves the right to add additional safeguard measures subsequently, if found necessary Environmental Clearance granted will be revoked if it is found that false information has been given for getting approval of this project. SEIAA reserves the right to revoke the clearance if conditions stipulated are not implemented to the satisfaction of SEIAA/ MoEF.	Agreed.
5.	The Project Proponent shall not violate any judicial orders/ pronouncements issued by any Court/ Tribunal.	Agreed.
6.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972, Forest Act, 1927, PLPA 1900, etc. shall be obtained, as applicable by project proponents from the respective authorities prior to construction of the project.	<p>Agreed. All the approvals have been obtained as and when required. Such as:</p> <ul style="list-style-type: none"> • Permission was obtained for disposal of mineral from Department of Mines and Geology, Panchkula during excavation; copy of the same is attached as Annexure 8. • Approval for ground water abstraction obtained from CGWA; copy of same is attached as Annexure 9. • Approval for ground water abstraction obtained from HWRA; copy of same is attached as Annexure 10(a). Renewal of HWRA has been obtained vide NOC no. HWRA/NOC/INF/R/2024/71 dated 9.09.2023; copy of the same is enclosed as Annexure 10(b). Further renewal of HWRA has been filled vide Application No. HWRA/INF/R/2024/311 dated 9.08.2024 and is under process. • Consent to Operate obtained from HSPCB; copy of the same is attached

		<p>along as Annexure 12(a). Revised Consent to Operate (CTO) has been obtained under Red category; copy of the same is attached along as Annexure 12(b).</p> <ul style="list-style-type: none"> As per the MoEF&CC notification vide dated 11.11.2024, the Eco Sensitive Zone (ESZ) is falling between 1 km to 2.035 km from the boundary of Sukhna Wildlife Sanctuary; copy of the same is attached as Annexure 11 <p>Our project is outside the notified ESZ Therefore, NBWL permission is not required</p>
7.	The Project Proponent should inform the public that the project has been accorded Environment Clearance by the SEIAA and copies of the clearance letter are available with the Haryana State Pollution Control Board & SEIAA. This should be advertised within 7 days from the date of issue of the clearance letter at least in two local newspapers that are widely circulated in the region and the copy of the same should be forwarded to SEIAA Haryana. A copy of Environment Clearance conditions shall also be put on project proponent's web site for public awareness.	Advertisement has already been published in the newspaper regarding grant of EC letter and copy of the same was submitted with earlier six monthly compliance reports.
8.	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the Project Proponent if it was found that construction of the project has been started before obtaining prior Environmental Clearance.	Construction work of the project was started only after obtaining the Environmental Clearance from SEIAA, Haryana.
9.	Any appeal against the this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Not applicable, as 30 days period was completed and no appeal was made.
10.	Corporate Environment and Social Responsibility (CSER) shall be laid down by the project proponent (2% shall be earmarked) as per guidelines of MoEF, GoI Office Memorandum No. J-11013/41/2006-IA.II(I) dated 18.05.2012 and Ministry of Corporate	Agreed.

	Affairs, GoI Notification dated 27.02.2014. A separate audit statement shall be submitted in the compliance. Environment related work proposed to be executed under this responsibility shall be undertaken simultaneously. The project proponent shall select and prepare the list of the work for implementation of CSER of its own choice and shall submit the same before the start of construction.	
11.	The fund ear-marked for environment protection measures should be kept in separate account and should not be diverted for other purposes and year wise expenditure shall be reported to SEIAA/ RO MoEF, GoI under rules prescribed for Environment Audit.	Funds have been earmarked as per the guidelines.
12.	The project proponent shall ensure the compliance of Forest Department, Haryana notification no. S.O.121/PA2/1900/S.4/97 dated 28.11.1997.	Agreed.
13.	The Project Proponent shall ensure that no vehicle during construction/ operation phase enter the project premises without valid "Pollution under Control" certificate from competent Authority.	The same was taken care at the time of construction activity going on.
14.	The project proponent shall seek fresh Environmental Clearance if at any stage there is change in the planning of the proposed project.	Environmental Clearance has been obtained separately for "Proposed Residential Plotted Colony" on 34.229 acres of land from SEIAA, Haryana. Further, separate Environmental Clearance has been applied for 15.833 acres of land under New Integrated Licensing Policy (NILP) to SEIAA, Haryana and Environmental clearance is approved from SEIAA, Haryana; only EC Letter is awaited. Thus, from next Six monthly compliance report onwards separate Compliance report will be submitted against EC granted to 15.833 acres of land. License has been obtained from Haryana Government Town and Country Planning Department for migration of group housing area of 15.833 acres to New

		Integrated Licensing Policy (NILP) License; copy of the same is enclosed as Annexure 3(b) .
15.	Besides the developer/ applicant, the responsibility to ensure the compliance of Environmental Safeguards/ conditions imposed in the Environmental Clearance letter shall also lie on the licensee/ licenses in whose name/ names the license/ CLU has been granted by the town & Country Planning Department, Haryana	The same is being taken care.
16.	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. it shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM _{2.5} , PM ₁₀ , SO _x , NO _x , Ozone, Lead, CO, Benzene, Ammonia, Benzopyrine, arsenic and Nickel. (Ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a conventional location near the main gate of the company in the public domain.	The status of the compliance of the stipulated Environment Clearance conditions, including results of monitored has been uploaded on the company's website https://thevalleyproject.dlf.in/
17.	The environmental statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the HSPCB, Panchkula as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of the EC conditions and shall also be sent to the respective regional Offices of MoEF by e-mail.	Form V has been submitted to HSPCB for the financial year 2023-24; copy of the acknowledgement is enclosed as Annexure 15 .
18.	The project proponent shall conduct environment audit at every three months interval and thereafter corrected measures shall be taken without any delay. Details of environmental audit and corrective measures shall be submitted in the monitoring report.	Agreed.

conditions. Accordingly, the State Environment Impact Assessment Authority in its meeting held on 09.01.2015 decided to agree with the recommendations of SEAC to accord necessary environmental clearance for the project under Category 8(b) of EIA Notification 2006 subject to the strict compliance with the specific and general conditions mentioned below:

PART A-

SPECIFIC CONDITIONS:-

Construction Phase:-

- [1] "Consent for Establish" shall be obtained from Haryana State Pollution Control Board under Air and Water Act and a copy shall be submitted to the SEIAA, Haryana before the start of any construction work at site.
- [2] A first aid room as proposed in the project report shall be provided both during construction and operational phase of the project.
- [3] Adequate drinking water and sanitary facilities shall be provided for construction workers at the site. Provision should be made for mobile toilets. Open defecation by the labourers is strictly prohibited. The safe disposal of waste water and solid wastes generated during the construction phase should be ensured.
- [4] All the topsoil excavated during construction activities shall be stored for use in horticulture/landscape development within the project site.
- [5] The project proponent shall ensure that the building material required during construction phase is properly stored within the project area and disposal of construction waste should not create any adverse effect on the neighboring communities and should be disposed off after taking necessary precautions for

reduce ambient air pollution and noise level during construction phase, so as to conform to the stipulated residential standards of CPCB/MoEF.

- [10] Fly ash shall be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and as amended on 27th August 2003.
- [11] Storm water control and its re-use as per CGWB and BIS standards for various applications should be ensured.
- [12] Water demand during construction shall be reduced by use of pre-mixed concrete, curing agents and other best practices.
- [13] Roof must meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material.
- [14] Opaque wall must meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all air conditioned spaces while it is desirable for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
- [15] The approval of the competent authority shall be obtained for structural safety of the building on account of earthquake, adequacy of fire fighting equipments, etc. as per National Building Code including protection measures from lightning etc. If any forest land is involved in the proposed site, clearance under Forest Conservation Act shall be obtained from the competent Authority.
- [16] The Project Proponent as stated in proposal shall construct 251 nos. rain water harvesting pits for recharging the ground water within the project premises. Rain water harvesting pits shall be designed to make provisions for siltling chamber and removal of floating matter before entering harvesting pit. Maintenance budget and schedule for periodic maintenance must be provided. Care shall also be taken that the harvested water is not used for drinking purposes.
- [17] The Project Proponent shall take all necessary measures and arrangements as per the Environmental Survey Report and other documents issued by the competent authority to ensure that the project does not cause any adverse impact on the environment. The Project Proponent shall also ensure that the project does not cause any adverse impact on the environment.
- [18] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [19] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [20] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [21] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [22] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [23] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [24] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [25] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [26] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [27] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [28] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [29] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [30] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [31] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [32] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [33] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [34] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [35] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [36] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [37] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [38] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [39] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [40] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [41] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [42] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [43] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [44] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [45] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [46] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [47] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [48] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [49] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [50] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [51] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [52] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [53] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [54] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [55] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [56] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [57] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [58] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [59] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [60] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [61] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [62] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [63] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [64] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [65] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [66] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [67] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [68] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [69] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [70] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [71] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [72] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [73] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [74] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [75] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [76] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [77] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [78] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [79] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [80] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [81] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [82] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [83] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [84] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [85] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [86] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [87] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [88] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [89] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [90] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [91] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [92] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [93] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [94] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [95] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [96] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [97] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [98] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [99] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.
- [100] The Project Proponent shall ensure that the project does not cause any adverse impact on the environment.

- [illegible]

- [34] The project proponent shall seek specific prior approval from concerned local Authority/HUDA regarding provision of storm drainage and sewerage system including their interconnection with external services of HUDA/ Local authorities beside other required services before taking up any construction activity.
- [35] The site for solid waste management plant be earmarked on the layout plan and the detailed project for setting up the solid waste management plant shall be submitted to the Authority within one month.
- [36] The project proponent shall discharge excess of treated waste water/storm water in the public drainage system and shall seek permission of HUDA before the start of construction.
- [37] The project proponent shall ensure that structural stability to withstand earthquake of magnitude 8.5 on Richter scale.
- [38] The Environmental Clearance to this project is subject to obtaining fresh clearance under the Wildlife (Protection) Act, 1972 from the Standing Committee of National Board for Wildlife and the project proponent shall start development work of the project only after the recommendation of Standing Committee of NBWL in this case.
- [39] The project proponent shall ensure that the plinth level of the building block to be minimum 5 meter above highest flood level as per study carried out.
- [40] The project proponent shall obtain NOC from Irrigation Department before the start of development work.
- [41] The project shall have the provision for infrastructure services (water supply, sewer, storm water lines etc) to accommodate the additional load arising from the additional building blocks falling within the project limits vicinity.
- [42] The project proponent shall ensure that the project area is not encroached upon by any other project and the project area is not encroached upon by any other project and the project area is not encroached upon by any other project.
- [43] The project proponent shall ensure that the project area is not encroached upon by any other project and the project area is not encroached upon by any other project.
- [44] The project proponent shall ensure that the project area is not encroached upon by any other project and the project area is not encroached upon by any other project.
- [45] The project proponent shall ensure that the project area is not encroached upon by any other project and the project area is not encroached upon by any other project.
- [46] The project proponent shall ensure that the project area is not encroached upon by any other project and the project area is not encroached upon by any other project.
- [47] The project proponent shall ensure that the project area is not encroached upon by any other project and the project area is not encroached upon by any other project.
- [48] The project proponent shall ensure that the project area is not encroached upon by any other project and the project area is not encroached upon by any other project.
- [49] The project proponent shall ensure that the project area is not encroached upon by any other project and the project area is not encroached upon by any other project.
- [50] The project proponent shall ensure that the project area is not encroached upon by any other project and the project area is not encroached upon by any other project.

preferably landscaped and covered with vegetation/grass, herbs & shrubs. Only locally available plant species shall be used.

- (b) The project proponent shall strive to minimize water in irrigation of landscape by minimizing grass area, using native variety, xeriscaping and mulching, utilizing efficient irrigation system, scheduling irrigation only after checking evapo-transpiration data.
- (i) Rain water harvesting for roof run-off and surface run-off, as per plan submitted, should be implemented. Before recharging the surface run off, pre-treatment through sedimentation tanks must be done to remove suspended matter, oil and grease. The bore well for rainwater recharging shall be kept at least 5 mts. above the highest ground water table. Care shall be taken that contaminated water do not enter any RWT ph. The project proponent shall avoid Rain Water Harvesting of first 10 minutes of rain fall. Roof top of the building shall be without any toxic material or paint which can contaminate rain water. Wire mesh and filters should be used wherever required.
- (ii) The ground water level and its quality should be monitored regularly in consultation with Central Ground Water Authority.
- (k) A report on the energy conservation measures conforming to energy conservation norms finalized by Bureau of Energy Efficiency should be prepared incorporating details about building materials & technology, R & U Factors etc and submitted to the SEIA/C, Haryana in three months time.
- (l) Energy conservation measures like installation of LED only for lighting the areas outside the building and inside the building should be integral part of the project design and shall be in place before project commissioning. List of solar panels must be submitted to the concerned authority for its verification.

10. The project proponent shall ensure that the project is designed and constructed in such a manner that it shall be able to handle the maximum possible water flow. The project proponent shall also ensure that the project is designed and constructed in such a manner that it shall be able to handle the maximum possible water flow.

11. The project proponent shall ensure that the project is designed and constructed in such a manner that it shall be able to handle the maximum possible water flow. The project proponent shall also ensure that the project is designed and constructed in such a manner that it shall be able to handle the maximum possible water flow.

12. The project proponent shall ensure that the project is designed and constructed in such a manner that it shall be able to handle the maximum possible water flow. The project proponent shall also ensure that the project is designed and constructed in such a manner that it shall be able to handle the maximum possible water flow.

and the other activities the physical activity of the body should be fully developed and the mind should be equally active.

The higher level of physical activity should be maintained and the physical activity should be continued for the rest of the life.

(vi) The physical activity of the body should be maintained and the physical activity should be continued for the rest of the life.

(vii) The physical activity of the body should be maintained and the physical activity should be continued for the rest of the life.

(viii) The physical activity of the body should be maintained and the physical activity should be continued for the rest of the life.

(ix) The physical activity of the body should be maintained and the physical activity should be continued for the rest of the life.

(x) The physical activity of the body should be maintained and the physical activity should be continued for the rest of the life.

(xi) The physical activity of the body should be maintained and the physical activity should be continued for the rest of the life.

(xii) The physical activity of the body should be maintained and the physical activity should be continued for the rest of the life.

(xiii) The physical activity of the body should be maintained and the physical activity should be continued for the rest of the life.

(xiv) The physical activity of the body should be maintained and the physical activity should be continued for the rest of the life.

resorted for conservation of power and water. Coil type cooling DG Sets shall be used for saving cooling water consumption for water cooled DG Sets.

- (2) The project proponent shall ensure that the transformer is constructed with high quality grain oriented, low loss silicon steel and virgin electrolytic grade copper. The project proponent shall obtain manufacturer's certificate also for that.
- (aa) Water supply shall be metered among different users and different utilities.
- (ab) The project proponent shall ensure that exit velocity from the stack should be sufficiently high. Stack shall be designed in such a way that there is no stack down-wash under any meteorological conditions.
- (ac) The project proponent shall provide water sprinkling system in the project area to suppress the dust in addition to the already suggested mitigation measures in the Air Environment Chapter of EIMP.
- (ad) The project proponent shall provide additional green area on terrace and roof top.
- (ae) The project proponent shall ensure proper Air Ventilation and light system in the basements area for comfortable living of human being and shall ensure that number of Air Changes per hour (ACH) in basement never falls below 15. In case of emergency capacity for increasing ACH to the extent of 30 must be provided by the project proponent.

(af) The project proponent shall install solar panel for electricity conservation.

(ag) The project proponent shall ensure that all the lighting is done through LED lights and use of CFLs.

PERMIT CONDITIONS AND CONDITIONS

(a) The project proponent shall ensure that the project area is not used for any other purpose other than the one for which it is approved. The project proponent shall ensure that the project area is not used for any other purpose other than the one for which it is approved. The project proponent shall ensure that the project area is not used for any other purpose other than the one for which it is approved.

(b) The project proponent shall ensure that the project area is not used for any other purpose other than the one for which it is approved. The project proponent shall ensure that the project area is not used for any other purpose other than the one for which it is approved. The project proponent shall ensure that the project area is not used for any other purpose other than the one for which it is approved.

revoked if it is found that false information has been given for getting approval of this project. SEIAA reserves the right to revoke the clearance if conditions stipulated are not implemented to the satisfaction of SEIAA/MoEF.

(vi) The Project proponent shall not violate any judicial orders/pronouncements issued by any Court/Tribunal.

(vii) All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972, Forest Act, 1927 P.L.P.A 1900, etc. shall be obtained, as applicable by project proponents from the respective authorities prior to construction of the project.

(viii) The Project proponent should inform the public that the project has been accorded Environment Clearance by the SEIAA and copies of the clearance letter are available with the Haryana State Pollution Control Board & SEIAA. This should be advertised within 7 days from the date of issue of the clearance letter at least in two local newspapers that are widely circulated in the region and the copy of the same should be forwarded to SEIAA Haryana. A copy of Environment Clearance conditions shall also be put on project proponent's web site for public awareness.

(ix) Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the Project Proponent if it was found that construction of the project has been started before obtaining prior Environmental Clearance.

(x) Any appeal against the this Environmental Clearance shall be with the National Green Tribunal, established under the provisions of the National Green Tribunal Act, 2010.

(xi) The project proponent shall ensure that the project is implemented in accordance with the conditions stipulated in the Environmental Clearance. The project proponent shall ensure that the project is implemented in accordance with the conditions stipulated in the Environmental Clearance.

(xii) The project proponent shall ensure that the project is implemented in accordance with the conditions stipulated in the Environmental Clearance. The project proponent shall ensure that the project is implemented in accordance with the conditions stipulated in the Environmental Clearance.

(xiii) The project proponent shall ensure that the project is implemented in accordance with the conditions stipulated in the Environmental Clearance. The project proponent shall ensure that the project is implemented in accordance with the conditions stipulated in the Environmental Clearance.

(xiv) The project proponent shall ensure that the project is implemented in accordance with the conditions stipulated in the Environmental Clearance. The project proponent shall ensure that the project is implemented in accordance with the conditions stipulated in the Environmental Clearance.

- [xiii] The Project Proponent shall ensure that no vehicle during construction/operation phase enter the project premises without valid "Pollution Under Control" certificate from competent Authority.
- [xiv] The project proponent shall seek fresh Environmental clearance if at any stage there is change in the planning of the proposed project.
- [xv] Besides the developer/applicant, the responsibility to ensure the compliance of Environmental Safeguards/ conditions imposed in the Environmental Clearance letter shall also lie on the licensee/licensees in whose name/ names the license/CLU has been granted by the Town & Country Planning Department, Haryana.
- [xvi] The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MOEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely, PM_{10} , $PM_{2.5}$, SO_x , NO_x , Ozone, Lead, CO, Benzene, Ammonia, Benzopyrene, arsenic and nickel (Ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- [xvii] The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the HSPCB Panchkula as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of the EC conditions and shall also be sent to the respective Regional Offices of MOEF by e-mail.
- [xviii] The project proponent shall conduct environment audit at every three months interval and thereafter corrective measures shall be taken without any delay. Details of environmental audit and corrective measures shall be submitted in the monitoring report.

वन विभाग हरियाणा सरकार

कार्यालय :- वन मण्डल अधिकारी, मोरनी पिंजौर वन मण्डल, पिंजौर
वन परिसर पिंजौर, दूरभाष / फैक्स नं० 01733-230537
e-mail-dfomorni@gmail.com

दिनांक:- 18/05/2022

क्रमांक:- 1407
सेवा में:-

DLF Homes Panchkula Pvt Ltd.,
SCO 188-189, Sector 8 C,
Chandigarh-160009.

विषय:-

Issuance of Forest NOC for land of 34.229 acres situated at village Bhagwanpur (H.B. no. 193) Tehsil Kalka, Distt. Panchkula to be developed by M/s DLF Homes Panchkula Pvt Ltd.

संदर्भ:-

आपका प्रार्थना पत्र दिनांक 16.05.2022

संदर्भांकित पत्र के सम्बन्ध में आपको अवगत करवाया जाता है कि आपकी मलकीयत भूमि जोकि गांव भगवानपुर जिला पंचकूला में आपके प्रार्थना पत्र व संलग्न जमाबंदी में अंकित खसरा नम्बरान पर इस कार्यालय में उपलब्ध रिकार्ड अनुसार पंजाब भूमि संरक्षण अधिनियम 1900 की धारा 4 व 5 लागू नहीं होती है।

इस भूमि पर पंजाब भूमि संरक्षण अधिनियम 1900 की सामान्य धारा 4 लागू होती है। उक्त भूमि में किसी भी प्रकार के कार्य को करने से पूर्व पंजाब भूमि संरक्षण अधिनियम 1900 की सामान्य धारा 4 के प्रावधानों के तहत इस कार्यालय से अनुमति प्राप्त करें। उक्त क्षेत्र में सुखना वन्य प्राणी अभियारण का ईको-सैंसिटिव जोन भी प्रस्तावित है। जिसके सम्बन्ध में आप उक्त भूमि में किसी भी प्रकार के कार्य को करने से पूर्व ईको-सैंसिटिव जोन में लागू प्रावधानों के तहत अनुमति भी प्राप्त करें। इसके अतिरिक्त वन राजिक अधिकारी, पिंजौर के पत्र क्र० 63 दिनांक 25.04.2022 के अनुसार आपकी मलकीयत भूमि के साथ बक्शीवाला सुरक्षित वन भूमि लगती है तो किसी भी प्रकार के कार्य को करने से पूर्व उक्त भूमि की निशानदेही करवाये

वन मण्डल अधिकारी,
मोरनी-पिंजौर वन मण्डल,
पिंजौर।

18/5/2022

वन विभाग हरियाणा सरकार

कार्यालय:-वन मण्डल अधिकारी, मोरनी पिंजौर वन मण्डल, पिंजौर
वन परिसर पिंजौर, दूरभाष/फैक्स नं० 01733-230537
e-mail- dfomorni@gmail.com

क्रमांक:- 10054
सेवा में:-

दिनांक:- 21-11-2023

DLF Homes Panchkula Pvt Ltd.,
SCO 188-189, Sector 8 C,
Chandigarh-160009.

विषय:-

Permission for use of machinery for cleaning land of 15.833 acres situated at village Bhagwanpur (H.B. no. 193) Tehsil Kalka, Distt. Panchkula to be developed by M/s DLF Homes Panchkula Pvt Ltd.

सन्दर्भ:-

आपका प्रार्थना पत्र दिनांक 09.10.2023

उपरोक्त सन्दर्भांकित पत्र के सम्बन्ध में राजस्व रिकॉर्ड के अनुसार प्रार्थी गांव भगवानपुर तह० कालका जिला पंचकूला खसरा नं० 357/1/2min(6-15), 2min(0-4), 9(18-10), 356/1/1 min (4-7), 359/34/2 (11-2), 35(4-14), 36(0-11), 273/10/2 min (7-2), 275/44/2/3 (1-7), 33/1 (0-3), 7/1 (0-6), 11/2 min (1-14), 271/32 (3-13), 33/2 (4-1), 7/2 (1-0), 3 min (0-2), 4 min (0-8), 5 (2-9), 6 (3-12), 8 min (0-6) 12 min (1-10), 13/1 min (2-4) Total 76 Bigha 0 Biswa (15.833 acres) situated at Village Bhagwanpur (H.B. No.- 193) का वाहिद मालिक व काबिज है। प्रार्थी की जमीन उबड़-खाबड़ है जिसको प्रार्थी समतल करवाना चाहता है। वन राजिक अधिकारी, पिंजौर की रिपोर्ट अनुसार को मध्यनजर रखते हुये प्रार्थी को भूमि समतल करने की अनुमति निम्नलिखित शर्तों पर दी जाती है:-

1. प्रार्थी को अपनी भूमि को समतल करने की अनुमति इस शर्त पर प्रदान की जाती है कि प्रार्थी को दिनांक 22-11-2023 से 16-12-2023 तक केवल दिन के समय सुबह 8:30 से शाम 5:00 बजे तक जे०सी०बी० मशीन/ट्रैक्टर का प्रयोग करेगा।
2. समतल करने वाली भूमि में से कोई वृक्ष काटा नहीं जायेगा।
3. समतल करने वाली भूमि में से कोई वृक्ष काटा/हटाया जायेगा तो वन संरक्षण अधिनियम के तहत कार्यवाही अमल में लाई जायेगी।
4. जो भी भूमि आप समतल करेंगे तो वह वन राजिक अधिकारी, पिंजौर तथा वहां कार्यरत वन दरोगा/वन रक्षक की उपस्थिति में ही करेंगे तथा समतल करने से पहले आपको वन राजिक अधिकारी, पिंजौर को सूचित करना होगा।
5. यह अनुमति भूमि को केवल कृषि योग्य बनाने हेतु समतल करने की अनुमति प्रदान की है। इस अनुमति को किसी भवन निर्माण/व्यवसायिक गतिविधियों की अनुमति ना समझी जाये।
6. नक्शे में दी गई भूमि से अतिरिक्त यदि कोई अन्य भूमि से छेड़छाड़ की जाती है तो अनुमति रद्द करते हुए मालिक के विरुद्ध भारतीय वन अधिनियम 1927 व वन संरक्षण अधिनियम 1980 के तहत कार्यवाही की जायेगी।
7. अपनी भूमि के अलावा साथ लगती भूमि किसी भी तरह का सड़क या रास्ते का निर्माण नहीं करेंगे।
8. जो भी उबड़ खाबड़/उंची नीची भूमि समतल करते समय लैण्ड सलाईडिंग होती है और साथ लगती भूमि मालिको को कोई आपत्ति होती है तो भी यह अनुमति रद्द समझी जाये।
9. मिटटी खेत/प्लाट व समतल वाले क्षेत्र/खेत/स्थान से मिटटी बाहर नहीं ले जाई जाएगी।
10. प्रस्तावित भूमि पर यदि वन्य प्राणी अधिनियम 1972, खनन अधिनियम या कोई अन्य अधिनियम लागू होता है तो जवाबदेही प्रार्थी की स्वयं होगी। उस स्थिति में यह परमिट शून्य समझा जायेगा।
11. खनन विभाग से इस सम्बन्ध में अगर कोई आपत्ति उठाई जाती है तो उसके आप स्वयं जिम्मेवार होंगे।
12. यदि ग्राम पंचायत व नगर निगम द्वारा कोई आपत्ति उठाई जाती है तो स्वीकृति रद्द समझी जाये।
13. भूमि कटाव का खतरा नहीं होना चाहिए।
14. उक्त शर्तों व नियमों की उल्लंघना होती है तो अनुमति रद्द कर दी जायेगी।
15. भूमि समतल करते समय प्रार्थी की जमीन में अगर कोई विवाद होता है तो प्रार्थी स्वयं जिम्मेवार होगा विभाग की इसमें कोई जिम्मेवारी नहीं होगी।

वन मण्डल अधिकारी,
मोरनी-पिंजौर

पृ० क्रमांक:-

दिनांक:-

एक प्रति वन राजिक अधिकारी, पिंजौर को उनके पत्र क्रमांक 684 दिनांक 14.11.2023 के सन्दर्भ में निर्देश दिये जाते है कि वह उपरोक्त 1 से 14 तक की हिदायतों के मध्यनजर, अपने क्षेत्रीय अमले की देखरेख में नियमानुसार कार्य करवाये। बिना अनुमति के पेड़ काटने ना दिया जाये।

वन मण्डल अधिकारी,
मोरनी-पिंजौर।

वन विभाग हरियाणा सरकार

कार्यालय :-वन मण्डल अधिकारी, मोरनी पिंजौर वन मण्डल, पिंजौर
वन परिसर पिंजौर, दूरभाष / फ़ैक्स नं० 01733-230537
e-mail-dfomorni@gmail.com

क्रमांक:-
सेवा में:-

6883

दिनांक:- 11-09-2023

DLF Homes Pvt. Ltd.
SCO 188-189, Sector 8-C,
Chandigarh.

विषय:-

Issuance of NOC for land of 15.833 acres situated at village bhagwanpur (H.B. No. 193) Tehsil Kalka Distt. Panchkula to be developed by M/s DLF Homes Pvt. Ltd.

संदर्भ:-

आपका प्रार्थना पत्र दिनांक 09.08.2023

संदर्भांकित पत्र के सम्बन्ध में आपको अवगत करवाया जाता है कि आपकी मलकीयत भूमि जोकि गांव भगवानपुर जिला पंचकूला के हदबस्त नं० 193 में पड़ती है, वह भूमि इस कार्यालय के रिकार्ड के अनुसार पंजाब भूमि संरक्षण अधिनियम 1900 की धारा 4 व 5 में नहीं पड़ती है।

इसके अतिरिक्त वन राजिक अधिकारी, पिंजौर ने उनके पत्र क्र० 677 दिनांक 04.09.2023 द्वारा अवगत करवाया है कि आप द्वारा उक्त भूमि पर मकान बनाए जाने है। जिस पर पंजाब भूमि संरक्षण अधिनियम 1900 की सामान्य धारा 4 लागू है व उक्त भूमि ईस्लामनगर पी०एफ० के लगती है व मौके पर कोई सीमा बुर्जी मौजूद नहीं है जिससे पता किया जा सके आपकी भूमि व वन भूमि की हदबन्दी कहां तक है। इसलिये उक्त भूमि की संयुक्त निश्चानदेही करवाई जानी अतिआवश्यक है। अतः आपको लिखा जाता है कि उक्त भूमि में कोई भी कार्य करने से पूर्व इस भूमि की संयुक्त निश्चानदेही करवायें। इस भूमि को समतल करने व इससे कोई वृक्ष काटने से पूर्व नियमानुसार इस कार्यालय से अनुमति प्राप्त करना सुनिश्चित करें। इसके अतिरिक्त उक्त क्षेत्र में सुखना वन्य प्राणी विहार का ईको सेंसिटिव जोन प्रस्तावित है। जिसके सम्बन्ध में आप उक्त भूमि में कोई कार्य करने से पूर्व ईको सेंसिटिव जोन में लागू प्रावधानों के तहत अनुमति लेना सुनिश्चित करें।

वन मण्डल अधिकारी,
मोरनी-पिंजौर वन मण्डल,
पिंजौर।

प्रतः:-

दिनांक:-

एक प्रति वन राजिक अधिकारी, पिंजौर को उनके कार्यालय के पत्र क्रमांक 677 दिनांक 04.09.2023 के सन्दर्भ में निर्देश दिये जाते हैं कि निश्चानदेही उपरांत ही प्रयोक्ता एजेंसी को उक्त भूमि में कोई कार्य करने दिया जाये।

वन मण्डल अधिकारी,
मोरनी-पिंजौर वन मण्डल,
पिंजौर।

Directorate of Town & Country Planning, Haryana

SCO-71-75, 2nd Floor, Sector 17 C, Chandigarh
Phone: 0172-2549349 e-mail: tchpharyana5@gmail.com
website: http://tchpharyana.gov.in

Regd.

LC-IX
(See Rule 16 (2))

To

✓ Gavel Builders and Construction Pvt. Ltd., Keyma Builders and Construction Pvt. Ltd., Jingle Builders and Developers Pvt. Ltd., Morina Builders and Developers Pvt. Ltd., Josen Builders and Developers Pvt. Ltd., Marven Builders and Developers Pvt. Ltd., Morgan Builders and Developers Pvt. Ltd., Ghansham Singh S/o Trilok Singh, Vivek Singh S/o Gansham Singh, Nirman Singh, Karam Singh, Dharam Singh S/o Mehar Singh, Rajpat Singh S/o Suraj Singh, Mehar Singh S/o Purn Singh C/o DLF Homes Panchkula Pvt. Ltd. SCO No. 190-192, Sector-8-C, Chandigarh.

Memo No. LC-1647 Vol-III-JE(VA)-2017/ 16792 Dated: 17-07-2017

Subject: Request for issuance of part completion certificate for the land measuring 75.0 acres w.r.t. Licence No. 11 of 2010 dated 02.02.2010 granted for setting up of Residential Plotted Colony over an area measuring 118.562 acres falling in the revenue estate of village Bhagwanpur in Sector-3, Pinjore Kalka, District Panchkula.

Refer your application dated 19.02.2015, requesting to grant part completion certificate in respect of Residential Plotted Colony being developed over an area measuring 118.562 acres bearing Licence No. 11 of 2010 dated 02.02.2010 falling in the revenue estate of village Bhagwanpur in Sector-3, Pinjore Kalka, District Panchkula.

Chief Engineer, HUDA, Panchkula vide memo no. 4179 dated 25.05.2015 informed that the services with respect to Residential Plotted Colony of DLF Homes Panchkula Pvt. Ltd. in their Residential Plotted Colony in an area of 118.562 acres in the revenue estate of village Bhagwanpur in Sector-3, Pinjore Kalka, District Panchkula have been got checked and reported laid at site and are operational/functional. The services includes water supply, sewerage, SWD, roads, street lighting and horticulture. Senior Town Planner, Panchkula vide memo no. 1763 dated 03.05.2015 has confirmed about laying of the colony for the land measuring 75.0 acres out of total licenced area measuring 118.562 acres (licence no. 11 of 2010 dated 02.02.2010) as per approval plans.

In view of these reports, it is hereby certified that the required development works on the land measuring 75.0 acres in the said Residential Plotted Colony at Panchkula comprising of Licence mentioned above for 118.562 acres as indicated on the enclosed layout plan duly signed by me read in conjunction with the following terms and conditions have been completed to my satisfaction. The development works are water supply, sewerage, storm water, drainage, roads, horticulture, etc. The part completion certificate is granted on the following terms and conditions:-

1. The services will be laid by the colonizer upto alignment of proposed external services of the town and connection with the HUDA system will be done with the prior approval of the competent authority. In case pumping is required, the same will be done by the colonizer at its own cost. The services will be provided as per provision in the EDC of Panchkula.

2. That the colonizer will be solely responsible for making arrangement of water supply and disposal of sewage and storm water of their colony as per requirement/guidelines of HSPCB/Environment Department till such time, the external services are provided by HUDA/State Government as per their scheme.
3. Level/Extent of the services to be provided by HUDA i.e. water supply sewerage, SWD, roads etc. will be proportionate of EDC provisions.
4. That the roof top rain harvesting system shall be maintained properly and kept operational all the time to come.
5. That in case some additional structures are required to be constructed and decided by HUDA at a later stage, the same will be binding upon you. Flow control valves will be installed, preferably of automatic type on water supply connection with HUDA water supply line.
6. That the NSL formation level of roads have been verified and are correct. You shall be responsible in case of any mistake in levels etc.
7. That you shall be fully responsible for operation, upkeep and maintenance of all roads, open spaces, public parks and public health services like water supply, sewerage and drainage etc. for a period as approved in the service plan estimates of your colony from the date of issuance of final completion certificate or earlier relieved of said responsibility and thereupon transfer all such roads open spaces, public parks and public health services like water supply, sewerage and drainage etc. free of cost to the Government or the Local Authority as directed.
8. That you shall neither erect nor allow the erection of any communication and transmission Tower with in colony without prior approval of competent authority.
9. That you shall use LED fittings for street lighting in the licensed colony.
10. That you shall comply with the conditions of Service Plan/Estimates approved by the Department vide memo dated 13.06.2011 and the conditions imposed by CA-HUDA, Panchkula in the letter annexed as Annexure A-1.
11. That you shall be required to obtain final completion certificate after laying out the colony as per approved layout plan and completion of Internal Development Works as per approved specifications and design as required under section 3(6) of the Haryana Development and Regulation of Urban Area Act, 1975.
12. That you shall get the licence renewed as laid down under rule 13 of the Haryana Development and Regulation of Urban Area Rules, 1976 till the grant of final completion certificate.
13. That you shall complete the construction of community buildings as per provisions of Section 3(3)(a)(iv) of Act No. 3 of 1975.
14. That you shall abide by all prevailing norms/rules and regulations as fixed by HUDA.
15. This part completion certificate shall be void ab-initio, if any of the conditions mentioned above are not complied with.

DA/As above.


 (T.L. Satyaprakash, IAS)
 Director, Town & Country Planning
 Haryana Chandigarh

A copy is forwarded to the following for information and necessary action.

1. Chief Administrator, HUDA, Panchkula.
2. Senior Town Planner, Panchkula.
3. District Town Planner, Panchkula.
4. Chief Accounts Officer O/o Director, Town and Country Planning, Haryana, Chandigarh.
5. Nodal Officer, Website updation.

(VIJENDER SINGH)
District Town Planner (HQ)
For Director, Town & Country Planning
Haryana Chandigarh

Directorate of Town & Country Planning, Haryana

SCO-71-75, 2nd Floor, Sector 17 C, Chandigarh
Phone: 0172-2549349 e-mail:tcpharyana6@gmail.com
website:-http://tcpharyana.gov.in

Regd.

LC-IX
(See Rule 16 (2))

To

DLF Homes Panchkula Pvt. Ltd.,
SCO-190-192, Sector-8C,
Chandigarh.

Memo No. LC-1647-B-JE (SK)-2018/ 4630 Dated: 05-02-2018

Subject: Grant of part completion certificate for licence no. 114 of 2011 dated 23.12.2011 for development of Residential Plotted Colony over an area measuring 57.031 acres falling in the revenue estate of village Bhagwanpur & Islampur in Sector-2 & 3, Pinjore Kalka, District Panchkula-DLF Homes Panchkula Pvt. Ltd.

Refer your application dated 25.07.2017, requesting to grant part completion certificate in respect of licence no. 114 of 2011 dated 23.12.2011 for development of Residential Plotted Colony over an area measuring 57.031 acres falling in the revenue estate of Village Bhagwanpur & Islampur in Sector-2 & 3, Pinjore Kalka, District Panchkula.

Chief Engineer, HUDA, Panchkula vide memo no. 7768 dated 11.01.2018 informed that the services with respect to Residential Plotted Colony of DLF Homes Panchkula Pvt. Ltd. over an area measuring 57.031 acres falling in the revenue estate of village Bhagwanpur & Islampur in Sector-2 & 3, Pinjore Kalka, District Panchkula have been got checked and reported laid at site and are operational/functional. The services include water supply, sewerage, SWD, roads, street lighting and horticulture. Senior Town Planner, Panchkula vide memo no. 4676 dated 30.11.2017 has confirmed about laying of the colony for the land measuring 57.031 (licence no. 114 of 2011 dated 23.12.2011) as per approval plans.

In view of these reports, it is hereby certified that the required development works on the land measuring 57.031 acres falling in the Residential Plotted Colony of DLF Homes Panchkula Pvt. Ltd. comprising of Licence mentioned as indicated on the enclosed layout plan duly signed by me read in conjunction with the following terms and conditions have been completed to my satisfaction. The development works are water supply, sewerage, storm water, drainage, roads, horticulture, etc. The part completion certificate is granted on the following terms and conditions:-


1. The services will be laid by the colonizer upto alignment of proposed external services of the town and connection with the HUDA system will be done with the prior approval of the competent authority. In case pumping is required, the same will be done by the colonizer at its own cost. The services will be provided as per provision in the EDC of Panchkula.

2. That the colonizer will be solely responsible for making arrangement of water supply and disposal of sewage and storm water of their colony as per requirement/guidelines of HSPCB/Environment Department till such time, the external services are provided by HUDA/State Government as per their scheme.
3. Level/Extent of the services to be provided by HUDA i.e. water supply sewerage, SWD, roads etc. will be proportionate of EDC provisions.
4. That the roof top rain harvesting system shall be maintained properly and kept operational all the time to come.
5. That in case some additional structures are required to be constructed and decided by HUDA at a later stage, the same will be binding upon you. Flow control valves will be installed, preferably of automatic type on water supply connection with HUDA water supply line.
6. That the NSL formation level of roads have been verified and are correct. You shall be responsible in case of any mistake in levels etc.
7. That you shall be fully responsible for operation, upkeep and maintenance of all roads, open spaces, public parks and public health services like water supply, sewerage and drainage etc. for a period of five years from the date of issuance of final completion certificate or earlier relieved of said responsibility and thereupon transfer all such roads open spaces, public parks and public health services like water supply, sewerage and drainage etc. free of cost to the Government or the Local Authority as directed.
8. That you shall neither erect nor allow the erection of any communication and transmission Tower with in colony without prior approval of competent authority.
9. That you shall use LED fittings for street lighting in the licenced colony.
10. That you shall comply with the conditions of Service Plan/Estimates approved by the Department vide memo dated 14.08.2014 and the conditions imposed by CA-HUDA, Panchkula in the letter annexed as Annexure A-1.
11. That you shall be required to obtain final completion certificate after laying out the colony as per approved layout plan and completion of Internal Development Works as per approved specifications and design as required under section 3(6) of the Haryana Development and Regulation of Urban Area Act, 1975.
12. That you shall get the licence renewed as laid down under rule 13 of the Haryana Development and Regulation of Urban Area Rules, 1976 till the grant of final completion certificate.
13. That you shall complete the construction of community buildings as per provisions of Section 3(3)(a)(iv) of Act No. 8 of 1975.
14. That you shall abide by all prevailing norms/rules and regulations as fixed by HUDA.
15. That you shall submit report regarding Electrical Services have been provided to the EWS pockets handed over to Housing Board Haryana in the above said

Residential Plotted Colony through DTP/STP, Panchkula within 15 days after issuance of this letter.

16. This part completion certificate shall be void-ab-initio, if any of the conditions mentioned above are not complied with.

DA/As above.


(T.L. Satyaprakash, IAS)
Director, Town & Country Planning
Haryana, Chandigarh.

Endst. No. LC-1647-B-JE (SK)-2018/

Dated:

A copy is forwarded to the following for information and necessary action.

1. Chief Administrator, HUDA, Panchkula.
2. Senior Town Planner, Panchkula.
3. District Town Planner, Panchkula.
4. Chief Accounts Officer O/o Director, Town and Country Planning, Haryana, Chandigarh.
5. Nodal Officer, Website updation.

/
(Vijender Singh)
District Town Planner (HQ)
For Director, Town & Country Planning
Haryana Chandigarh

DIRECTORATE OF TOWN & COUNTRY PLANNING, HARYANA

SCO 71-75, Sector 17C, Chandigarh

Phone:0172-2549349; e-mail:tcphry@gmail.com

<http://tcpharyana.gov.in>

LC-IX
(See Rule 16 (2))

To

✓ DLF homes Panchkula Pvt. Ltd. & others
1E, Jhandewalan Extension,
Naaz Cinema Complex,
New Delhi.

Memo No. LC-1647-ATP(B)-2018/ 24686

Dated: 23-08-2018

Subject:

Request for grant of part completion certificate for an area measuring 27.728 acres, out of the total licensed area measuring 175.59 acres bearing license No. 11 of 2010 dated 02.02.2010, & 114 of 2006 dated 23.12.2011 granted for development of residential plotted colony in Sector-2, 3 Pinjore Kalka Urban Complex, Distt. Panchkula.

Please refer to your application dated 28.07.2017 and subsequent letter dated 25.06.2018/09.07.2018 on the matter as subject cited above.

2. Chief Engineer, HSVP, Panchkula vide memo No. 7780 dated 11.01.2018 informed that the services with respect to area measuring 27.728 acres in the Residential Plotted Colony having area measuring 175.59 acres bearing license No. 11 of 2010 dated 02.02.2010, & 114 of 2006 dated 23.12.2011 granted for development of residential plotted colony in Sector-2, 3 Pinjore Kalka Urban Complex, Distt. Panchkula have been got checked and reported laid at site and are operational/functional. The services include water supply, sewerage, SWD, roads, street lighting and horticulture. Senior Town Planner, Panchkula vide memo No. 4678 dated 30.11.2017 has confirmed the report of Engineering wing of HUDA.

3. In view of these reports, it is hereby certified that the required development works over an area measuring 27.728 acres of Residential Plotted Colony comprising of licences above, as indicated on the enclosed layout plan duly signed by me read in conjunction with the following terms and conditions have been completed to my satisfaction. The development works are water supply, sewerage, storm water, drainage, roads, horticulture, etc. The part completion certificate is granted on the following terms and conditions:-

- (i) The services will be laid by the colonizer upto alignment of proposed external services of the town and connection with the HUDA system will be done with the prior approval of the competent authority. In case pumping is required, the same will be done by the colonizer at its own cost. The services will be provided as per provision in the EDC of Panchkula.
- (ii) That the colonizer will be solely responsible for making arrangement of water supply and disposal of sewage and storm water of their colony as per requirement/guidelines of HSPCB/Environment Department till such time, the external services are provided by HUDA/State Government as per their scheme.
- (iii) Level/Extent of the services to be provided by HUDA i.e. water supply sewerage, SWD, roads etc. will be proportionate of EDC provisions.
- (iv) That the roof top rain harvesting system shall be maintained properly and kept operational all the time to come.
- (v) That in case some additional structures are required to be constructed and decided by HUDA at a later stage, the same will be binding upon you. Flow control valves will be installed, preferably of automatic type on water supply connection with HUDA water supply line.

- (vi) That the NSL formation level of roads have been verified and are correct. You shall be responsible in case of any mistake in levels etc.
- (vii) That you shall be fully responsible for operation, upkeep and maintenance of all roads, open spaces, public parks and public health services like water supply, sewerage and drainage etc. for a period of five years from the date of issuance of final completion certificate or earlier relieved of said responsibility and thereupon transfer all such roads open spaces, public parks and public health services like water supply, sewerage and drainage etc. free of cost to the Government or the Local Authority as directed.
- (viii) That you shall neither erect nor allow the erection of any communication and transmission Tower with in colony without prior approval of competent authority.
- (ix) That you shall use LED fittings for street lighting in the licenced colony.
- (x) That you shall comply with the conditions of Service Plan/Estimates approved by the Department vide memo dated 13.06.2011 and the conditions imposed by CA-HUDA, Panchkula in the letter.
- (xi) That you shall be required to obtain final completion certificate after laying out the colony as per approved layout plan and completion of Internal Development Works as per approved specifications and design as required under section 3(6) of the Haryana Development and Regulation of Urban Area Act, 1975.
- (xii) That you shall get the licence renewed as laid down under rule 13 of the Haryana Development and Regulation of Urban Area Rules, 1976 till the grant of final completion certificate.
- (xiii) That you shall be bound to adhere to the provisions of Section 3(3)(a)(iv) of Act No. 8 of 1975 as amended from time to time regarding construction/transfer of community sites.
- (xiv) That you shall abide by all prevailing norms/rules and regulations as fixed by HUDA.
- (xv) This part completion certificate shall be void-ab-initio, if any of the conditions mentioned above are not complied with.

DA/As above.



(K. Makrand Pandurang)
Director,
Town & Country Planning
Haryana, Chandigarh

Endst. No. LC-1647-ATP(B)-2018/

Dated:

A copy is forwarded to following for information and necessary action:-

1. Chief Administrator, HUDA, Panchkula.
2. Senior Town Planner, Panchkula.
3. District Town Planner, Panchkula.
4. Chief Accounts Officer O/o Director General, Town and Country Planning, Haryana, Chandigarh.
5. Nodal Officer, Website updation.

(Vijender Singh)
District Town Planner (HQ)
For Director, Town & Country Planning
Haryana Chandigarh

FORM LC -V
(See Rule 12)
HARYANA GOVERNMENT
TOWN AND COUNTRY PLANNING DEPARTMENT

License No. 141 of 2023

This Licence has been granted under the Haryana Development and Regulation of Urban Areas Act, 1975 & the Rules 1976, made there under to Keyna Builders and Constructions Pvt. Ltd., Morina Builders and Developers Pvt. Ltd., Gavel Builders and Constructions Pvt. Ltd., Jesen Builders and Developers Pvt. Ltd. in collaboration with DLF Homes Panchkula Pvt. Ltd. Regd. Off. 2nd Floor, DLF Gateway Tower, DLF City, Phase-III, NH-8, Gurugram-122002 for setting up of Group Housing Colony under NILP Policy-2022 over an area measuring 15.833 acres (migration of GH Component from licence no. 11 of 2010 dated 02.02.2010 and 114 of 2011 dated 23.12.2011) situated in the revenue estate of village Bhagwanpur, Sector-2, 3, Pinjore Kalka Urban Complex, Distt. Panchkula.

1. The Licence is granted subject to the following conditions:

- i. That residential colony will be laid out in confirmation to the approved layout plans and development works are executed according to the designs and specifications shown in the approved plan.
- ii. That conditions of the agreements already executed are duly fulfilled and the provisions of Haryana Development and Regulation of Urban Areas Act, 1975 and the Rules 1976 made thereunder are duly complied with.
- iii. That you shall submit the additional bank guarantee, if any required at the time of approval of Service Plans/Estimate. With an increase in the cost of construction and increase in the number of facilities in building Plan, you would be required to furnish an additional bank guarantee within 30 days on demand. It is made clear that bank guarantee of Internal Development Works/EDC has been worked out on the interim rates.
- iv. That you shall transfer the area coming under the sector roads and restricted belt/green belt which forms part of licenced area and in lieu of which benefit to the extent permissible as per policy towards plotable area /FAR is being granted, shall be transferred free of cost to the Government.
- v. That you shall construct and transfer the portion of internal sector road, which shall form part of the licenced area, free of cost to the Government.
- vi. That you understand that the development/construction cost of 24/18 m major internal roads is not included in the EDC rates and you shall pay the proportionate cost for acquisition of land, if any, alongwith the construction cost of 24/18 m wide major internal roads as and when finalized and demanded by the Department.
- vii. That you shall arrange electric connection from HVPN/DHBNL for electrification of colony and shall install the electricity distribution infrastructure as per the peak load requirement of the colony for which you shall get the electrical (distribution) service plan/estimates

Director General
Town & Country Planning
Haryana, Chandigarh


approved from the agency responsible for installation of external electric services i.e. HVPN/DHBVNL and complete the same before obtaining completion certificate for the colony.

- viii. That you shall make arrangements for water supply, sewerage, drainage etc. to the satisfaction of DTCP till these services are made available from External Infrastructure to be laid by HSVP or any other Govt. Agency.
- ix. That you shall submit no objection certificate/approval, as required under notification dated 14.09.2006 issued by Ministry of Environment and Forest, Govt. of India before executing development works at site, in this office.
- x. That licensee shall obtain clearance from competent Authority, if required under PLPA, 1900 and any other clearance required under any other law.
- xi. That you shall maintain and upkeep all roads, open spaces, public parks and public health services for a period of five years from the date of issue of the completion certificate unless earlier relieved of this responsibility and thereupon to transfer all such roads, open spaces, public parks and public health services free of cost to the Govt. or the local authority, as the case may be in accordance with the provisions of Section 3(3)(a)(iii) of the Haryana Development and Regulation of Urban Areas Rules, 1976.
- xii. That you shall pay the labour cess charges as per policy dated 04.05.2010.
- xiii. That you shall provide the rain water harvesting system as per central ground water Authority Norms/Haryana Govt. notification as applicable.
- xiv. That you shall deposit thirty percentum of the amount realized, from time to time, from the plot holders within a period of 10 days of its realization in a separate account to be maintained in a scheduled Bank. This account shall only be utilized towards meeting the cost of internal development works in the colony.
- xv. That you shall make the provision of solar water heating system as per HAREDA guidelines and shall be made operational where applicable before applying for an Occupation Certificate.
- xvi. That you shall use only LED fittings for internal as well as for campus lighting.
- xvii. That you shall submit compliance of Rule 24, 26, 27 & 28 of Rules 1976 & Section 5 of Haryana Development and Regulation of Urban Areas Act, 1975, and shall inform account number and full particulars of the scheduled Bank wherein thirty percentum of the amount realized from the Flat/shop buyers for meeting the cost of Internal Development Works in the colony is deposited.
- xviii. That you shall keep pace of the construction at least in accordance with sale agreement executed with the buyers of the flats as and when scheme is launched, after approval of building plans.
- xix. That you shall not create Third Party Rights/pre launch against the licenced land, before approval of building plans.
- xx. That provision of External Development Facilities may take long time by HSVP, the you shall not claim any damages against the Department for loss occurred, if any.

- xxi. That you shall specify the detail of calculations per Sqm/per sq ft, which is being demanded from the flat owners on account of IDC/EDC, if being charged separately as per rates fixed by Govt.
- xxii. That developer company, i.e., DLF Homes Panchkula Pvt. Ltd. shall be responsible for compliance of all terms and conditions of licence/provisions of the Act of 1975 and Rules 1976 till the grant of Final Completion Certificate to the colony or relieved of the responsibility by the Director, Town & Country Planning, Haryana whichever is earlier.
- xxiii. That you shall not use the ground water for the purpose of construction of building. The building plans shall be approved only after the source of water for construction purposes is explained to the satisfaction of HSVP in terms of orders of the Hon'ble High Court dated 16.07.2012 in CWP's no. 20032 of 2008, 13594 of 2009 and 807 of 2012.
- xxiv. That you shall permit the Director or any other officer authorized by him to inspect the execution of the layout and the development works in the colony and to carry out all directions issued by him for ensuring due compliance of the execution of the layout and development works in accordance with the licence granted.
- xxv. The maximum permissible density & FAR shall be 400 PPA & 1.25 respectively.
- xxvi. That you shall transfer 10% area of the licenced colony free of cost to the Government for provision of community facilities before grant of completion certificate.
- xxvii. That you shall abide with terms and conditions of the NILP policy dated 11.05.2022 as amended from time to time.
- xxviii. That you shall obey all the directions/restrictions imposed by the Department from time to time in public interest.

2. The licence is valid up to 09/07/2028.

Dated: 10/07/2023
Place: Chandigarh


(T. L. Satyaprakash, IAS)
Director General,
Town & Country Planning
Haryana, Chandigarh

Endst. No. LC-4870/JE (RK)-2023/ 22674

Dated: 11-07-2023

A copy along with a copy of schedule of land is forwarded to the following for information and necessary action: -

- ✓ 1. Keyna Builders and Constructions Pvt. Ltd., Morina Builders and Developers Pvt. Ltd., Gavel Builders and Constructions Pvt. Ltd., Jesen Builders and Developers Pvt. Ltd. in collaboration with DLF Homes Panchkula Pvt. Ltd. Regd. Off. 2nd Floor, DLF Gateway Tower, DLF City, Phase-III, NH-8, Gurugram-122002 alongwith copy of zoning plan.
2. Chairman, Pollution Control Board, Haryana, Sector-6, Panchkula.
3. Chief Administrator, HSVP, Panchkula.

4. Chief Administrator, Housing Board, Panchkula alongwith copy of agreement.
5. Managing Director, HVPN, Planning Directorate, Shakti Bhawan, Sector-6, Panchkula.
6. Joint Director, Environment Haryana - Cum-Secretary, SEAC, Paryavaran Bhawan, Sector -2, Panchkula.
7. Director Urban Estates, Haryana, Panchkula.
8. Administrator, HSVP, Panchkula.
9. Chief Engineer, HSVP, Panchkula.
10. Superintending Engineer, HSVP, Panchkula along with a copy of agreement.
11. Land Acquisition Officer, Panchkula.
12. Senior Town Planner, Panchkula.
13. Senior Town Planner (Enforcement), Haryana, Chandigarh.
14. District Town Planner, Panchkula along with a copy of agreement & Layout Plan.
15. Chief Accounts Officer (Monitoring) O/o DTCP, Haryana.
16. Accounts Officer, O/o Director, Town & Country Planning, Haryana, Chandigarh along with a copy of agreement.

(Ashish Sharma)
District Town Planner (HQ)
For: Director General, Town & Country
Planning,
Haryana, Chandigarh

To be read with License No.....141.....Dated.....10/07/.....of 2023

Detail of land owned by Keyna Builders & Constructions Pvt. Ltd.

Village	Khasra No.	Area (B-B-B)
Bhagwanpur	357/1/2min	6-15
	2min	0-4
	9	18-10
	Total	25-9

Detail of land owned by Morina Builders & Developers Pvt. Ltd.

Bhagwanpur	356/1/1min	4-7
	359/34/2	11-2
	35	4-14
	36	0-11
	Total	20-14

Detail of land owned by Gavel Builders & Constructions Pvt. Ltd.

Bhagwanpur	273/10/2min	7-2
	275/44/2/3	1-7
	33/1	0-3
	Total	8-12

Detail of land owned by Jesen Builders & Developers Pvt. Ltd.

Bhagwanpur	7/1	0-6
	11/2min	1-14
	Total	2-0

Detail of land owned by DLF Homes Panchkula Pvt. Ltd.

Bhagwanpur	271/32	3-13
	33/2	4-1
	7/2	1-0
	3min	0-2
	4min	0-8
	5	2-9
	6	3-12
	8min	0-6
	12min	1-10
	13/1min	2-4
	Total	19-5

Grand Total **76-0**

Or 15.833 Acres


Director General
Town & Country Planning
Haryana, Chandigarh
Jasprender Kaur

PHOTOGRAPHS OF THE PROJECT**Photograph of DG Set**

Photographs of Green Area



Photographs of colored Bins provided within project premises



Photographs of Parking Space



Photographs of STP



Photographs of rain water recharging pit



Photographs of Fire Safety Equipments





HARYANA STATE POLLUTION CONTROL BOARD



HSPCB SCO 116, Ist & IInd Floor, Sector 25, Panchkula Ph.

0172-2566286 Email:- hspcbropkl@gmail.com

Website: www.hrocmms.nic.in E-Mail - hspcbho@gmail.com

Telephone No.: 0172-2577870-73

No. HSPCB/Consent/ : 329962322PANCTE28675208

Dated:03/11/2022

To.

M/s : DLF Homes Panchkula Private Limited

Village Bhagwanpur, Sector 3, Pinjore, Kalka, UrbanComplex, Panchkula.

PANCHKULA

134107

Sub. : Grant of consent to Establish to M/s DLF Homes Panchkula Private Limited

Please refer to your application no. 28675208 received on dated 2022-09-21 in regional office Panchkula.

With reference to your above application for consent to establish, M/s DLF Homes Panchkula Private Limited is hereby granted consent as per following specification/Terms and conditions.

Consent Under	AIR/WATER
Period of consent	03/11/2022 - 02/11/2029
Industry Type	Building and Construction projects having waste water generation more than 100 KLD in respective of their built-up area
Category	RED
Investment(In Lakh)	80600.0
Total Land Area (Sq. meter)	138520.0
Total Builtup Area (Sq. meter)	272805.0
Quantity of effluent	
1. Trade	0.0 KL/Day
2. Domestic	253.0 KL/Day
Number of outlets	1.0
Mode of discharge	
1. Domestic	STP
2. Trade	
Permissible Domestic Effluent Parameters	
1. pH	5.5 9.0
2. BOD	10 mg/l
3. COD	50 mg/l
4. TSS	20 mg/l
5. Total Nitrogen	10 mg/l

6. Total Phosphorus	1 mg/l
7. Faecal Coliform	100 less than 100
Permissible Trade Effluent Parameters	
1. NA	
Number of stacks	1
Height of stack	
1. As per norms	
Permissible Emission parameters	
1. As per emission Rules	
Capacity of boiler	
1. NA	0
Type of Furnace	
1. NA	0 NA
Type of Fuel	
1. Diesel	0.406 KL/day

Regional Officer, Panchkula

Haryana State Pollution Control Board.

Terms and conditions

1. The industry has declared that the quantity of effluent shall be 253 KL/Day i.e 0KL/Day for Trade Effluent, 0 KL/Day for Cooling, 253 KL/Day for Domestic and the same should not exceed .
2. The above 'Consent to Establish' is valid for 60 months from the date of its issue to be extended for another one year at the discretion of the Board or till the time the unit starts its trial production whichever is earlier. The unit will have to set up the plant and obtain consent during this period.
3. The officer/official of the Board shall have the right to access and inspection of the industry in connection with the various processes and the treatment facilities being provided simultaneously with the construction of building/machinery. The effluent should conform the effluent standards as applicable
4. That necessary arrangement shall be made by the industry for the control of Air Pollution before commissioning the plant. The emitted pollutants will meet the emission and other standards as laid/will be prescribed by the Board from time to time.
5. The applicant will obtain consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 as amended to-date-even before starting trial production
6. The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly.
7. No in-process or post-process objectionable emission or the effluent will be allowed, if the scheme furnished by the unit turns out to be defective in any actual experience
8. The Electricity Department will give only temporary connection and permanent connection to the unit will be given after verifying the consent granted by the Board, both under Water Act and Air Act.

9. Unit will raise the stack height of DG Set/Boiler as per Board's norms.
10. Unit will maintain proper logbook of Water meter/sub meter before/after commissioning.
11. That in the case of an industry or any other process the activity is located in an area approved and that in case the activity is sited in an residential or institutional or commercial or agricultural area, the necessary permission for siting such industry and process in an residential or institutional or commercial or agricultural area or controlled area under Town and Country Planning laws CLU or Municipal laws has to be obtained from the competent Authority in law permitting this deviation and be submitted in original with the request for consent to operate.
12. That there is no discharge directly or indirectly from the unit or the process into any interstate river or Yamuna River or River Ghaggar.
13. That the industry or the unit concerned is not sited within any prohibited distances according to the Environmental Laws and Rules, Notification, Orders and Policies of Central Pollution control Board and Haryana State Pollution Control Board.
14. That of the unit is discharging its sewage or trade effluent into the public sewer meant to receive trade effluent from industries etc. then the permission of the Competent Authority owing and operating such public sewer giving permission letter to his unit shall be submitted at time of consent to operate.
15. That if at any time, there is adverse report from any adjoining neighbor or any other aggrieved party or Municipal Committee or Zila Parishad or any other public body against the unit's pollution; the Consent to Establish so granted shall be revoked.
16. That all the financial dues required under the rules and policies of the Board have been deposited in full by the unit for this Consent to Establish.
17. In case of change of name from previous Consent to Establish granted, fresh Consent to Establish fee shall be levied.
18. Industry should adopt water conservation measures to ensure minimum consumption of water in their Process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority for scientific development of previous resource.
19. That the unit will take all other clearances from concerned agencies, whenever required.
20. That the unit will not change its process without the prior permission of the Board.
21. That the Consent to Establish so granted will be invalid, if the unit falls in Aravali Area or non conforming area.
22. That the unit will comply with the Hazardous Waste Management Rules and will also make the non-leachate pit for storage of Hazardous waste and will undertake not to dispose off the same except for pit in their own premises or with the authorized disposal authority.
23. That the unit will submit an undertaking that it will comply with all the specific and general conditions as imposed in the above Consent to Establish within 30 days failing which Consent to Establish will be revoked.
24. That unit will obtain EIA from MoEF, if required at any stage.
25. In case of unit does not comply with the above conditions within the stipulated period, Consent to Establish will be revoked.
26. That unit will obtain consent to operate from the board before the start of product activity.

Specific Conditions

Other Conditions :

1. That the unit shall obtain consent to operate before commissioning of the project.
2. That the unit will abide by the directions of CPCB/HSPCB/any other competent authority time to time.
3. That the unit will abide the directions/ orders of Hon'ble Supreme court /High Court/NGT/any other court.
4. The unit shall not discharge its treated effluent outside the premises.
5. The unit shall use treated domestic effluent only from STP's for development work in 34.229 Acre project.
6. Unit shall renew its license from town & country planning department as it is going to be expire on 10.03.2027 & 01.07.2027. The unit will not do any construction work of their project till the renewal of license from Town & Country Planning Department and the CTE so granted will become null & void if such units fail to renew their license for their project from Town & Country Planning Department.
7. The unit shall comply with all the general/specific conditions of EC.
8. The unit shall re-use its treated effluent for horticulture / flushing purpose only.
9. Unit shall obtain permission from HWRA for extraction of ground water through bore well.
10. Unit shall obtain necessary permission from any other departments, if applicable in future which are not applicable on the project at present scenario as per units undertaking.
11. The validity of CTE is upto 02.11.2029.

*Regional Officer, Panchkula
Haryana State Pollution Control Board.*

HARYANA STATE



HARYANA STATE POLLUTION CONTROL BOARD



HSPCB SCO 116, Ist & IInd Floor, Sector 25, Panchkula Ph.

0172-2566286 Email:- hspcbropkl@gmail.com

Website: www.hrocmms.nic.in E-Mail - hspcbho@gmail.com

Telephone No.: 0172-2577870-73

No. HSPCB/Consent/ : 329962322PANCTE28864182

Dated:03/11/2022

To.

M/s : DLF Homes Panchkula Pvt Ltd
Village Islam Nagar Bhagwanpur Sector 3 District Panchkula
PANCHKULA
160101

Sub. : Grant of consent to Establish to M/s DLF Homes Panchkula Pvt Ltd

Please refer to your application no. 28864182 received on dated 2022-09-27 in regional office Panchkula.

With reference to your above application for consent to establish, M/s DLF Homes Panchkula Pvt Ltd is hereby granted consent as per following specification/Terms and conditions.

Consent Under	AIR/WATER
Period of consent	03/11/2022 - 04/02/2025
Industry Type	Building and Construction projects having waste water generation more than 100 KLD in respective of their built-up area
Category	RED
Investment(In Lakh)	79272.0
Total Land Area (Sq. meter)	848233.2
Total Builtup Area (Sq. meter)	1067141.0
Quantity of effluent	
1. Trade	0.0 KL/Day
2. Domestic	700.0 KL/Day
Number of outlets	1.0
Mode of discharge	
1. Domestic	STP
2. Trade	
Permissible Domestic Effluent Parameters	
1. pH	5.5 9.0
2. BOD	10 mg/l
3. COD	50 mg/l
4. TSS	20 mg/l
5. Total Nitrogen	10 mg/l
6. Total Phosphorus	1 mg/l

7. Faecal Coliform	100 Less than 100
Permissible Trade Effluent Parameters	
1. NA	mg/l
Number of stacks	1
Height of stack	
1. Stack on DG Sets	As per norms
Permissible Emission parameters	
1. As per EP Rules	
Capacity of boiler	
1. NA	Ton/hr
Type of Furnace	
1. NA	
Type of Fuel	
1. NA	

Regional Officer, Panchkula

Haryana State Pollution Control Board.

Terms and conditions

1. The industry has declared that the quantity of effluent shall be 700 KL/Day i.e 0KL/Day for Trade Effluent, 0 KL/Day for Cooling, 700 KL/Day for Domestic and the same should not exceed .
2. The above 'Consent to Establish' is valid for 24 months from the date of its issue to be extended for another one year at the discretion of the Board or till the time the unit starts its trial production whichever is earlier. The unit will have to set up the plant and obtain consent during this period.
3. The officer/official of the Board shall have the right to access and inspection of the industry in connection with the various processes and the treatment facilities being provided simultaneously with the construction of building/machinery. The effluent should conform the effluent standards as applicable
4. That necessary arrangement shall be made by the industry for the control of Air Pollution before commissioning the plant. The emitted pollutants will meet the emission and other standards as laid/will be prescribed by the Board from time to time.
5. The applicant will obtain consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 as amended to-date-even before starting trial production
6. The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly.
7. No in-process or post-process objectionable emission or the effluent will be allowed, if the scheme furnished by the unit turns out to be defective in any actual experience
8. The Electricity Department will give only temporary connection and permanent connection to the unit will be given after verifying the consent granted by the Board, both under Water Act and Air Act.
9. Unit will raise the stack height of DG Set/Boiler as per Board's norms.


10. Unit will maintain proper logbook of Water meter/sub meter before/after commissioning.
11. That in the case of an industry or any other process the activity is located in an area approved and that in case the activity is sited in an residential or institutional or commercial or agricultural area, the necessary permission for siting such industry and process in an residential or institutional or commercial or agricultural area or controlled area under Town and Country Planning laws CLU or Municipal laws has to be obtained from the competent Authority in law permitting this deviation and be submitted in original with the request for consent to operate.
12. That there is no discharge directly or indirectly from the unit or the process into any interstate river or Yamuna River or River Ghaggar.
13. That the industry or the unit concerned is not sited within any prohibited distances according to the Environmental Laws and Rules, Notification, Orders and Policies of Central Pollution control Board and Haryana State Pollution Control Board.
14. That of the unit is discharging its sewage or trade effluent into the public sewer meant to receive trade effluent from industries etc. then the permission of the Competent Authority owing and operating such public sewer giving permission letter to his unit shall be submitted at time of consent to operate.
15. That if at any time, there is adverse report from any adjoining neighbor or any other aggrieved party or Municipal Committee or Zila Parishad or any other public body against the unit's pollution; the Consent to Establish so granted shall be revoked.
16. That all the financial dues required under the rules and policies of the Board have been deposited in full by the unit for this Consent to Establish.
17. In case of change of name from previous Consent to Establish granted, fresh Consent to Establish fee shall be levied.
18. Industry should adopt water conservation measures to ensure minimum consumption of water in their Process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority for scientific development of previous resource.
19. That the unit will take all other clearances from concerned agencies, whenever required.
20. That the unit will not change its process without the prior permission of the Board.
21. That the Consent to Establish so granted will be invalid, if the unit falls in Aravali Area or non conforming area.
22. That the unit will comply with the Hazardous Waste Management Rules and will also make the non-leachate pit for storage of Hazardous waste and will undertake not to dispose off the same except for pit in their own premises or with the authorized disposal authority.
23. That the unit will submit an undertaking that it will comply with all the specific and general conditions as imposed in the above Consent to Establish within 30 days failing which Consent to Establish will be revoked.
24. That unit will obtain EIA from MoEF, if required at any stage.
25. In case of unit does not comply with the above conditions within the stipulated period, Consent to Establish will be revoked.
26. That unit will obtain consent to operate from the board before the start of product activity.

Specific Conditions

Other Conditions :

1. That the unit shall obtain consent to operate before commissioning of the project.
2. That the unit will abide by the directions of CPCB/HSPCB/any other competent authority time to time.
3. That the unit will abide the directions/ orders of Hon'ble Supreme court /High Court/NGT/any other court.
4. The unit shall not discharge any kind of effluent outside the premises of the existing developed (i.e. 118 Acres)/proposed to be developed (i.e. 57 Acres) project.
5. The unit shall use treated domestic effluent only from STP's for development work in 57 Acre project.
6. Unit shall renew its license from town & country planning department as it is going to be expire on 22.12.2024. The unit will not do any construction work of their project till the renewal of license from Town & Country Planning Department and the CTE so granted will become null & void if such units fail to renew their license for their project from Town & Country Planning Department.
7. CTE is granted upto 04.02.2025 (for 02 years & 04 months approx.) i.e. till validity of Environmental Clearance.
8. The unit shall comply with all the general/specific conditions of EC.
9. The unit shall not discharge its treated effluent outside the premises.
10. The unit shall re-use its treated effluent for horticulture / flushing purpose only.

Regional Officer, Panchkula
Haryana State Pollution Control Board.





Eco Paryavaran Laboratories & Consultants Pvt. Ltd.

TEST REPORT



ULR No : TC118182400000838		Test Report No : NAAL191024EM001	
Type of Sample : Ambient Air		Date of reporting : 23/10/2024	
Reference Type : Email		Reference No : DL: 19/09/2024	
Customer	DLF Garden City, M/s DLF Homes Panchkula PvtLtd. Located at Vill. Islam Nagar, Kalka Pinjore, Urban Complex, Sector-3, Distt-Panchkula, Haryana		
Sampling Protocol	IS 5182, EL-MSP-7.3	Mode of Collection of Sample	Sample collected by Laboratory
Period of Sampling	18/10/2024 - 19/10/2024	Date of Receipt of Sample	19/10/2024
Sampling Location	Project Site	Period of Analysis	19/10/2024 - 22/10/2024
Standard/Specifications	National Ambient Air Quality: G.S.R.No,B-29016/20/19/PCI-L dated 18 Nov, 2009	Environmental Condition	Clear sky
Testing Location	On Site & Permanent Facility		

RESULTS

1. Chemical

I. Atmospheric Pollution (Ambient Air)

Sr.No	Test Parameter	Unit	Result	Standard	Test Method
1	Respirable Suspended Particulate Matter as PM10	µg/m3	90	100	IS 5182 (Part 23)
2	Particulate Matter as PM2.5	µg/m3	52	60	IS 5182 (Part 24)
3	Sulphur Dioxide as SO2	µg/m3	13	80	IS 5182 (Part 2)
4	Oxides of Nitrogen	µg/m3	29	80	IS 5182 (Part 6)
5	Ammonia as NH3	µg/m3	19	400	IS 5182 (Part 25)
6	Ozone as O3	µg/m3	25	180	IS 5182 (Part 9)
7	Carbon Monoxide as CO	mg/m3	0.85	4	IS 5182 (Part 10) NDIR method

Remarks : NA

End of Report



Mr. Umesh Kumar
Authorized Signatory- Chemical

EL-FMT-7.8.2-AA

Page No.1/2

ECO BHAWAN

E-207, Industrial Area, Phase VIII-B (Sector-74), Mohali (Punjab) 160071

☎ 0172-4616225 ☎ 9781303109 ✉ contact@ecoparyavaran.org | md@ecoparyavaran.org 🌐 www.ecoparyavaran.org

TEST REPORT



ULR No : TC1181824000009838

Test Report No : NAAL191024EM001

Type of Sample : Ambient Air

Date of reporting : 23/10/2024

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions :

1. The results relate only to the items tested.
2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.
3. The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
4. Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4616 225 Email: quality@ecoparyavaran.org
5. The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.
6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.
7. In case where sample is provided by the customer, the reported results shall apply to the sample as received.



Mr. Umesh Kumar
Authorized Signatory- Chemical

TEST REPORT



ULR No : TC1181824000009839		Test Report No : NANL191024EM002	
Type of Sample : Ambient Noise		Date of reporting : 23/10/2024	
Reference Type : Email		Reference No : Dt.: 19/09/2024	
Customer Name	DLF Garden City		
Address	M/s DLF Homes Panchkula Pvt,Ltd. Located at Vill. Islam Nagar, Kalka Pinjore,Urban Complex, Sector-3, Distt.-Panchkula, Haryana		
Sampling Protocol	IS 9889, EL-MSP-7.3	Mode of Collection of Sample	Sample collected by Laboratory
Period of Sampling	18/10/2024 - 18/10/2024	Date of Receipt of Sample	19/10/2024
Sampling Location	Refer below ^A	Period of Analysis	19/10/2024 - 21/10/2024
Standard/Specifications	EPA 1986 Schedule-III	Environmental Condition	—
Testing Location	On Site & Permanent Facility		

RESULTS

I. Chemical Testing

1. Atmospheric Pollution(Ambient Noise Levels)

Sr.No	Location ^A	Unit	Result (Day)	Test Method
1	At Project Site	dB(A)	58.6	EL/SOP/AN/01

Ambient Noise Quality Standards as per Noise Pollution (Regulation and Control) Rules, 2000

Area Code	Category of Area/Zone	Limits in dB(A) Leq* Day Time	Limits in dB(A) Leq* Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Day time shall mean from 6.00 a.m. to 10.00 p.m., Night time shall mean from 10.00 p.m. to 6.00 a.m., Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority. Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority. *dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale 'A' which is relatable to human hearing

Remarks : NA

End of Report


 Mr. Umesh Kumar
 Authorized Signatory- Chemical

EL-FMT-7.8.2-AN

Page No.1/2

TEST REPORT



ULR No : TC118182400009839

Test Report No : NANL191024EM002

Type of Sample : Ambient Noise

Date of reporting : 23/10/2024

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions :

1. The results relate only to the items tested.
2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.
3. The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
4. Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4616 226 Email: quality@ecoparyavaran.org
5. The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.
6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.
7. In case where sample is provided by the customer, the reported results shall apply to the sample as received.



Mr. Umesh Kumar
Authorized Signatory- Chemical

TEST REPORT



ULR No : TC1181824000009840		Test Report No : NGWL181024EM021	
Type of Sample : Water- Ground Water			
Reference Type : Email		Reference No : Dt.: 19/09/2024	
Customer Name	DLF Garden City		
Address	M/s DLF Homes Panchkula Pvt.Ltd. Located at Vill. Islam Nagar, Kaika Pinjore,Urban Complex, Sector-3, Distt- Panchkula, Haryana	Period of Sampling	18/10/2024 - 18/10/2024
Sampling Protocol	IS 17614 (Part 1), EL-MSP-7.3	Date of Receipt of Sample	18/10/2024
Sample Collection Mode	Sample collected by Laboratory	Period of Analysis	18/10/2024 - 22/10/2024
Testing Location	Permanent Facility	Date of reporting	23/10/2024
Sampling Location	Borewell (Near G2/10 Park)		
Sample Description	Clear, colourless liquid.		
Standard/Specifications	NA		
Packing, Markings, Seal & Qty.	PE Bottle-1 litre (D/18/D1A), Glass Bottle-1litre (D/18/D1B), Glass Bottle-500ml (D/18/D1C) & PE Bottle-500ml (D/18/D1D)		

RESULTS

1. Chemical Testing

I. Water (Water- Ground Water)

Sr.No	Test Parameter	Unit	Result	Acceptable Limit	Permissible Limit in Absence of Alternate Source	Test Method
1	Colour	CU	BDL (1)	5	15	IS 3025 (Part 4) Cl 2.0
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
3	pH @ 25°C	-	7.53	-	-	IS 3025 (Part 11)
4	Taste	-	BDL	-	-	IS 3025 (Part 8)
5	Turbidity	NTU	Agreeable	1	5	IS 3025 (Part 10)
6	Chloride as Cl	mg/l	18	250	1000	IS 3025 (Part 32)
7	Iron as Fe	mg/l	0.019	1.0	No relaxation	USEPA 3015A
8	Total Hardness as CaCO ₃	mg/l	136	200	600	IS 3025 (Part 21)


Mr. Mukesh Chand Agarwal
Authorized Signatory- Chemical


Mr. Mukesh Chand Agarwal
Authorized Signatory - Biological



EL-FMT-7.8.2-W

Page No. 1/2

TEST REPORT



TU-11818

ULR No : TC1181824000009840

Test Report No : NGWL181024EM021

Type of Sample : Water- Ground Water

3. Biological Testing

III. Water (Water- Ground Water)

Sr.No	Test Parameter	Unit	Result	Acceptable Limit	Permissible Limit in Absence of Alternate Source	Test Method
1	Total coliform	Present or Absent/100ml	Absent	-	-	IS 15185
2	Escherichia coli	Present or Absent/100ml	Absent	-	-	IS 15185

Remarks : NA

End of Report

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions :

- The results relate only to the items tested.
- Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.
- The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
- Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135; Phone 91 172 4616 225 Email: quality@ecoparyavaran.org
- The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.
- All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.
- In case where sample is provided by the customer, the reported results shall apply to the sample as received.

Mr. Mukesh Chand Agarwal
Authorized Signatory- Chemical

Mr. Mukesh Chand Agarwal
Authorized Signatory - Biological



TEST REPORT



ULR No : TC1181824000009841		Test Report No : NSL181024EM022	
Type of Sample : Soil			
Reference Type : Email		Reference No : DL: 19/09/2024	
Customer Name	DLF Garden City		
Address	M/s DLF Homes Panchkula Pvt.Ltd. Located at Vill. Islam Nagar, Kalka Pinjore,Urban Complex, Sector-3, Distt.- Panchkula, Haryana	Period of Sampling	18/10/2024 - 18/10/2024
Sampling Protocol	USEPA/600/R-92/128, EL-MSP-7.3	Date of Receipt of Sample	18/10/2024
Sample Collection Mode	Sample collected by Laboratory	Period of Analysis	18/10/2024 - 22/10/2024
Testing Location	Permanent Facility	Date of reporting	23/10/2024
Sampling Location	Project Site		
Sample Description	Brown coloured soil.		
Standard/Specifications	Manual- Dept. of Agriculture (GoI); 2011		
Packing, Markings, Seal & Qty.	10 Kg Polybag Marked (D/18/S1)		

RESULTS

1. Chemical Testing

I. Pollution & Environment (Soil)

Sr.No	Test Parameter	Unit	Result	Test Method
1	Conductivity	mS/cm	0.385	IS 14767
2	Organic Matter	%	1.74	IS 2720 (Part 22) Sec 1
3	pH	-	7.98	IS 2720 (Part 26) Cl 2
4	Texture	-	Sandy Loam	IS 2720 (Part-4)
5	Sand	%	74	IS 2720 (Part-4)
6	Clay	%	15	IS 2720 (Part-4)
7	Silt	%	11	IS 2720 (Part-4)
8	Moisture Content	%	8.7	IS 2720 PART-2
9	Bulk Density	g/cc	1.79	IS : 2386:1963 (Part 3)

Remarks : NA

End of Report

Mr. Mukesh Chand Agarwal
Authorized Signatory- Chemical

EL-FMT-7.8.2-S

Page No. 1/2

TEST REPORT



ULR No : TC1181824000009841

Test Report No : NSL181024EM022

Type of Sample : Soil

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions :

1. The results relate only to the items tested.
2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.
3. The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
4. Complaint log book is with Quality Cell. Contact No: (M) 91 8872 04 3135, Phone 91 172 4616 225 Email: quality@pecoparyavaran.org
5. The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.
6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.
7. In case where sample is provided by the customer, the reported results shall apply to the sample as received.



Mr. Mukesh Chand Agarwal
Authorized Signatory- Chemical

TEST REPORT



ULR No : TC1181824000009842		Test Report No : NSTL181024EM023	
Type of Sample : Stack Emission			
Reference Type : Email		Reference No : Dt.: 19/09/2024	
Customer Name	DLF Garden City		
Customer Address	M/s DLF Homes Panchkula Pvt.Ltd. Located at Vill. Islam Nagar, Kalka Pinjore,Urban Complex, Sector-3, Distt.- Panchkula, Haryana	Period of Sampling	18/10/2024 - 18/10/2024
Sampling Protocol	IS 11255, CPCB: LATS/80/2013-14	Date of Sample Receipt	18/10/2024
Mode of Collection of Sample	Sample collected by Laboratory	Period of Analysis	18/10/2024 - 22/10/2024
Source of Emission	DG Set No.5 (2270 KVA)	Date of reporting	23/10/2024
Stack Description	Single, Circular & Metal	Fuel Used	HSD
Point of Sample Collection	From Port Hole	APCD Details (If provided)	NA
Standard/Specifications	Emission- Diesel Engine greater than 800 KW or 1000 KVA : EPA 1988 S.No. 96		
Testing Location	On Site & Permanent Facility		

RESULTS

1. Chemical

I. Atmospheric Pollution (Stack Emission)

Sr.No	Test Parameter	Unit	Result	Standard	Test Method
1	Particulate Matter (at 15% O ₂ Corr.)	mg/Nm ³	70	75	IS 11255 (Part-1)
2	Sulphur dioxide	mg/Nm ³	32	-	EL/SOP/FGA/01
3	Carbon monoxide (at 15% O ₂ Corr.)	mg/Nm ³	139	150	EL/SOP/FGA/01

Remarks : NA

End of Report




Mr. Umesh Kumar
Authorized Signatory- Chemical

EL-FMT-7.8.2-SE

Page No.1/2

TEST REPORT



ULR No : TC118182400009842

Test Report No : NSTL181024EM023

Type of Sample : Stack Emission

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions :

1. The results relate only to the items tested.
2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.
3. The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
4. Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4816 225 Email: quality@ecoparyavaran.org
5. The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.
6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.
7. In case where sample is provided by the customer, the reported results shall apply to the sample as received.



Mr. Umesh Kumar
Authorized Signatory- Chemical

TEST REPORT



ULR No : NA		Test Report No : NSTL181024EM023/A	
Type of Sample : Stack Emission			
Reference Type : Email		Reference No : Dt.: 19/09/2024	
Customer Name	DLF Garden City		
Customer Address	M/s DLF Homes Panchkula Pvt.Ltd. Located at Vill. Islam Nagar, Kalka Pinjore,Urban Complex, Sector-3, Distt.- Panchkula, Haryana	Period of Sampling	18/10/2024 - 18/10/2024
Sampling Protocol	IS 11255, CPCB: LATS/80/2013-14	Date of Sample Receipt	18/10/2024
Mode of Collection of Sample	Sample collected by Laboratory	Period of Analysis	18/10/2024 - 22/10/2024
Source of Emission	DG Set No.5 (2270 KVA)	Date of reporting	23/10/2024
Stack Description	Single, Circular & Metal	Fuel Used	HSD
Point of Sample Collection	From Port Hole	APCD Details (If provided)	NA
Standard/Specifications	Emission- Diesel Engine greater than 800 KW or 1000 KVA : EPA 1986 S.No. 96		
Testing Location	On Site & Permanent Facility		

RESULTS

1. Chemical

I. Atmospheric Pollution (Stack Emission)

Sr.No	Test Parameter	Unit	Result	Standard	Test Method
1	Oxides of Nitrogen (at 15% O2 Corr.)	ppmv	533	710	EL/SOP/FGA/01

Remarks : NA

End of Report

Mr. Umesh Kumar
Authorized Signatory- Chemical



EL-FMT-7.8.2-SE

Page No.1/2

TEST REPORT



ULR No : NA

Test Report No : NSTL181024EM023/A

Type of Sample : Stack Emission

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions :

1. The results relate only to the items tested.
2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.
3. The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
4. Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4816 225 Email: quality@ecoparyavaran.org
5. The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.
6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.
7. In case where sample is provided by the customer, the reported results shall apply to the sample as received.

Mr. Umesh Kumar

Authorized Signatory- Chemical



TEST REPORT



ULR No : TC1181824000009843		Test Report No : NSTL181024EM024	
Type of Sample : Stack Emission			
Reference Type : Email		Reference No : DL: 19/08/2024	
Customer Name	DLF Garden City		
Customer Address	M/s DLF Homes Panchkula Pvt.Ltd. Located at Vill. Islam Nagar, Kalka Pinjore,Urban Complex, Sector-3, Distt- Panchkula, Haryana	Period of Sampling	18/10/2024 - 18/10/2024
Sampling Protocol	IS 11255, GPCB: LATS/80/2013-14	Date of Sample Receipt	18/10/2024
Mode of Collection of Sample	Sample collected by Laboratory	Period of Analysis	18/10/2024 - 22/10/2024
Source of Emission	DG Set No.3 (2270 KVA)	Date of reporting	23/10/2024
Stack Description	Single, Circular & Metal	Fuel Used	HSD
Point of Sample Collection	From Port Hole	APCD Details (If provided)	NA
Standard/Specifications	Emission- Diesel Engine greater than 800 KW or 1000 KVA : EPA 1986 S.No. 95		
Testing Location	On Site & Permanent Facility		

RESULTS

1. Chemical

I. Atmospheric Pollution (Stack Emission)

Sr.No	Test Parameter	Unit	Result	Standard	Test Method
1	Particulate Matter (at 15% O ₂ Corr.)	mg/Nm ³	68	75	IS 11255 (Part-1)
2	Sulphur dioxide	mg/Nm ³	28	-	EL/SOP/FGA/01
3	Carbon monoxide (at 15% O ₂ Corr.)	mg/Nm ³	136	150	EL/SOP/FGA/01

Remarks : NA

End of Report

Mr. Umesh Kumar
Authorized Signatory- Chemical

EL-FMT-7.8.2-SE

Page No.1/2

TEST REPORT



ULR No : TC1151824000009843

Test Report No : NSTL181024EM024

Type of Sample : Stack Emission

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions :

1. The results relate only to the items tested.
2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.
3. The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
4. Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4816 225 Email: quality@ecoparyavaran.org
5. The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.
6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.
7. In case where sample is provided by the customer, the reported results shall apply to the sample as received.



Mr. Umesh Kumar
Authorized Signatory- Chemical

TEST REPORT



ULR No : NA		Test Report No : NSTL151024EM024/A	
Type of Sample : Stack Emission			
Reference Type : Email		Reference No : Dt.: 19/09/2024	
Customer Name	DLF Garden City		
Customer Address	M/s DLF Homes Panchkula Pvt.Ltd, Located at Vill. Islam Nagar, Kalka Pinjore,Urban Complex, Sector-3, Distt.- Panchkula, Haryana	Period of Sampling	18/10/2024 - 18/10/2024
Sampling Protocol	IS 11255, CPCB: LATS/80/2013-14	Date of Sample Receipt	18/10/2024
Mode of Collection of Sample	Sample collected by Laboratory	Period of Analysis	18/10/2024 - 22/10/2024
Source of Emission	DG Set No.3 (2270 KVA)	Date of reporting	23/10/2024
Stack Description	Single, Circular & Metal	Fuel Used	HSD
Point of Sample Collection	From Port Hole	APCD Details (If provided)	NA
Standard/Specifications	Emission- Diesel Engine greater than 800 KW or 1000 KVA : EPA 1986 S.No. 96		
Testing Location	On Site & Permanent Facility		

RESULTS

1. Chemical

I. Atmospheric Pollution (Stack Emission)

Sr.No	Test Parameter	Unit	Result	Standard	Test Method
1	Oxides of Nitrogen (at 15% O2 Corr.)	ppmv	522	710	EL/SOP/FGA/01

Remarks : NA

End of Report


 Mr. Umesh Kumar
 Authorized Signatory- Chemical

EL-FMT-7.8.2-SE

Page No.1/2

TEST REPORT



ULR No : NA

Test Report No : NSTL181024EM024/A

Type of Sample : Stack Emission

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions :

1. The results relate only to the items tested.
2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.
3. The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
4. Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4816 225 Email: quality@ecosparyavaran.org
5. The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.
6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.
7. In case where sample is provided by the customer, the reported results shall apply to the sample as received.



Mt. Umesh Kumar
Authorized Signatory- Chemical

TEST REPORT



ULR No : TC1161824000006844

Test Report No : NSTL181024EM025

Type of Sample : Stack Emission

Reference Type : Email

Reference No : Dt.: 19/09/2024

Customer Name	DLF Garden City		
Customer Address	M/s DLF Homes Panchkula Pvt.Ltd. Located at Vill. Islam Nagar, Kalka Pinjore, Urban Complex, Sector-3, Distt.- Panchkula, Haryana	Period of Sampling	18/10/2024 - 18/10/2024
Sampling Protocol	IS 11255, CPCB: LATS/80/2013-14	Date of Sample Receipt	18/10/2024
Mode of Collection of Sample	Sample collected by Laboratory	Period of Analysis	18/10/2024 - 22/10/2024
Source of Emission	DG Set No.1 (1010 KVA)	Date of reporting	23/10/2024
Stack Description	Single, Circular & Metal	Fuel Used	HSD
Point of Sample Collection	From Port Hole	APCD Details (If provided)	NA
Standard/Specifications	Emission- Diesel Engine greater than 800 KW or 1000 KVA : EPA 1986 S.No. 96		
Testing Location	On Site & Permanent Facility		

RESULTS

1. Chemical

I. Atmospheric Pollution (Stack Emission)

Sr.No	Test Parameter	Unit	Result	Standard	Test Method
1	Particulate Matter (at 15% O ₂ Corr.)	mg/Nm ³	67	75	IS 11255 (Part-1)
2	Sulphur dioxide	mg/Nm ³	30	-	EL/SOP/FGA/01
3	Carbon monoxide (at 15% O ₂ Corr.)	mg/Nm ³	140	150	EL/SOP/FGA/01

Remarks : NA

End of Report



Mr. Umesh Kumar
Authorized Signatory- Chemical

EL-FMT-7.8.2-SE

Page No. 1/2

TEST REPORT



ULR No : TC118182400009844

Test Report No : NSTL181024EM025

Type of Sample : Stack Emission

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions :

1. The results relate only to the items tested.
2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.
3. The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
4. Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4616 225 Email: quality@ecoparyevaram.org
5. The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.
6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.
7. In case where sample is provided by the customer, the reported results shall apply to the sample as received.

Mr. Umesh Kumar
Authorized Signatory- Chemical



TEST REPORT



ULR No : NA		Test Report No : NSTL181024EM025/A	
Type of Sample : Stack Emission			
Reference Type : Email		Reference No : Dt.: 19/09/2024	
Customer Name	DLF Garden City		
Customer Address	M/s DLF Homes Panchkula Pvt.Ltd. Located at Vill. Islam Nagar, Kalka Pinjore,Urban Complex, Sector-3, Distt- Panchkula, Haryana	Period of Sampling	18/10/2024 - 18/10/2024
Sampling Protocol	IS 11255, CPCB: LATS/80/2013-14	Date of Sample Receipt	18/10/2024
Mode of Collection of Sample	Sample collected by Laboratory	Period of Analysis	18/10/2024 - 22/10/2024
Source of Emission	DG Set No.1 (1010 KVA)	Date of reporting	23/10/2024
Stack Description	Single, Circular & Metal	Fuel Used	HSD
Point of Sample Collection	From Port Hole	APCD Details (If provided)	NA
Standard/Specifications	Emission- Diesel Engine greater than 800 KW or 1000 KVA : EPA 1985 S.No. 96		
Testing Location	On Site & Permanent Facility		

RESULTS



1. Chemical

1. Atmospheric Pollution (Stack Emission)

Sr.No	Test Parameter	Unit	Result	Standard	Test Method
1	Oxides of Nitrogen (at 15% O2 Corr.)	ppmv	531	710	EL/SOP/FGA/01

Remarks : NA

End of Report

Mr. Umesh Kumar
Authorized Signatory- Chemical

EL-FMT-7.8.2-SE

Page No. 1/2

TEST REPORT



ULR No : NA

Test Report No : NSTL181024EM025/A

Type of Sample : Stack Emission

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions :

1. The results relate only to the items tested.
2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.
3. The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
4. Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4616 225 Email: quality@ecsparyavaran.org
5. The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.
6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.
7. In case where sample is provided by the customer, the reported results shall apply to the sample as received.



Mr. Umesh Kumar
Authorized Signatory- Chemical

TEST REPORT



ULR No : TC118182400009945		Test Report No : NSNL181024EM026	
Type of Sample : Source Noise Levels		Date of reporting : 23/10/2024	
Reference Type : Email		Reference No : DT: 19/09/2024	
Customer	DLF Garden City, M/s DLF Homes Panchkula Pvt.Ltd. Located at Vill. Islam Nagar, Kalka Pinjore,Urban Complex, Sector-3, Distt.-Panchkula, Haryana		
Sampling Protocol	IS 4758; EHMSP-7.3	Mode of Collection of Sample	Sample collected by Laboratory
Period of Sampling	18/10/2024 - 18/10/2024	Date of Receipt of Sample	18/10/2024
Sampling Location	DG Set No.5 (2270 KVA) Mfg.Yr.04.2012	Period of Analysis	18/10/2024 - 19/10/2024
Standard/Specifications	Noise- Generator Set- Insertion Loss: EPA 1986 S.No. 94	Environmental Condition	--
Testing Location	On Site & Permanent Facility		

RESULTS

1. Chemical

I. Atmospheric Pollution (Source Noise Levels)

Sr.No	Test Parameter	Unit	Result	Standard	Test Method
1	Noise Levels- Source (Inside acoustic enclosure/ DG enclosure with all door/windows/openings are OPEN)	dB(A)	104.7	-	IS 4758
2	Noise Levels- Source (At 0.5 m from acoustic enclosure/ DG enclosure with all door/windows/openings are CLOSED)	dB (A)	78.7	-	IS 4758
3	Insertion Loss	dB (A)	26.0	Min. 25	IS 4758

Remarks : NA

End of Report

Mr. Umesh Kumar
Authorized Signatory- Chemical




EL-FMT-7.8.2-SN01

Page No.1/2

TEST REPORT



ULR No : TC1181824000009845

Test Report No : NSNL181024EM026

Type of Sample : Source Noise Levels

Date of reporting : 23/10/2024

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions :

1. The results relate only to the items tested.
2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.
3. The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
4. Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4616 225 Email: quality@ecoparyavarar.org
5. The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.
6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.
7. In case where sample is provided by the customer, the reported results shall apply to the sample as received.



Mr. Umesh Kumar
Authorized Signatory- Chemical

ANNEXURE-1

Ministry of Environment and Forests Notification

G.S.R. 371(E) dated 17th May, 2002 along with G.S.R. 520 (E) dated 1st July, 2003 and G.S.R 448 dated 12.07.2004 (The Environment (Protection) Amendment Rules, 2003)

94. NOISE LIMIT FOR GENERATOR SETS RUN WITH DIESEL

1. Noise limit for diesel generator sets (upto 1000 KVA) manufactured on or after the 1st January, 2005.

The maximum permissible sound pressure level for new diesel generator (DG) sets with rated capacity up to 1000 KVA, manufactured on or after the 1st January, 2005 shall be 75 dB(A) at 1 meter from the enclosure surface. The diesel generator sets should be provided with integral acoustic enclosure at the manufacturing stage itself.

2. Noise limits for diesel generator sets not covered by paragraph 1, shall be as follows:

I. Noise from DG set shall be controlled by providing an acoustic enclosure or by treating the room acoustically, at the users end.

The acoustic enclosure or acoustic treatment of the room shall be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on the higher side (If the actual ambient noise is on the higher side, it may not be possible to check the performance of the acoustic enclosure/acoustic treatment. Under such circumstances the performance may be checked for noise reduction up to actual ambient noise



TEST REPORT



ULR No : TC1181824000008846		Test Report No : NSNL181024EM027	
Type of Sample : Source Noise Levels		Date of reporting : 23/10/2024	
Reference Type : Email		Reference No : DL: 19/09/2024	
Customer	DLF Garden City, M/s DLF Homes Panchkula Pvt.Ltd. Located at Vill. Islam Nagar, Kalka Pinjore,Urban Complex, Sector-3, Distt.-Panchkula, Haryana		
Sampling Protocol	IS 4758, EI-MSP-7.3	Mode of Collection of Sample	Sample collected by Laboratory
Period of Sampling	18/10/2024 - 18/10/2024	Date of Receipt of Sample	18/10/2024
Sampling Location	DG Set No.3 (2270 KVA) Mfg.Yr.03.2013	Period of Analysis	18/10/2024 - 19/10/2024
Standard/Specifications	Noise- Generator Set- Insertion Loss: EPA 1986 S.No. 94	Environmental Condition	--
Testing Location	On Site & Permanent Facility		

RESULTS

1. Chemical

1. Atmospheric Pollution (Source Noise Levels)

Sr.No	Test Parameter	Unit	Result	Standard	Test Method
1	Noise Levels- Source (Inside acoustic enclosure/ DG enclosure with all door/windows/openings are OPEN)	dB(A)	105.1	-	IS 4758
2	Noise Levels- Source (At 0.5 m from acoustic enclosure/ DG enclosure with all door/windows/openings are CLOSED)	dB (A)	79.3	-	IS 4758
3	Insertion Loss	dB (A)	25.8	Min. 25	IS 4758

Remarks : NA

End of Report

Mr. Umesh Kumar
Authorized Signatory- Chemical

EL-FMT-7.8.2-SN01

Page No.1/2

TEST REPORT



ULR No : TC1181824000009846

Test Report No : NSNL181024EM027

Type of Sample : Source Noise Levels

Date of reporting : 23/10/2024

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions :

1. The results relate only to the items tested.
2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.
3. The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
4. Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4616 225 Email: quality@ecoparyavar.org
5. The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.
6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.
7. In case where sample is provided by the customer, the reported results shall apply to the sample as received.

Mr. Umesh Kumar
Authorized Signatory- Chemical

ANNEXURE-1

Ministry of Environment and Forests Notification

G.S.R. 371(E) dated 17th May, 2002 along with G.S.R. 520 (E) dated 1st July, 2003 and G.S.R. 448 dated 12.07.2004 (The Environment (Protection) Amendment Rules, 2003)

94. NOISE LIMIT FOR GENERATOR SETS RUN WITH DIESEL

1. Noise limit for diesel generator sets (upto 1000 KVA) manufactured on or after the 1st January, 2005.

The maximum permissible sound pressure level for new diesel generator (DG) sets with rated capacity up to 1000 KVA, manufactured on or after the 1st January, 2005 shall be 75 dB(A) at 1 meter from the enclosure surface. The diesel generator sets should be provided with integral acoustic enclosure at the manufacturing stage itself.

2. Noise limits for diesel generator sets not covered by paragraph 1, shall be as follows:

i. Noise from DG set shall be controlled by providing an acoustic enclosure or by treating the room acoustically, at the users end.

The acoustic enclosure or acoustic treatment of the room shall be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on the higher side (if the actual ambient noise is on the higher side, it may not be possible to check the performance of the acoustic enclosure/acoustic treatment. Under such circumstances the performance may be checked for noise reduction up to actual ambient noise



TEST REPORT



ULR No : TC118182400000847		Test Report No : NSNL181024EM028	
Type of Sample : Source Noise Levels		Date of reporting : 23/10/2024	
Reference Type : Email		Reference No : DL- 19/09/2024	
Customer	DLF Garden City, M/s DLF Homes Panchkula Pvt.Ltd. Located at Vill. Islam Nagar, Kalika Pinjore,Urban Complex, Sector-3, Distt.-Panchkula, Haryana		
Sampling Protocol	IS 4758, EI-MSP-7.3	Mode of Collection of Sample	Sample collected by Laboratory
Period of Sampling	18/10/2024 - 18/10/2024	Date of Receipt of Sample	18/10/2024
Sampling Location	DG Set No.1 (1010 KVA) Mfg.Yr.09/2015	Period of Analysis	18/10/2024 - 19/10/2024
Standard/Specifications	Noise- Generator Set- Insertion Loss: EPA 1986 S.No. 94	Environmental Condition	--
Testing Location	On Site & Permanent Facility		

RESULTS

1. Chemical

I. Atmospheric Pollution (Source Noise Levels)

Sr.No	Test Parameter	Unit	Result	Standard	Test Method
1	Noise Levels- Source (Inside acoustic enclosure/ DG enclosure with all door/windows/openings are OPEN)	dB(A)	104.3	-	IS 4758
2	Noise Levels- Source (At 0.5 m from acoustic enclosure/ DG enclosure with all door/windows/openings are CLOSED)	dB (A)	78.4	-	IS 4758
3	Insertion Loss	dB (A)	25.9	Min. 25	IS 4758

Remarks : NA

End of Report



Mr. Umesh Kumar
Authorized Signatory- Chemical

EL-FMT-7.8.2-SND1

Page No.1/2

TEST REPORT



ULR No : TC1181824000009847

Test Report No : NSNL181024EM028

Type of Sample : Source Noise Levels

Date of reporting : 23/10/2024

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions :

1. The results relate only to the items tested.
2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.
3. The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
4. Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4616 225 Email: quality@ecsparyavaran.org
5. The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.
6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.
7. In case where sample is provided by the customer, the reported results shall apply to the sample as received.



Mr. Umesh Kumar
Authorized Signatory- Chemical

ANNEXURE-1

Ministry of Environment and Forests Notification

G.S.R. 371(E) dated 17th May, 2002 along with G.S.R. 520 (E) dated 1st July, 2003 and G.S.R. 448 dated 12.07.2004 (The Environment (Protection) Amendment Rules, 2003)

94. NOISE LIMIT FOR GENERATOR SETS RUN WITH DIESEL

1. Noise limit for diesel generator sets (upto 1000 KVA) manufactured on or after the 1st January, 2005.

The maximum permissible sound pressure level for new diesel generator (DG) sets with rated capacity up to 1000 KVA, manufactured on or after the 1st January, 2005 shall be 75 dB(A) at 1 meter from the enclosure surface. The diesel generator sets should be provided with integral acoustic enclosure at the manufacturing stage itself.

2. Noise limits for diesel generator sets not covered by paragraph 1, shall be as follows:

I. Noise from DG set shall be controlled by providing an acoustic enclosure or by treating the room acoustically, at the users end.

The acoustic enclosure or acoustic treatment of the room shall be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on the higher side (if the actual ambient noise is on the higher side, it may not be possible to check the performance of the acoustic enclosure/acoustic treatment. Under such circumstances the performance may be checked for noise reduction up to actual ambient noise



TEST REPORT



ULR No : TC1181824000009848		Test Report No : NSWL181024EM029	
Type of Sample : Sewage		Date of reporting : 23/10/2024	
Reference Type : Email		Reference No : DL- 19/09/2024	
Customer Name	DLF Garden City		
Address	M/s DLF Homes Panchkula Pvt.Ltd. Located at Vill. Islam Nagar, Kalka Pinjore,Urban Complex, Sector-3, Distt.- Panchkula, Haryana	Period of Sampling	18/10/2024 - 18/10/2024
Sampling Protocol	IS17614 (Part-1)EL-MSP-7.3	Date of Receipt of Sample	18/10/2024
Sample Collection Mode	Sample collected by Laboratory	Period of Analysis	18/10/2024 - 22/10/2024
Testing Location	Permanent Facility	Date of reporting	23/10/2024
Sampling Location	Collection Tank (STP Inlet)		
Sample Description	Liquid with suspended & settleable particles.		
Standard/Specifications	Sewage- STP other than Metro Cities G.S.R. 1265 (E)		
Packing, Markings, Seal & Qty.	PE Bottle-1 litre (D/18/02A), Glass Bottle-1 litre (D/18/02B) & Glass Bottle-1 litre (D/18/02C)		

RESULTS

1. Chemical Testing

I. Pollution & Environment (Sewage)

Sr.No	Test Parameter	Unit	Result	Test Method
1	pH @ 25 °C	-	7.27	IS 3025 (Part 11)
2	Total Dissolved Solids	mg/l	758	IS 3025 (Part 16)
3	Total Suspended Solids	mg/l	189	IS 3025 (Part 17)
4	Biochemical Oxygen Demand	mg/l	257	IS 3025 (Part 44)
5	Chemical Oxygen Demand	mg/l	720	IS 3025(Part 58)
6	Oil & Grease	mg/l	12	IS 3025 (Part 39)

Remarks : NA

End of Report


 Mr. Mukesh Chand Agarwal
 Authorized Signatory- Chemical

EL-FMT-7.8.2-WW

Page No.1/2

TEST REPORT



ULR No : TC118182400009848

Test Report No : NSWL181024EM029

Type of Sample : Sewage

Date of reporting : 23/10/2024

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions :

1. The results relate only to the items tested.
2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.
3. The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
4. Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4816 225 Email: quality@ecoparyavaran.org
5. The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.
6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.
7. In case where sample is provided by the customer, the reported results shall apply to the sample as received.



Mr. Mukesh Chand Agarwal
Authorized Signatory- Chemical

TEST REPORT



TC-11818

ULR No : TC1181824000009849		Test Report No : NSWL181024EM030	
Type of Sample : Sewage		Date of reporting : 23/10/2024	
Reference Type : Email		Reference No : Dt.: 19/09/2024	
Customer Name	DLF Garden City		
Address	M/s DLF Homes Panchkula Pvt.Ltd. Located at Vill. Islam Nagar, Kalka Pinjore,Urban Complex, Sector-3, Distt.- Panchkula, Haryana	Period of Sampling	18/10/2024 - 18/10/2024
Sampling Protocol	IS17614 (Part-1)EL-MSP-7.3	Date of Receipt of Sample	18/10/2024
Sample Collection Mode	Sample collected by Laboratory	Period of Analysis	18/10/2024 - 22/10/2024
Testing Location	Permanent Facility	Date of reporting	23/10/2024
Sampling Location	After MGF & ACF Softner (STP Outlet)		
Sample Description	Liquid with suspended & settleable particles.		
Standard/Specifications	Sewage- STP other than Metro Cities G.S.R. 1265 (E)		
Packing, Markings, Seal & Qty.	PE Bottle-1 litre (D/18/03A), Glass Bottle-1 litre (D/18/03B) & Glass Bottle-1 litre (D/18/03C)		

RESULTS

1. Chemical Testing

I. Pollution & Environment (Sewage)

Sr.No	Test Parameter	Unit	Result	Standard	Test Method
1	pH @ 25 °C	-	7.24	6.5-9.0	IS 3025 (Part 11)
2	Total Dissolved Solids	mg/l	759	-	IS 3025 (Part 16)
3	Total Suspended Solids	mg/l	38	<100	IS 3025 (Part 17)
4	Biochemical Oxygen Demand	mg/l	25	30	IS 3025 (Part 44)
5	Chemical Oxygen Demand	mg/l	70	-	IS 3025 (Part 58)
6	Oil & Grease	mg/l	5.4	-	IS 3025 (Part 39)

Remarks : NA

End of Report


Mr. Mukesh Chand Agarwal
Authorized Signatory- Chemical

EL-FMT-7.8.2-WW

Page No. 1/2

TEST REPORT



ULR No : TC1181824000009849

Test Report No : NSWL181024EM030

Type of Sample : Sewage

Date of reporting : 23/10/2024

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions :

1. The results relate only to the items tested.
2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.
3. The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
4. Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4616 225 Email: quality@ceppanvayam.org
5. The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.
6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.
7. In case where sample is provided by the customer, the reported results shall apply to the sample as received.



Mr. Mukesh Chand Agarwal
Authorized Signatory- Chemical

वन विभाग हरियाणा सरकार

Annexure 7

कार्यालय:- वन मण्डल अधिकारी, मोरनी वन मण्डल, पिंजौर
वन परिसर पिंजौर, दुरभाष/फैक्स नं० 01733-230537

फैलिंग परमिट नं० दिनांक
निम्नलिखित भू-स्वामियों को उनकी अपनी मलकीयत भूमि में खड़े निम्न अंकित वृक्षों को काटने की अनुमति प्रदान की जाती है:-

मालिक का नाम	गांव का नाम	प्रजाति	V	IV	III	II-A	II-B	I-A	I-B	कुल	वायुम	खसरा नं०/खाला नं०
कैथना बिल्डर्स एंड कन्स्ट्रक्शन प्रा० लि० द्वारा प्राधिकृत श्री मनप्रीत सिंह पुत्र श्री मनमोहन सिंह, मकान नं० 89बी, अम्बेडकर मॉडल, हाउस, लुधियाना, पंजाब।	भगवानपुर	खैर	33	7	0	0	0	0	0	40	10.92	गांव भगवानपुर, हबदस्त नं० 193, खसरा नं० 257 तादादी 60-10 वा खसरा नं० 357/1/2 तादादी 14-18
		शिशम	1	0	0	0	0	0	0	1	0.14	
		विविध	8	4	1	0	0	0	1	14	8.07	
		कुल	42	11	1	0	0	0	1	55	19.13	

खैर/शिशम/विविध प्रकार के वृक्षों को काटने की स्वीकृति निम्नलिखित शर्तों पर दी जाती है:-

फैलिंग परमिट में वृक्षों को काटने की अनुमति दिनांक 10.01.2022 से दिनांक 25.01.2022 तक जारी रहेगी तथा वृक्षों की निकासी की मियाद दिनांक 25.01.2022 तक जारी रहेगी। वृक्षों की कटाई सुबह 9:00 से 5:00 बजे तक रहेगी।

1. प्रार्थी कैथना बिल्डर्स एंड कन्स्ट्रक्शन प्रा० लि० द्वारा प्राधिकृत श्री मनप्रीत सिंह पुत्र श्री मनमोहन सिंह, मकान नं० 89बी, अम्बेडकर मॉडल, हाउस, लुधियाना, पंजाब द्वारा मैनेजर, दी पंचकूला सैटल कोऑपरेटिव बैंक लिमिटेड, ब्रांच सैक्टर-2, पंचकूला एफ०डी०आर० नं० 027292 दिनांक 06.01.2022 द्वारा 19950/- रु० की राशि जमा करवाई जा चुकी है। यह प्रतिभूति परमिट की मियाद खत्म होने के बाद अगर जब्त नहीं हुई तो वापिस कर दी जाएगी। यदि परमिट की किसी शर्त की उल्लंघना की गई या कोई नाजायज कटाई हुई या कोई घनराशि सरकार की बकाया हुई तो वन मण्डल अधिकारी मोरनी को पूर्ण हक है कि वह इस प्रतिभूति का कुछ हिस्सा या सारी प्रतिभूति सरकार के पक्ष में जब्त कर सकते हैं।
2. केवल उक्त सूचि के अनुसार मार्क किए गये वृक्ष ही काटे जायेंगे और कोई भी बिना मार्क किया हुआ वृक्ष नहीं काटा जाएगा।
3. वन मण्डल अधिकारी मोरनी-पिंजौर एवं वन राजिक अधिकारी यदि अनुभव करते हैं कि उक्त वृक्षों की कटाई नियमों तथा शर्तों के अनुसार नहीं हो रही है, तो यह परमिट तुरन्त रद्द किया जा सकता है। इसके रद्द करने के परिणाम स्वरूप भू-स्वामियों को यदि किसी प्रकार की हानि होगी तो वन विभाग/सरकार उसके लिए कोई मुआवजा नहीं देगी।
4. यदि मालिक मार्क किए गये वृक्षों के अतिरिक्त और कोई अन्य वृक्ष काटता है तो प्रार्थी को दुगुना मुआवजा देना पड़ेगा।
5. वृक्ष को इस प्रकार से काटा जाए कि मुढही पर लगा हथोड़े का निशान साफ दिखाई दे और किसी भी वृक्ष की जड़ पटान नहीं करेगा।
6. परमिट धारक को अपने एजेंट/मुन्शी तथा अन्य दूसरे करिन्दों की सूची वृक्ष कटाई शुरू करने से एक सप्ताह पहले सम्बन्धित वन राजिक अधिकारी के कार्यालय में देनी होगी।
7. यदि परमिट धारक तथा उसके हिस्सेदारों का आपस में कोई झगड़ा होगा तो उसको परमिट धारक तथा उसके हिस्सेदार स्वयं निपटाएँ और वन विभाग/सरकार की इसकी कोई जिम्मेवारी नहीं होगी।
8. परमिट धारक द्वारा वृक्षों की कटाई आरम्भ करने से पूर्व सम्बन्धित वन रक्षक/वन दरोगा/उप वन राजिक/वन राजिक अधिकारी को सूचित करना अनिवार्य होगा।
9. यह परमिट भूमि परिरक्षण अधिनियम 1900 की धारा 4 तथा 5 के तहत भूमि संरक्षण के उद्देश्यों को ध्यान में रखते हुए जारी किया जाता है। यदि परमिट धारक का किसी अन्य जिम्मेदार से भूमि विवाद हुआ तो उस स्थिति में परमिट रद्द समझा जाये। परमिट धारक को कोई मुआवजा राशि देय नहीं होगी।
10. सरकारी जंगल से निकासी का कोई रास्ता ना बनाया जाये।
11. उपरोक्त हिदायतों या किसी भी अन्य वन अधिनियम के उल्लंघन पर परमिट तुरन्त ही रद्द कर दिया जायेगा।
12. वन रक्षक/वन दरोगा/उप वन राजिक वन राजिक अधिकारी के द्वारा मौके का निरीक्षण करने उपरान्त प्रार्थी को उसकी मलकीयत भूमि में जिसकी नकल जमाबन्दी प्रार्थी द्वारा शपथ पत्र में अंकित खसरा नं० की लगाई है, में खैर/शिशम/विविध प्रकार के 55 पेड़ जो सूखे/मैच्योर तथा कटवाने योग्य हैं उनको नियमानुसार कटवाने हेतु वर्ष 2021-22 में खुले गांव का परमिट जारी किया जाता है। जमाबन्दी, जो प्रार्थी द्वारा गई दी गई, अनुसार सभी अन्य भू-भाग मालिकों से एन०ओ०सी० प्राप्त करके सम्बन्धित वन रक्षक/वन दरोगा/उप वन राजिक/वन राजिक अधिकारी को दिखायेगा।
13. जमाबन्दी में प्रार्थी के अलावा अन्य भू-मालिकों का हिस्सा ना दिखाया गया हो तो भू-राजस्व रिकार्ड भी पेड़ों की कटाई से पहले दस्तुत कर लें।
14. प्रार्थी काटे गये पेड़ों से दुगुने पेड़ लगायेगा यदि ऐसा नहीं किया गया तो ब्याना राशि सरकार के हक में जब्त समझी जाये।
15. काटी गई मुडियों पर भी नं० अंकित करेगा।
16. काटे गये पेड़ों के टुकड़ों को वन/राजिक अधिकारी से हमीर लगावाने उपरान्त ही मौके से रवाना चलान लेकर उठायेगा। रवाना चालान शाम 4:00 बजे के बाद जारी नहीं होगा।
17. आदेशों की पालना ना करने पर दिये गये परमिट को रद्द समझा जायेगा तथा काटे गये पेड़ों के लिए प्रार्थी के खिलाफ Indian Forest Act 1927 के तहत अवैध कटान से सम्बन्धित दिये गये प्रावधानों के तहत कार्यवाही की जायेगी।

वन मण्डल अधिकारी
मोरनी, पिंजौर।

पृष्ठ नं०:- 10/1/22-49

दिनांक:- 10-01-22

एक प्रति निम्न को:-

1. वन राजिक अधिकारी, पिंजौर को उनके पत्र क्रमांक 564 दिनांक 28.12.2021 के सन्दर्भ में भेजते हुए निर्देश दिये जाते हैं कि आप स्वयं सम्बन्धित वन दरोगा/वन रक्षक को मौके पर जाकर सुनिश्चित करें तथा मौके पर भू-स्वामियों द्वारा स्वीकृति अनुसार ही पेड़ काटे जाये व परमिट से सम्बन्धित सभी Term & Conditions की शर्त प्रतिशत पालना की जाये। यदि मौके पर अनियमितता पाई जाती है तो उसके लिए आप तथा सम्बन्धित वन दरोगा व वन रक्षक जिम्मेवार होंगे। अगर प्रार्थी उपर अंकित 1 से 17 शर्तें मानता हो तो ही कटाई करने दी जाये।
2. प्रार्थी श्री मनप्रीत सिंह पुत्र श्री मनमोहन सिंह, मकान नं० 89बी, अम्बेडकर मॉडल, हाउस, लुधियाना, पंजाब को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है।

वन मण्डल अधिकारी
मोरनी, पिंजौर।

श्रीमान जी,

प्रार्थियों ने जो हस्ताक्षर / अंगूठा निशान प्रार्थना पत्र पर लगाये हुए हैं उन्हें मैंने सत्यापित कर लिया है। सभी प्रार्थियों के हस्ताक्षर व अंगूठा निशान सही हैं। प्रार्थी की मलकियत भूमि में केवल निम्नलिखित वृक्ष खड़े हैं।

S.No.	Species	U/S	V	IV	III	II-A	II-B	I-A	I-B	Total	Vol.
1.	2 वृक्ष	28	38	33	7	-	-	-	-	106	
2.	1 वृक्ष	11	10	2	-	-	-	-	1	24	
	2 वृक्ष	29	18	8	4	-	-	-	1	60	
	Total	68	66	43	11	-	-	-	1	189	

प्रार्थी उनमें से निम्नलिखित वृक्ष कटवाना चाहते हैं जो कि नियमानुसार कटवाये जाने हैं।

S.No.	Species	U/S	V	IV	III	II-A	II-B	I-A	I-B	Total	Vol.
1.	2 वृक्ष	-	-	33	7	-	-	-	-	40	10.42
2.	1 वृक्ष	-	-	1	-	-	-	-	-	1	0.14
	1 वृक्ष	-	-	8	4	1	-	-	1	14	0.02
	Total									55	10.58


इन वृक्षों के कटने उपरांत मौका पर 134 वृक्ष खड़े रह जाएंगे। गांव कटाई के लिए बन्द है। प्रार्थी द्वारा उपरोक्त 55 वृक्ष विविध वृक्ष कटाने की अनुमति देने की अनुकम्पा करें।

Rasinder Kumar
(हस्ताक्षर वन रक्षक)
(बीट इन्चार्ज)

प्रार्थी जिन वृक्षों को काटना चाहता है उनका मैंने स्वयं मौका देख लिया है। वन रक्षक द्वारा की गई रिपोर्ट ठीक है, मैं इस रिपोर्ट से सहमत हूँ।

Pankaj Singh (Pr)
(ब्लॉक ऑफिसर)

मैं, वन रक्षक व वन दरोगा की रिपोर्ट से सहमत हूँ।


वन राजिक अधिकारी,
मिर्जौर

Form P/M-5
(500 rule 32(2))

STP No. 2011

Standard permits for the grant of permission for disposal of mineral excavated incidental to developmental activities

Whereas M/s. Simron Infra Projects (P) Pvt. Ltd., C-101/302, 2nd Floor, Lajpat Nagar, New Delhi, has applied for the grant of a permit under Rule 27 to 35 of the Haryana Minor Mineral Concession, Storage & Transportation of Minerals and Prevention of Illegal Mining Rules, 2012 for disposal of O'Clay 2895 MT, Stone 364 MT and Ball 366 MT from excavation/removed from Vill. Bhagwanpur, Sector 3, Ranchhola (details of area) incidental to their development project. The applicant has made satisfactory arrangement for a bond of Rs. 1000/- with STP Fee and security is already paid for disposal of mineral/ore.

The permission is hereby granted for disposal of the mineral O'Clay, Stone & Ball total of 4455 MT, excavated/removed from the aforesaid area, subject to the condition that the holder will adhere to the safety guards for such excavation or removal.

The permit holder shall transport disposed of the ordinary clay/stone/sand earth from the site of excavation only by using a Mineral Transport.

The amount of security deposit shall remain no interest. The security amount shall be returned within a period of three months in case the same is not forfeited or forfeited due to any reason, excepted under this permit.

The mineral/ore/stone/earth is removed from the area of mineral area and shall be disposed of within the stipulated time.

For disposal of mineral/ore/stone/earth, the holder shall comply with the following conditions:

1. The holder shall not dispose of mineral/ore/stone/earth in any other manner than as permitted in this permit.

2. The holder shall not dispose of mineral/ore/stone/earth in any other manner than as permitted in this permit.

3. The holder shall not dispose of mineral/ore/stone/earth in any other manner than as permitted in this permit.

4. The holder shall not dispose of mineral/ore/stone/earth in any other manner than as permitted in this permit.

5. The holder shall not dispose of mineral/ore/stone/earth in any other manner than as permitted in this permit.

6. The holder shall not dispose of mineral/ore/stone/earth in any other manner than as permitted in this permit.

7. The holder shall not dispose of mineral/ore/stone/earth in any other manner than as permitted in this permit.

Central Ground Water Authority

Ministry of Water Resources

Government of India

No. 21-4(461)/NW/CGWA/2011-1516

Dated: 14 OCT 2011

To,
M/s DLF Homes Panchkula Pvt. Ltd.
Chandigarh Technology Park, Plot No. 2,
Tower 'D', Ground Floor,
Chandigarh - 160101.

Sub: Request for Ground Water clearance in respect of M/s DLF Homes Panchkula Pvt. Ltd. for their proposed Residential plotted colony "DLF Valley" at Sector 3, Pinjore-Kalka Upland Complex, village Bhagwanpur & Islampur, Block Pinjore, Tehsil Kalka, District Panchkula, Haryana - reg.

Sd,

The area where the project falls comes under safe category as per the ground water assessment carried out by Central Ground Water Board. Since the total requirement of ground water is 1502 m³/day, NOC is not required for ground water withdrawal from Central Ground Water Authority. However, to minimize the adverse impact of ground water withdrawal that may arise on a long term basis, the industry project is advised to undertake the following measures:

1. Ground Water withdrawal shall not exceed the proposed quantity of 1502 m³/day.
2. All abstraction structures should be fitted with water meter by the industry and monitoring of ground water abstraction to be undertaken accordingly on regular basis, at least once in a month. The data may be submitted on a yearly basis to the Regional Director, Central Ground Water Board, North Western Region, Chandigarh for perusal and records.
3. The industry should adopt and implement artificial recharge measures/water harvesting measures for augmenting the ground water resources of the area as per the hydrogeological investigation.
4. The industry shall ensure proper conservation measures, recycling and reuse of waste water after adequate treatment.
5. The industry shall monitor the ambient ground water regime of the area through piezometers and submit the data on a yearly basis to the Regional Director, Central Ground Water Board, North Western Region, Chandigarh for perusal and records.

Yours faithfully,

[Signature]
Scientist 'D'
for Member Secretary

Copy for information to the:

1. Member Secretary, Haryana State Pollution Control Board, C-11, Sector 9, Panchkula, Haryana, with request to ensure that Rain Water Harvesting and Artificial Recharge methods are being implemented by the firm and quantity of withdrawal is not exceeding 1502 m³/day.
2. Regional Director, Central Ground Water Board, North Western Region, Bhujal Bhawan, Plot # 3-B, Sector 27 - A, Madhya Marg, Chandigarh 160019. This has reference to your letter No. 4/172/A/HR/DLF Valley/NW/RS&I/2011 - 1595 dated 20.7.2011.
3. TS to Chairman, Central Ground Water Board, NH-IV, Faridabad.

Scientist 'D'
for Member Secretary

West Block-2, Wing-3, Ground Floor, R. K. Puram, Sector-1, New Delhi - 110046
Tel: (011) 26175382, 26175373, 26175367; Fax: (011) 26175319 e-mail: cgwa@cgwa.gov.in web site: <http://cgwa.gov.in>



हरियाणा सरकार
हरियाणा जल संसाधन प्राधिकरण
Government of Haryana
Haryana Water Resources Authority

PERMISSION CERTIFICATE FOR GROUND WATER EXTRACTION

Project Name:	DLF Garden City			
Project Address:	2nd Floor DLF Gateway Tower, DLF City Phase-III, NH-8, Gurugram			
Village/MC:	Panchkula (MC)	Tehsil:	Panchkula	
District:	PANCHKULA	State:	Haryana	
Pin Code:	--			
Communication Address:	DLF Homes Panchkula Pvt Ltd,			
Address Regional Office:	Rear Building, 3rd Floor, HSVP, Sector-6, Panchkula			
1. NOC No.:	HWRA/NOC/INF/N/2022/90			
2. Application No.:	HWRA/INF/N/2022/210	3. Category:	Infrastructure	
4. Project Status:	New	5. NOC Type:	New	
6. Ground Water Extraction Permitted:				
Ground Water For	m3/day	m3/year	Valid From	Valid Upto
Fresh Water	509.00	185785.00	08/09/2022	08/09/2023
Construction Purpose	0.00	0.00	08/09/2022	--
Dewatering	--	--	08/09/2022	--
Total	509.00	185785.00	--	--
7. Details of Ground Water Extraction: Total Existing No.:	4		Total Proposed No.:	
	DW	DCB	BW	TW
Abstraction Structure*	--	--	4	--
	DW	DCB	BW	TW
	--	--	2	--
*DW - Dug Well;DCB - Dug cum Bore Well;BW - Bore Well;TW - Tube Well;DWLR - Digital Water Level Recorder				
8. Quantum of ground water recharge(m3/year)	301357.00			
9. Number of Piezometers (Observation wells) to be constructed/ monitored & Monitoring mechanism	No. of Piezometers		Monitoring Mechanism	
			Manual	DWLR
	1	0	1	1

* Terms & conditions are at the back of this page.



Note: This is computer generated certificate, it can be validated by scanning QR code.

Validity of this NOC shall be subject to compliance of the following mandatory conditions

This NOC for abstraction of ground water, shall be subject to the following terms and conditions

1. NOC is granted to the applicant on the condition that local government water supply agencies are not able to supply the desired quantity of water. In case of supply of water from local agency the applicant shall immediately inform HWRA and reduce the abstraction of ground water accordingly.
2. The applicant abstracting ground water between 100-500 kld shall undertake self-annual water audit and those abstracting ground water more than 500 kld shall undertake water audit through organisations authorised by Government of India or HWRA and submit audit reports at the time of renewal of the NOC.
3. Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism shall be mandatory for industries drawing or proposing to draw more than 500kld of ground water and Monitoring of water level shall be done by project applicant. The piezometer (observation well) shall be constructed at a minimum distance of 15 m from the production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well wells Detailed guidelines for design and construction of piezometer is given on the portal. Monthly water level data shall be submitted to the HWRA through the web portal on quarterly basis.
4. Injection of treated/untreated wastewater into aquifer system is strictly prohibited.
5. In case of infrastructure projects that require dewatering, applicant shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data through the web portal to HWRA as applicable. Monitoring records and results should be retained by the applicant for two years, for inspection or reporting as required by HWRA.
6. Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 50 m³/day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.
7. For infrastructure dewatering/ construction activity, NOC shall be valid for specific period as per the detailed proposal submitted by the applicant or for one year, whichever is earlier.
8. All residential apartments or group housing societies requiring water for drinking/domestic use only, shall pay groundwater abstraction charges on quarterly basis as per Table 5.1.
9. All infrastructure projects drawing ground water in safe, semi-critical and critical assessment units shall be required to pay ground water abstraction charges on quarterly basis as applicable as per Table 5.3 A.
10. All infrastructure projects (new/ existing) drawing ground water in over-exploited assessment units shall be liable to pay ground water restoration charges on quarterly basis as per Table 5.3 B.
11. All the tube wells/ground water abstraction structures permitted shall be fixed with digital electromagnetic/ultrasonic water meters, by the applicant at its own cost with telemetry system and monthly ground water abstraction data shall be recorded in a logbook. Compliance to this condition shall be reported within one month from the date of issue of this letter. Daily water meter readings to be recorded in a dedicated register and shall be submitted on the web portal to HWRA on quarterly basis or through centralized mechanism evolved by HWRA.
12. The applicant, as per approved proposal, shall implement rainwater harvesting and ground water recharge measures within three months from the date of issuance of this NOC and undertake periodic maintenance of recharge structures. Photographs (with geo tag only) of the recharge structures etc. and compliance of completion of construction of the same along with copy of NOC shall be furnished immediately to the Haryana Water Resources Authority for verification, on the Email ID of the Authority (compliance - hwra@hry.gov.in)
13. The ground water chemical quality shall be monitored twice in a year during pre & post- monsoon period.
14. The monthly ground water level monitoring data in respect of piezometer shall be submitted quarterly to the Haryana Water Resources Authority on regular basis.
15. In case of renewal, application shall be submitted online within 90 days before the expiry of this NOC and abstraction of ground water, after expiry of NOC shall be illegal and liable for legal action as per law.
16. The applicant shall seek prior permissions from HWRA for any increase in daily quantum of groundwater abstraction (i.e. more than the permitted limit in the NOC)..
17. Where the applicant granted NOC for abstraction of saline water and the existing well(s) is/are yielding fresh water, the same shall be sealed and new tube well(s) tapping saline water shall be constructed within 3 months of the issuance of NOC or from the date of seal of the fresh water tube well, as the case may be. The applicant shall be also ensuring safe disposal of saline residue, if any.
18. The applicant shall ensure the 100% reuse for non potable usage of self generated waste water after due treatment. He shall also ensure to reuse for non potable usage the Treated Waste Water (other than self generated) as per application and NOC terms & conditions.
19. The applicant shall comply with the provisions of the Haryana Water Resources (Conservation, Regulation and Management) Authority Act, 2020, Rules, regulations, guidelines and directions issued thereunder. Non-compliance of these provisions shall be liable for the penalty as per the provisions of the Act, rules and regulations, guidelines and directions issued thereunder.
20. Since, this NOC has been issued on the basis of self-assessment by the applicant and without any site inspection, hence the Authority may inspect the site/unit and documents at any time. In case any material difference is found in the information submitted and the site conditions or documents, the Authority may suspend the NOC granted immediately and may revoke or modify the NOC after giving a notice to the applicant.
21. This NOC is subject to prevailing State Government rules/law of Courts orders related to construction of tube well, ground water withdrawal, construction of recharge or conservation structure/discharge of effluents or any such matters as applicable.
22. The applicant shall comply with the directions/conditions/instructions issued by any Court of law related to the matters concerned with the Authority.
23. The applicant shall report self-compliance duly signed by authorized person along with authorization letter by e-mail to Haryana Water Resources Authority quarterly as well as yearly basis after the issuance of NOC.
24. This NOC does not absolve the applicant of his obligation/requirement to obtain the necessary approvals from the statutory and administrative Authorities/Departments.
25. The issuance of this NOC does not imply that other statutory or administrative clearances shall necessarily be granted to the applicant by the concerned authorities. The concerned Authorities shall act as per their own procedure.
26. The applicant shall immediately inform the HWRA, if any change in the information provided by the applicant in the application form for seeking NOC.
27. This NOC shall not absolve the applicant from any penalty/punishment/environment compensation, which may have been imposed or may be imposed, for abstraction of groundwater during such period, before the issuance of this NOC.
28. In case of non-payment or delayed payment of ground water abstraction/restoration charges, a penal interest @ 18% p.a. shall be charged.
29. The necessary compliance shall be submitted to the Authority on the web portal of the Authority i.e. www.hwra.org.in or on the email id compliance-hwra@hry.gov.in.
- 30.

Note: This is computer generated certificate, it can be validated by scanning QR code.



हरियाणा सरकार
हरियाणा जल संसाधन प्राधिकरण
Government of Haryana
Haryana Water Resources Authority

PERMISSION CERTIFICATE FOR GROUND WATER EXTRACTION

Project Name:	DLF Garden City			
Project Address:	DLF Garden City Village Islam Nagar Bhagwanpur Sector 3 District Panchkula PANCHKULA			
Village/MC:	Panchkula (MC)	Tehsil:	Panchkula	
District:	PANCHKULA	State:	Haryana	
Pin Code:	--			
Communication Address:	DLF Garden City Village Islam Nagar Bhagwanpur Sector 3 District Panchkula PANCHKULA			
Address Regional Office:	Rear Building, 3rd Floor, HSVP, Sector-6, Panchkula			
1. NOC No.:	HWRA/NOC/INF/R/2024/71			
2. Application No.:	HWRA/INF/R/2023/148	3. Category:	Infrastructure	
4. Project Status:	Renew	5. NOC Type:	Renew	
6. Ground Water Extraction Permitted:				
Ground Water For	m3/day	m3/year	Valid From	Valid Upto
Fresh Water	1098.00	400770.00	09/09/2023	09/09/2024
Construction Purpose	0.00	0.00	09/09/2023	--
Dewatering	--	--	09/09/2023	--
Total	1098.00	400770.00	--	--
7. Details of Ground Water Extraction: Total Existing No.:	4		Total Proposed No.:2	
	DW	DCB	BW	TW
Abstraction Structure*	--	--	4	--
	DW	DCB	BW	TW
	--	--	2	--
*DW - Dug Well;DCB - Dug cum Bore Well;BW - Bore Well;TW - Tube Well;DWLR - Digital Water Level Recorder				
8. Quantum of ground water recharge(m3/year)	444326.02			
9. Number of Piezometers (Observation wells) to be constructed/ monitored & Monitoring mechanism	No. of Piezometers		Monitoring Mechanism	
			Manual	DWLR
	1	0	1	1

* Terms & conditions are at the back of this page.



Note: This is computer generated certificate, it can be validated by scanning QR code.

Validity of this NOC shall be subject to compliance of the following mandatory conditions

This NOC for abstraction of ground water, shall be subject to the following terms and conditions

1. NOC is granted to the applicant on the condition that local government water supply agencies are not able to supply the desired quantity of water. In case of supply of water from local agency the applicant shall immediately inform HWRA and reduce the abstraction of ground water accordingly.
2. The applicant abstracting ground water between 100-500 kld shall undertake self-annual water audit and those abstracting ground water more than 500 kld shall undertake water audit through organisations authorised by Government of India or HWRA and submit audit reports at the time of renewal of the NOC.
3. Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism shall be mandatory for industries drawing or proposing to draw more than 500kld of ground water and Monitoring of water level shall be done by project applicant. The piezometer (observation well) shall be constructed at a minimum distance of 15 m from the production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well wells Detailed guidelines for design and construction of piezometer is given on the portal. Monthly water level data shall be submitted to the HWRA through the web portal on quarterly basis.
4. Injection of treated/untreated wastewater into aquifer system is strictly prohibited.
5. In case of infrastructure projects that require dewatering, applicant shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data through the web portal to HWRA as applicable. Monitoring records and results should be retained by the applicant for two years, for inspection or reporting as required by HWRA.
6. Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 50 m³/day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.
7. For infrastructure dewatering/ construction activity, NOC shall be valid for specific period as per the detailed proposal submitted by the applicant or for one year, whichever is earlier.
8. All residential apartments or group housing societies requiring water for drinking/domestic use only, shall pay groundwater abstraction charges on quarterly basis as per Table 5.1.
9. All infrastructure projects drawing ground water in safe, semi-critical and critical assessment units shall be required to pay ground water abstraction charges on quarterly basis as applicable as per Table 5.3 A.
10. All infrastructure projects (new/ existing) drawing ground water in over-exploited assessment units shall be liable to pay ground water restoration charges on quarterly basis as per Table 5.3 B.
11. All the tube wells/ground water abstraction structures permitted shall be fixed with digital electromagnetic/ultrasonic water meters, by the applicant at its own cost with telemetry system and monthly ground water abstraction data shall be recorded in a logbook. Compliance to this condition shall be reported within one month from the date of issue of this letter. Daily water meter readings to be recorded in a dedicated register and shall be submitted on the web portal to HWRA on quarterly basis or through centralized mechanism evolved by HWRA.
12. The applicant, as per approved proposal, shall implement rainwater harvesting and ground water recharge measures within three months from the date of issuance of this NOC and undertake periodic maintenance of recharge structures. Photographs (with geo tag only) of the recharge structures etc. and compliance of completion of construction of the same along with copy of NOC shall be furnished immediately to the Haryana Water Resources Authority for verification, on the Email ID of the Authority (compliance - hwra@hry.gov.in)
13. The ground water chemical quality shall be monitored twice in a year during pre & post- monsoon period.
14. The monthly ground water level monitoring data in respect of piezometer shall be submitted quarterly to the Haryana Water Resources Authority on regular basis.
15. In case of renewal, application shall be submitted online within 90 days before the expiry of this NOC and abstraction of ground water, after expiry of NOC shall be illegal and liable for legal action as per law.
16. The applicant shall seek prior permissions from HWRA for any increase in daily quantum of groundwater abstraction (i.e. more than the permitted limit in the NOC)..
17. Where the applicant granted NOC for abstraction of saline water and the existing well(s) is/are yielding fresh water, the same shall be sealed and new tube well(s) tapping saline water shall be constructed within 3 months of the issuance of NOC or from the date of seal of the fresh water tube well, as the case may be. The applicant shall be also ensuring safe disposal of saline residue, if any.
18. The applicant shall ensure the 100% reuse for non potable usage of self generated waste water after due treatment. He shall also ensure to reuse for non potable usage the Treated Waste Water (other than self generated) as per application and NOC terms & conditions.
19. The applicant shall comply with the provisions of the Haryana Water Resources (Conservation, Regulation and Management) Authority Act, 2020, Rules, regulations, guidelines and directions issued thereunder. Non-compliance of these provisions shall be liable for the penalty as per the provisions of the Act, rules and regulations, guidelines and directions issued thereunder.
20. Since, this NOC has been issued on the basis of self-assessment by the applicant and without any site inspection, hence the Authority may inspect the site/unit and documents at any time. In case any material difference is found in the information submitted and the site conditions or documents, the Authority may suspend the NOC granted immediately and may revoke or modify the NOC after giving a notice to the applicant.
21. This NOC is subject to prevailing State Government rules/law of Courts orders related to construction of tube well, ground water withdrawal, construction of recharge or conservation structure/discharge of effluents or any such matters as applicable.
22. The applicant shall comply with the directions/conditions/instructions issued by any Court of law related to the matters concerned with the Authority.
23. The applicant shall report self-compliance duly signed by authorized person along with authorization letter by e-mail to Haryana Water Resources Authority quarterly as well as yearly basis after the issuance of NOC.
24. This NOC does not absolve the applicant of his obligation/requirement to obtain the necessary approvals from the statutory and administrative Authorities/Departments.
25. The issuance of this NOC does not imply that other statutory or administrative clearances shall necessarily be granted to the applicant by the concerned authorities. The concerned Authorities shall act as per their own procedure.
26. The applicant shall immediately inform the HWRA, if any change in the information provided by the applicant in the application form for seeking NOC.
27. This NOC shall not absolve the applicant from any penalty/punishment/environment compensation, which may have been imposed or may be imposed, for abstraction of groundwater during such period, before the issuance of this NOC.
28. In case of non-payment or delayed payment of ground water abstraction/restoration charges, a penal interest @ 18% p.a. shall be charged.
29. The necessary compliance shall be submitted to the Authority on the web portal of the Authority i.e. www.hwra.org.in or on the email id compliance-hwra@hry.gov.in.
30. Applicant to comply IS:10500:2012 standards before use of abstracted ground water for drinking & domestic purposes.
- 31.

6. पर्यावरण समाघात निर्धारण अधिसूचना, 2006 के अधीन न आने वाले क्रियाकलापों से संबंधित संवीक्षा किए गए मामलों का सारा विवरण एक पृथक उपाबंध के रूप में संलग्न करें।
7. पर्यावरण अधिनियम (संरक्षण), 1986 की धारा 19 के अधीन दर्ज की गई शिकायतों का सारा।
8. कोई अन्य महत्वपूर्ण विषय।

MINISTRY OF ENVIRONMENT, FOREST AND CLIMATE CHANGE

NOTIFICATION

New Delhi, the 11th November, 2024

S. O. 4874(E).— WHEREAS, a draft notification was published in the Gazette of India, Extraordinary, vide notification number S.O. 1523(E), dated the 22nd March, 2024, inviting objections and suggestions from all persons likely to be affected thereby within the period of sixty days from the date on which copies of the Gazette containing the said notification were made available to the public;

AND WHEREAS, copies of the Gazette containing the said draft notification were made available to the public on the 22nd March, 2024;

AND WHEREAS, objections and suggestions received from persons in response to the said draft notification have been considered by the Central Government;

AND WHEREAS, Sukhna Wildlife Sanctuary is under the administrative control of the Union territory of Chandigarh and shares boundary with Punjab and Haryana and located in Shivalik foothills which are ecologically sensitive and geologically unstable. The total area the Sukhna Wildlife Sanctuary of 25.9849 sq. km. (6420.99 acres) situated in between the longitude and latitude (Left - 76.810241 E, Right - 76.888207 E, Top - 30.809699 N, Bottom - 30.742053 N).

AND WHEREAS, Sukhna Wildlife Sanctuary has a variety of topographical features and rich diversity of flora and fauna and due to its ecological, faunal, floral, geo-morphological, natural and geological significance, and for the purpose of protecting, propagating and developing wildlife and its habitat, this area was declared as Wildlife Sanctuary vide Chandigarh Administration notification No. 694, HII (4)-98/4519, dated the 6th March, 1998;

AND WHEREAS, as per wildlife census carried out under the guidance of Wildlife Institute of India, Dehradun during 2010, many species as listed under Schedule-I of the Wildlife (Protection) Act 1972, have been reported in Sukhna Wildlife Sanctuary. The prominent species among them includes common Leopard (*Panthera pardus*), Sambar (*Rusa unicolor*), Indian Pangolin (*Manis crassicaudata*), Golden Jackal (*Canis aureus*), Indian Peafowl (*Pavo cristatus*), King Cobra (*Ophiophagus hannah*), Ajar/ Indian Rock Python (*Python molurus*) and Monitor Lizard (*Varanus bengalensis*). Schedule-II species listed under the Wildlife (Protection) Act, 1972, present in Sukhna Wildlife Sanctuary includes Red Jungle Fowl (*Gallus gallus*), Russell's Viper (*Daboia russelii*) and Grey Langur (*Semnopithecus entellus*);

AND WHEREAS, the sanctuary harbours a variety of butterflies and moths. The sanctuary inhabits termite anthills which harbour termites like *Microtermes* and *Odontotermis*- the organisms necessary for the decomposition of organic matter. The edible fungi present in the area include Puff Balls (*Lycoperdon pusillum*) and *Termitomyces*;

AND WHEREAS, from biodiversity richness point of view, it is home to a number of faunal species including the endangered Indian Pangolin and vulnerable Common leopard. Although, no critically endangered or endemic species is found in the area, yet it is necessary to conserve and protect the area for the remnant biodiversity present in the Protected Area;

AND WHEREAS, there are a number of species of trees, shrubs, climbers and herbs in the sanctuary besides a good representation of Thallophytes, Bryophytes, Pteridophytes and lichens. The prominent tree species are: Khair (*Acacia catechu*), Amla (*Emblica officinalis*), Baheda (*Terminalia bellirica*), Sain (*Terminalia alata*), Kachnar (*Bauhinia variegata*), Phulai (*Acacia modesta*), Kikar (*Acacia nilotica*), Ronjh (*Vachellia leucophloea*), Shisham (*Dalbergiasissoo*), Chhal (*Anogeissus latifolia*), Neem (*Azadirachta indica*), Semal (*Bombaxceiba*), Dhak (*Buteamonosperma*), Kachnar (*Bauhinia variegata*), Mulberry (*Morus alba*), Paper Mulberry (*Brossounetia papyrifera*), Jhingan (*Lannea coromandelica*), Tendu (*Dyospyros montana*), Karhi Patta (*Murraya koenigii*), Mesquite (*Prosopis juliflora*), Amaltas (*Cassia fistula*), Ber/ Indian Jujube (*Ziziphus jujube*). The prominent shrubs are Aduša/Common Cough Cure (*Justicia adhatoda*), Karaunda (*Carissa carandus*), Kainth (*Pyrus pashia*) and Samhalu (*Vitex negundo*) etc. Maljhan/Camel Foot Climber (*Phanera vahlii*) is the prominent climber of the sanctuary;

AND WHEREAS, the main faunal species found in the area are Common Leopard (*Panthera pardus*), Sambar (*Rusa unicorn*), Barking Deer (*Muntiacus muntjak*), Indian Pangolin (*Manis crassicaudata*), Wild Boar (*Sus scrofa*), Jackal (*Canis aureus indicus*), Small Indian Civet (*Viverricula indica*), Jungle Cat (*Felis chaus*), Indian Crested Porcupine (*Hystrix indica*), Hanuman Langur (*Semnopithecus entellus*), Rhesus Macaque (*Macaca mulatta*), Indian Hare (*Lepus nigricollis*), Common Mongoose (*Urva edwardsii*), Five Striped Squirrel (*Funambulus pennati*) etc.;

AND WHEREAS, there are more than 250 species of birds including aquatic water fowls. Prominent among them are: Common Crow (*Corvus splendens*), Indian Sparrow (*Passer domesticus*), Bee Eater (*Merops orientalis*), Purple Sunbird (*Cinnyris asiaticus*) Indian Peafowl (*Pavo cristatus*), Red Jungle Fowl, Grey Partridge (*Ortygornis pondicerianus*), Cuckoos, Indian Night Jar (*Caprimulgus asiaticus*), Eurasian Golden Oriole (*Oriolus oriolus*), White Throated Kingfisher (*Halcyon smyrnensis*), Pied Kingfisher (*Ceryle rudis*), Indian Swift (*Aerodramus unicorn*), Common Hoopoe (*Upupa epops*), Hornbills, Coppersmith Barbet (*Megalaima haemacephala*), Brown Headed Barbet (*Megalaima zeylanica*), Black Rumped Flameback Woodpecker (*Dinopium benghalense*), Indian Roller (*Coracias benghalensis*), Barn Owl (*Tyto alba*), Rose Ringed parakeet (*Psittacula krameri*), Plum Headed Parakeet (*Himalayapsitta cyanocephala*) Alexandrine Parakeet (*Psittacula eupatria*) Ring Necked Dove (*Streptopelia capicola*), Spotted Dove (*Spilopelia chinensis*), Bronze-winged Jacana (*Metopidius indicus*), Pheasant-tailed Jacana (*Hydrophasianus chirurgus*), Red-wattled Lapwing (*Vanellus indicus*), Eurasian coot (*Fulica atra*), Shikra (*Accipiter badius*), Geese, Swan, Ducks etc.;

AND WHEREAS, other important reptilian species in the sanctuary includes King Cobra (*Ophiophagus hannah*), Rat Snake (*Ptyas mucosa*), Common Krait (*Bungarus caeruleus*), Russell's Viper (*Daboia russelii*), Indian Python and Common Monitor Lizard etc. It also harbours variety of Butterflies among which Plain Tiger (*Danaus chrysippus*), Stripped Tiger (*Danaus genutia*), Common sergeant (*Athyma perius*), Common Jezebel (*Delias eucharis*), Peacock Pansy (*Junonia almana*), Lemon Butterfly (*Papilio demoleus*), Blue Tiger (*Tirumala limniace*), Common Leopard Butterfly (*Phalanta phalantha*) and Crow Butterfly (*Euploea core*) are very common in the area. The honey bees (Apidae) are represented by Indian Rock Bee (*Apis dorsata*), Indian Bee (*Apis cerana indica*), Italian Bee (*Apis mellifera*) and Little Bee (*Apis florea*);

AND WHEREAS, it is necessary to conserve and protect the area the extent and boundaries of which is specified in paragraph 1 of this notification around the protected area of Sukhna Wildlife Sanctuary as Eco-sensitive Zone from ecological and environmental point of view and to prohibit industries or class of industries and their operations and processes in the said Eco-sensitive Zone;

AND WHEREAS, the Government of Haryana vide its letter No. 682, dated 16th February, 2024 have specifically stated that the declaration of Eco-sensitive Zone around Sukhna Lake Sanctuary on the Haryana side is in conformity with the Order dated 02nd March, 2020 of the High Court of Punjab and Haryana in Writ Petition (C) No. 18253 of 2009 and 5809 of 2015: Court on its own motion Vs Chandigarh Administration and other connected matters;

AND WHEREAS, the Government of Haryana vide its letter No. 682, dated 16th February, 2024 has specifically stated that the adjoining State of Punjab and Union territory of Chandigarh do not have any objection to the State of Haryana delineating Eco-Sensitive Zone around Sukhna Wildlife Sanctuary (towards Haryana Side);

NOW, THEREFORE, in exercise of the powers conferred by sub-section (1) and clauses (v) and (xiv) of sub-section (2) and sub-section (3) of section 3 of the Environment (Protection) Act, 1986 (29 of 1986) (hereafter in this notification referred to as the Environment Act), read with sub-rule (3) of rule 5 of the Environment (Protection) Rules, 1986, the Central Government hereby notifies an area to an extent varying from **1.0 km to 2.035 km** from the boundary of the Sukhna Wildlife Sanctuary, in the State of Haryana as **Sukhna Wildlife Sanctuary Eco-sensitive Zone** (hereafter in this notification referred to as the Eco-sensitive Zone, the details of which are specified in paragraph 1 for the purpose of protecting and improving the quality of environment and preventing, controlling and abating environment pollutions and taken the following measures, namely:-

1. Extent and boundaries of Eco-sensitive Zone-

- (1) The Eco-sensitive Zone in general extends up to 1.0 kilometre from the boundary of the Sukhna Wildlife Sanctuary on the Haryana side. It is further extended to 2.0 kilometres in the Reserved Forest on the northern side. On the eastern side; the Eco-sensitive Zone boundary is mostly 1.0 kilometre, running along the boundary of the Reserved Forest; it is extended on the south-eastern side to make it co-terminous with the boundary of the Reserved Forest and the total area of the Eco-Sensitive Zone is **24.60 sq. kms.**

- (2) Ten villages namely Prempura, Sokhomajri, Damala, Lohgarh, Manakpur Thakardas, Surajpur, Chandimandir Kotla, Darra Kharauni, Rampur, Saketari and Mahadevpur fall within the proposed Eco-sensitive Zone, the total area proposed will be 6078.98 acres (2460.07 ha) and will encompass and include, *inter-alia*, following areas namely:-
- (i) area comprising of Sector 1 and part of Sector 2 and sector 3 including Gymkhana Club under the Haryana Shahari Vikas Pradhikaran(HSVP).
 - (ii) some tube well chambers, Para Gliding Parks and area falling under Sector-1, MDC.
 - (iii) area falling under Chandi mandir Cantonment (area including small arms firing range of military station Chandi mandir, Central Soil and Water Conservation Research Farm.
 - (iv) part of area falling under Municipal Corporation (MC), Panchkula;
 - (v) out of ten villages falling in the proposed Eco-Sensitive Zone, two villages namely, Saketri and Prempura fall within a radius of 700 meters from the boundary of Sukhna Wildlife Sanctuary. While the houses in Village Saketri are located along the boundary of Sukhna Wildlife Sanctuary, the habitation of village Prempura is at a distance of 300 m to 700 m from the boundary of Sukhna Wildlife Sanctuary.
- (3) The boundary description of Eco-Sensitive Zone is appended **Annexure I**.
- (4) The map of Eco sensitive Zone is appended as Annexure II.
- (5) The latitudes and longitudes of the Sukhna Wildlife Sanctuary (Table A) and its Eco-Sensitive Zone (Table B) is appended as **Annexure III**.
- (6) The list of villages falling within Eco-Sensitive Zone along with co-ordinates of prominent points is appended as **Annexure IV**.

2. Zonal Master Plan for the Eco-sensitive Zone- (1) The State Government shall, for the purpose of the Eco-sensitive Zone, prepare and notify a Zonal Master Plan, within a period of two years from the date of publication of this notification in the Official Gazette, in consultation with local people in accordance with the provisions of this notification.

(2) The Zonal Master Plan shall be approved by the competent authority in the State Government.

(3) The Zonal Master Plan for the Eco-sensitive Zone shall be prepared by the State Government in such manner as is specified in this notification and also in consonance with the relevant laws for the time being in force and the guidelines issued by the Central Government, if any.

(4) The Zonal Master Plan shall be prepared in consultation with the following departments of the state government, for integrating the ecological and environment consideration into the said plan, namely: -

- (i) Environment;
- (ii) Forest;
- (iii) Urban Development;
- (iv) Tourism;
- (v) Municipality;
- (vi) Revenue;
- (vii) Agriculture; and
- (viii) Haryana State Pollution Control Board.

(5) The Zonal Master Plan shall not impose any restriction on the approved existing land use, infrastructure and activities, unless so specified in this notification and the Zonal Master Plan shall factor in improvement of all infrastructure and activities to be more efficient and eco-friendly.

(6) The Zonal Master plan shall provide for restoration of denuded areas, conservation of existing water bodies, management of catchment areas, watershed management, groundwater management, soil and moisture conservation, needs of local community and such other aspects of the ecology and environment that need attention.

(7) The Zonal Master Plan shall demarcate all the existing worshipping places, village and urban settlements, types and kinds of forests, agricultural areas, fertile lands, green areas, such as, parks and like places, horticultural areas,

orchards, lakes and other water bodies with supporting maps giving details of existing and proposed land use features.

(8) The Zonal Master Plan shall regulate development in Eco-sensitive Zone as to ensure Eco-friendly development for the security of local communities livelihood.

3. Measures to be taken by the State Government- The State Government shall take the following measures for giving effect to the provisions of this notification, namely: -

1. **Land use.-** Forests, horticulture areas, agricultural areas, parks and open spaces earmarked for recreational purposes in the Eco-sensitive Zone shall not be used or converted into areas for commercial or industrial related development activities:

Provided that the conversion of agricultural and other lands, for the purposes other than that specified in this clause, within the Eco-sensitive Zone may be permitted on the recommendation of the Monitoring Committee, and with the prior approval of the competent authority under the Regional Town Planning Act and other rules and regulations of the Central Government or the State Government as applicable and the provisions of this notification, to meet the residential needs of the local residents and for activities such as:-

- (i) widening and strengthening of existing roads and construction of new roads;
- (ii) construction and renovation of infrastructure and civic amenities;
- (iii) small scale industries not causing pollution;
- (iv) cottage industries including village industries; convenience stores and local amenities supporting eco-tourism including home stay; and
- (v) promoted activities given under para 4;

Provided further that no use of tribal land shall be permitted for commercial and industrial development activities without the prior approval of the State Government and without compliance of the provisions of article 244 of the Constitution or the law for the time being in force, including the Scheduled Tribes and other Traditional Forest Dwellers (Recognition of Forest Rights) Act, 2006 (2 of 2007):

Provided also that any error appearing in the land records within the Eco-sensitive Zone shall be corrected by the respective State Governments, after obtaining the views of the Monitoring Committee, once in each case and the correction of said error shall be intimated to the Central Government in the Ministry of Environment, Forests and Climate Change:

Provided also that the correction of error shall not include change of land use in any case except as provided under this sub-paragraph:

Provided also that there shall be no consequential reduction in green area, such as forest area and agricultural area.

(b) efforts shall be made to reforest the unused or unproductive agricultural areas with afforestation and habitat restoration activities.

(2) **Natural water bodies.** - The catchment areas of all natural springs shall be identified and plans for their conservation and rejuvenation shall be incorporated in the Zonal Master Plan and the guidelines shall be drawn up by the State Governments in such a manner as to prohibit development activities at or near these areas which are detrimental to such areas.

(3) **Tourism or Eco-tourism:** - (a) All new eco-tourism activities or expansion of existing tourism activities within the Eco-Sensitive Zone shall be as per the Tourism Master Plan for the Eco-sensitive Zone;

- (b) the Eco-Tourism Master Plan shall be prepared by Department of Tourism in consultation with Departments of Environment and Forests of the State Government.
- (c) The Tourism Master Plan shall form a component of the Zonal Master Plan.
- (d) The Tourism Master Plan shall be drawn based on the study of carrying capacity of the Eco-Sensitive Zone.
- (e) The activities of eco-tourism shall be regulated as under, namely: -

(i) all new tourism activities or expansion of existing tourism activities within the Eco-sensitive Zone shall be in accordance with the eco-tourism guidelines issued by the central government and the eco-tourism guidelines issued by the National Tiger Conservation Authority (as amended from time to time) with emphasis on eco-tourism, eco-education and eco-development;

(ii) All new construction of hotels and resorts shall not be allowed within one kilometre from the boundary of the protected area or upto the extent of the Eco-sensitive Zone, whichever is nearer:

Provided that beyond the distance of one kilometer from the boundary of the protected area till the extent of the Eco-sensitive Zone, the establishment of new hotels and resorts shall be allowed only in pre-defined and designated areas for eco-tourism facilities as per Tourism Master Plan;

(iii) until the Zonal Master Plan is approved, development for tourism and expansion of existing tourism activities shall be permitted by the concerned regulatory authorities based on the actual site-specific scrutiny and recommendation of the Monitoring Committee.

(4) Natural heritage. - All sites of valuable natural heritage in the Eco-sensitive Zone, such as the gene pool reserve areas, rock formations, waterfalls, springs, gorges, groves, caves, points, walks, rides, cliffs, etc. shall be identified and a heritage conservation plan shall be drawn up for their preservation and conservation as a part of the Zonal Master Plan.

(5) Man-made heritage sites- Buildings, structures, artefacts, areas and precincts of historical, architectural, aesthetic, and cultural significance shall be identified in the Eco-sensitive Zone and heritage conservation plan for their conservation shall be prepared as part Zonal Master Plan.

(6) **Noise pollution.** - Prevention and Control of noise pollution in the Eco-sensitive Zone shall be complied with in accordance with the Noise Pollution (Regulation and Control) Rules, 2000.

(7) **Air pollution.** - Prevention and control of air pollution in the Eco-sensitive Zone shall be compiled in accordance with the provisions of the Air (Prevention and Control of Pollution) Act, 1981 (14 of 1981) and the Environment Act, and the rules made there under.

(8) **Discharge of effluents.** - The discharge of treated effluent in the Eco-sensitive Zone shall be in accordance with the provisions of the Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974) and the Environment Act, and the rules made there under.

(9) **Solid wastes.** - Disposal and management of solid wastes shall be as under: -

(a) the solid waste disposal and management in the Eco-sensitive Zone shall be carried out in accordance with the Solid Waste Management Rules, 2016 the inorganic material may be disposed in an environmental acceptable manner at site identified outside the Eco-sensitive Zone;

(b) safe and environmentally sound management of solid wastes in conformity with the existing rules and regulations using identified technologies may be allowed within Eco-Sensitive Zone.

(10) **Bio-medical waste** – Bio medical waste management shall be as under:

a. the bio-medical waste disposal in the Eco-sensitive Zone shall be carried out in accordance with the Bio-Medical Waste Management Rules, 2016.

b. safe and environmentally sound management of bio-medical wastes in conformity with the existing rules and regulations using identified technologies may be allowed within Eco-Sensitive Zone.

(11) Plastic Waste Management. - The plastic waste management in the Eco-sensitive Zone shall be carried out as per the provisions of the Plastic Waste Management Rules, 2016.

(12) Construction and demolition waste management - The construction and demolition waste management in the Eco-sensitive Zone shall be carried out as per the provisions of the Construction and Demolition Waste Management Rules, 2016.

(13) E-waste. - The e-waste management in the Eco-sensitive Zone shall be carried out as per the provisions of the E-Waste Management Rules, 2016.

(14) Vehicular traffic – The vehicular movement of traffic shall be regulated in a habitat friendly manner and specific provisions in this regard shall be incorporated in the Zonal Master Plan and till such time as the Zonal Master plan is prepared and approved by the Competent Authority in the State Government, the Monitoring Committee shall monitor compliance of vehicular movement under the relevant Acts and the rules and regulations made thereunder.

(15) Vehicular pollution - Prevention and control of vehicular pollution shall be complied with in accordance with applicable laws and efforts shall be made for use of cleaner fuel such as Compressed Natural Gas, Liquefied Petroleum Gas, etc.

(16) Industrial units -

- (a) No new polluting industries shall be allowed to be set up within the Eco-sensitive Zone on or after the publication of this notification in the Official Gazette.
- (b) Only non-polluting industries shall be allowed within Eco-sensitive Zone as per classification of Industries in the Guidelines issued by the Central Pollution Control Board unless so specified in this notification. and only, non-polluting cottage industries shall be promoted.

(17) Protection of hill slopes - The protection of hill slopes shall be as under:-

- (a) The Zonal Master Plan shall indicate areas on hill slopes where no construction shall be permitted.
- (b) Construction on existing steep hill slopes or slopes with a high degree of erosion shall not be permitted.

4. List of activities prohibited or to be regulated within the Eco-sensitive Zone-

All activities in the Eco sensitive Zone shall be governed by the provisions of the Environment (Protection) Act, 1986 (29 of 1986) and the rules made there and the Environmental Impact Assessment (EIA) Notification, 2006 and other applicable laws including the Forest (Conservation) Act, 1980 (69 of 1980), the Indian Forest Act, 1927 (16 of 1927), the Wildlife (Protection) Act, 1972 (53 of 1972), and amendments made thereto and be regulated in the manner specified in the Table below, namely:

TABLE

S No.	Activity	Description
1.	2.	3.
A. Prohibited Activities		
1.	Commercial Mining, stone quarrying and crushing units.	(a) All new and existing (minor and major minerals), stone quarrying and crushing units are prohibited with immediate effect except for meeting the domestic needs of bona fide local residents including digging of earth for construction or repair of houses within Eco-sensitive Zone; (b) The mining operations shall be carried out in accordance with the orders of the Supreme Court in the matter of T.N. Godavarman Thirumulpad Vs. UOI in W.P.(C) No.202 of 1995 and Goa Foundation Vs. UOI in W.P.(C) No.435 of 2012 and IA No. 1000 of 2003 judgment dated 03.06.2022 and subsequent IA No. 131377 of 2022 judgment dated 26.04.2023 and 28.04.2023.
2.	Setting of new saw mills.	Prohibited.
3.	Setting of industries causing pollution (Water, Air, Soil, Noise, etc.).	Prohibited.
4.	Use or production or processing of any hazardous substances.	Prohibited.
5.	Commercial use of firewood.	Prohibited.
6.	Discharge of untreated effluents in natural water bodies or land area.	Prohibited.

7.	Commercial water resources including ground water harvesting.	Commercial use of natural water resources including ground water shall be prohibited in the Eco-sensitive Zone and all steps shall be taken to prevent contamination or pollution of water.
8.	Establishment of new thermal and major hydroelectric project.	Prohibited
9.	New wood-based industry.	No establishment of new wood-based industry shall be permitted within the limits of Eco-sensitive Zone: Provided the existing wood-based industry may continue as per law: Provided further that renewal of licenses of existing saw mills shall not be done on their expiry.
10.	Establishment of large-scale commercial livestock and poultry farms by firms, corporate and companies.	Prohibited (except as otherwise provided) as per applicable laws. Provided that only small-scale poultry farms by local farmers can be established for sustenance of their livelihood.
B. Regulated Activities		
11.	Commercial establishment of hotels and resorts.	<p>No new commercial hotels and resorts shall be permitted within the catchment of the Sukhna Wildlife Sanctuary as per map delineated by the Survey of India on 21.09.2004 and in conformity with the Order dated 02nd March, 2020 of the High Court of Punjab and Haryana in Writ Petition (C) No. 18253 of 2009 and 5809 of 2015 title Court on its own motion Vs Chandigarh Administration and also in conformity with the judgment of the High Court in review petition CM-14026-CWP-2021 with RA-CW-259-2020, RA-CW-252-2020, RA-CW-261-2020, RA-CW-268-2020 and RA-CW-69-2021 in CWP-18253-2009 in so far as its applicability to the Eco-sensitive Zone of the Sukhna Wildlife Sanctuary:</p> <p>Provided that, beyond one kilometer from the boundary of the Protected Area or upto the extent of Eco-sensitive Zone, whichever is nearer, all new tourism developmental activities or expansion of existing developmental activities shall be in conformity with the Tourism Master Plan and guidelines as applicable.</p>
12.	Construction activities.	<p>(a) No new constructions of any kind shall be permitted within the catchment of the Sukhna Wildlife Sanctuary as per map delineated by the Survey of India on 21.09.2004 and in conformity with the Order dated 02nd March, 2020 of the High Court of Punjab and Haryana in Writ Petition (C) No. 18253 of 2009 and 5809 of 2015 title Court on its own motion Vs Chandigarh Administration and also in conformity with the final judgment of the High Court in review petition CM-14026-CWP-2021 with RA-CW-259-2020, RA-CW-252-2020, RA-CW-261-2020, RA-CW-268-2020 and RA-CW-69-2021 IN CWP-18253-2009 in so far as its applicability to the Eco-sensitive Zone of the Sukhna Wildlife Sanctuary:</p> <p>Provided that, local residents shall be permitted to undertake construction in their land for their bonafide residential use as per building bye-laws to meet the residential needs of the local residents.</p> <p>(b) The construction activity related to small scale industries not causing pollution shall be regulated, with prior permission from</p>

		the competent authority as per rules and regulations, applicable, if any. (c) Beyond one kilometer it shall be regulated as per the Zonal Master Plan.
13.	Erection of electrical and telecommunication towers.	Shall be regulated by the State Government of Haryana and underground cabling shall be promoted.
14.	Felling of Trees.	(a) There shall be no felling of trees on the forest land or Government or revenue or private land within the Eco-sensitive Zone area without prior permission of the Principal Chief Conservator of Forests (Head of Forest Force) or the Authority to whom the powers have been delegated under any law to or in the time being in force. (b) The felling of trees shall be regulated in accordance with the provisions of the relevant laws for the time being in force.
15.	Widening and strengthening of existing roads and construction of new roads.	Construction of new roads and widening or repair of existing roads in the Eco-sensitive Zone shall be regulated as per rules and regulations applicable, if any.
16.	Erection of high-tension transmission lines.	As per regulations, as applicable and underground cabling shall be permitted.
17.	Introduction of exotic species.	Introduction of exotic species shall be regulated in the Eco sensitive Zone as per applicable laws.
18.	Fencing of premises of hotels and lodges.	Fencing of premises of hotels and lodges shall be regulated in the Eco-sensitive Zone as per applicable laws.
19.	Air (including noise) and vehicular pollution.	Regulated as per the applicable laws.
20.	Commercial sign boards and hoardings.	Regulated as per the applicable laws.
21.	Eco-friendly cottages for temporary occupation of tourists such as tents, wooden houses, etc. for eco-friendly tourism activities.	Regulated as per the applicable laws.
22.	Discharge of treated effluents in natural water bodies or land area.	Recycling of treated effluents shall be encouraged and for disposal of sludge or solid wastes, the applicable regulations shall be followed.
23.	Small scale industries not causing pollution.	Non polluting industries as per classification of industries issued by the Central Pollution Control Board. as amended from time to time and non-hazardous, small-scale and service industry, agriculture, floriculture, horticulture or agro-based industry producing products from indigenous materials from the Eco-sensitive Zone shall be permitted by the competent Authority.
24.	Undertaking activities related to tourism like over-flying the national park area by aircraft, hot air balloons.	Regulated as per the applicable laws.
25.	Solid Waste Management.	Regulated as per the applicable laws.
26.	Uses of plastic carry bags.	Regulated (except as otherwise provided) as per applicable laws.

27.	Eco-Tourism Activity.	Regulated as per the applicable laws.
C. Promoted Activities		
28.	Ongoing agriculture and horticulture practices by local communities along with dairies, dairy farming and fisheries.	Eco-friendly agriculture and horticulture will be permitted.
29.	Rain water harvesting.	Shall be actively promoted.
30.	Use of renewable energy sources.	Shall be actively promoted provided that material used does not produce and reflect light that disturb birds and animals.
31.	Adoption of green technology for all activities.	Shall be permitted.
32.	Organic farming.	As permitted under the applicable law.
33.	Vegetative fencing.	As permitted under the applicable law.
34.	Cottage industries including village artisans, etc.	Non-polluting Cottage industries including village artisans will be permitted.
35.	Agro forestry.	Shall be permitted.
36.	Environmental awareness.	Shall be actively promoted.
37.	Skill development.	Shall be permitted.

5. Monitoring Committee for Monitoring the Eco-sensitive Zone Notification- The Central Government for effective monitoring of the activities in the Eco-sensitive Zone, hereby constitutes a Monitoring Committee consisting of the following, namely: -

1	Deputy Commissioner, District Panchkula	Chairman, <i>ex-officio</i> ;
2	Deputy Chief Wildlife Warden, Panchkula or Divisional Wildlife Officer	Member; <i>ex-officio</i> ;
3	Representative of Department of Rural Development & Panchayat, Haryana	Member; <i>ex-officio</i> ;
4	District Town Planner, Panchkula	Member; <i>ex-officio</i> ;
5	Representative of H.S.V.P. Haryana	Member; <i>ex-officio</i> ;
6	Representative of Ministry of Environment, Forest & Climate Change, Government of India	Member; <i>ex-officio</i> ;
7	Representative of M.C. Panchkula	Member; <i>ex-officio</i> ;
8	Regional Officer, Haryana Pollution Control Board	Member; <i>ex-officio</i> ;
9	A representative of Non-governmental Organization working in the field of wildlife conservation to be nominated by the Government of Haryana for a period not exceeding three years, from time to time	Member;
10	An expert in Biodiversity to be nominated by the Government of Haryana for a period not exceeding three years, from time to time	Official member;
11	One expert in Ecology from reputed institution or University of the State to be nominated by the Government of Haryana for a period not exceeding three years, from time to time	Official member;
12	Representative of Housing Development, Haryana	Member; <i>ex-officio</i> ;
13	Representative of Agriculture Development, Haryana	Member; <i>ex-officio</i> ;
14	Representative of District Collector, U.T	Member; <i>ex-officio</i> ;
15	Representative of State Biodiversity Board, Haryana	Member; <i>ex-officio</i> ;
16	Divisional Forest Officer (Territorial) Morni- Pinjore, Haryana	Member Secretary <i>ex-officio</i> ;

6. Functions of the Monitoring Committee. – (1) The Monitoring Committee shall monitor the compliance of the provisions of this notification.

(2) The tenure of the Monitoring Committee shall be till further orders provided that the non-official members of the committee shall be nominated by Government of Haryana from time to time every three years.

(3) The Monitoring Committee shall, based on the actual site-specific conditions, scrutinise the activities covered in the Schedule to the notification of the Government of India in the erstwhile Ministry of Environment and Forest, *vide* number S.O. 1533 (E), dated the 14th September, 2006, and are falling in the Eco-sensitive Zone, except for the prohibited activities as specified in the Table under paragraph 4 thereof, and refer to the Central Government in the Ministry of Environment, Forest and Climate Change or the State Environment Impact Assessment Authority, as the case maybe, for prior environmental clearances under the provisions of the said notification.

(4) The activities not covered in the Schedule to the notification referred to in sub-paragraph (3) and falling in the Eco-sensitive Zone, except for the prohibited activities as specified in the Table under paragraph 4 thereof, shall be scrutinised by the Monitoring Committee based on the actual site-specific conditions and referred to the Regulatory authorities concerned.

(5) The Member Secretary of the Monitoring Committee or the Collector or the Deputy Conservator of Forests concerned shall be competent to file complaint under section 19 of the Environment Act, against any person who contravenes the provisions of this notification.

(6) The Monitoring Committee may invite representative or expert from Department representative from industry associations or concerned stakeholders to assist in its deliberations depending on the requirements on case-to-case basis.

(7) The Monitoring Committee shall submit the annual action taken report of its activities for the period up to the 31st March of every year by the 30th June of that year to the Chief Wildlife Warden of the State in form specified in **Annexure-V**, appended to this notification.

(8) The Central Government may give such directions in writing, as it deems fit, to the Monitoring Committee for effective discharge of its functions.

7. **Additional measures:** - The Central Government and State Government may specify additional measures, if any, for giving effect to provisions of this notification.

8. **Orders, Supreme Court, etc.:** - The provisions of this notification shall be subject to the orders, if any passed or to be passed by the Hon'ble Supreme Court of India or High Court or the National Green Tribunal.

[F.No.25/35/2018-ESZ]
Dr. S. Kerketta, Scientist 'G'


ANNEXURE I

**BOUNDARY DESCRIPTION OF ECO-SENSITIVE ZONE OF THE SUKHNA WILDLIFE
SANCTUARY**


1	2
Point 1A to 1A/1	ESZ boundary on the Northern side of Sukhna Wildlife Sanctuary (SWS) is extended upto 2 km from the boundary of SWS and runs towards eastern side. The area consists of Reserve Forest. The habitation of village Prempura is located above the northern boundary of Sukhna Wildlife Sanctuary and falls within the proposed ESZ boundary.
Point 1A/1 to 2A	ESZ boundary runs south wards upto 2A and is co-terminous with Reserve Forest.
Point 2A to 6A	North-Eastern boundary of Sukhna Wildlife Sanctuary towards Haryana side. The ESZ boundary starts from the boundary of RF and runs through revenue land of villages Sukhomajra, Dhamala, Lohgarh and Manakpur Thakardas. The ESZ boundary culminates on the boundary of RF. The proposed boundary passes through Jhajra River.
Point 6A to 8A	Eastern side of boundary of Sukhna Wildlife Sanctuary towards Haryana side and ESZ boundary runs south wards upto 8A along the boundary of RF.
Point 8A to 10A	Eastern side of boundary of Sukhna Wildlife Sanctuary towards Haryana side and ESZ boundary starts from the boundary of Reserve Forest and passes through railway track and habitation area of village Surajpur. It culminates at the boundary of RF at Surajpur village.
Point 10A to 11A (10A/1, 10A/2, 10A/3, 10A/4)	Eastern side of boundary of Sukhna Wildlife Sanctuary towards Haryana side and ESZ boundary runs along the boundary of Rampur PF and culminates on the boundary of Nepli RF.
Point 11A to 14A	South Eastern side of boundary of Sukhna Wildlife Sanctuary towards Haryana side. The ESZ boundary starts from Nepli RF area and runs through Revenue land of villages Chandimandir, Kotla and Darra Kharauni.
Point 14A to 15A	Southern side of boundary of Sukhna Wildlife Sanctuary towards Haryana side. The ESZ boundary starts from revenue land of Darra Kharauni and passes through area under Central Soil and Water Conservation Research Farm, Panchkula.
Point 15A to 16A	Southern side of boundary of Sukhna Wildlife Sanctuary towards Haryana side. The ESZ boundary starts from area under Central Soil and Water Conservation Research Farm, Panchkula and runs through area under HSVP.
Point 16A to 18 A	Southern side of boundary of Sukhna Wildlife Sanctuary towards Haryana side. The ESZ boundary starts from and runs through HSVP area and culminates at interstate boundary.

ANNEXURE- II

LOCATION MAP OF SUKHNA WILDLIFE SANCTUARY, HARYANA (GOOGLE EARTH)



LOCATION MAP OF ECO-SENSITIVE ZONE AROUND SUKHNA WILDLIFE SANCTUARY, HARYANA (TOPO SHEET)



ANNEXURE-III

TABLE-A: GEO-COORDINATES OF SUKHNA WILDLIFE SANCTUARY (IN DMS FORMAT)

No.	Coordinates of Sukhna WLS towards Haryana Side	
	Latitude	Longitude
(1)	(2)	(3)
1	30° 48' 14.489" N,	76° 50' 48.118" E
2	30° 48' 9.556" N,	76° 51' 8.197" E
3	30° 48' 16.577" N,	76° 51' 26.254" E
4	30° 48' 33.081" N,	76° 52' 10.877" E
5	30° 48' 5.626" N,	76° 51' 45.077" E
6	30° 47' 43.209" N,	76° 51' 23.111" E
7	30° 47' 36.410" N,	76° 51' 11.337" E
8	30° 47' 5.947" N,	76° 51' 34.995" E
9	30° 47' 38.053" N,	76° 51' 46.305" E
10	30° 47' 43.498" N,	76° 52' 28.145" E
11	30° 47' 2.914" N,	76° 52' 27.175" E
12	30° 46' 46.820" N,	76° 51' 47.427" E
13	30° 46' 6.758" N,	76° 51' 55.363" E
14	30° 46' 45.963" N,	76° 52' 35.541" E
15	30° 46' 2.483" N,	76° 52' 55.636" E
16	30° 45' 40.040" N,	76° 52' 15.764" E
17	30° 45' 2.847" N,	76° 53' 17.545" E
18	30° 45' 1.878" N,	76° 52' 28.357" E
19	30° 44' 41.538" N,	76° 51' 58.565" E
20	30° 44' 47.294" N,	76° 51' 18.401" E
21	30° 44' 31.391" N,	76° 51' 12.683" E
22	30° 45' 0.082" N,	76° 50' 35.416" E
23	30° 45' 7.383" N,	76° 50' 28.231" E
24	30° 45' 6.564" N,	76° 50' 19.556" E
25	30° 45' 9.252" N,	76° 50' 16.411" E
26	30° 45' 15.891" N,	76° 50' 15.946" E

TABLE B: GEO-COORDINATES OF ECO-SENSITIVE ZONE BOUNDARY (IN DMS FORMAT)

No.	Coordinates of Proposed ESZ of Sukhna WLS towards Haryana Side		
	Longitude	Latitude	Distance from the boundary of Sukhna Wildlife Sanctuary (toward Haryana side)
(1)	(2)	(3)	(4)
1A	76° 50' 53.415" E	30° 49' 20.144" N	2026 metre
1A/1	76° 52' 17.169" E	30° 49' 39.304" N	2035 metre
1A/2	76° 52' 18.259" E	30° 49' 19.125" N	1421 metre
2A	76° 52' 26.758" E	30° 49' 2.753" N	1000 metre
3A	76° 52' 45.952" E	30° 48' 44.854" N	1000 metre
4A	76° 52' 45.899" E	30° 48' 13.469" N	1000 metre
5A	76° 53' 5.038" E	30° 47' 49.818" N	1000 metre
6A	76° 53' 2.459" E	30° 47' 23.490" N	1000 metre
7A	76° 53' 7.911" E	30° 47' 13.111" N	1260 metre
8A	76° 53' 16.740" E	30° 47' 0.340" N	1000 metre
9A	76° 53' 31.572" E	30° 46' 37.702" N	1000 metre
10A	76° 53' 32.723" E	30° 46' 17.305" N	1000 metre
10A/1	76° 53' 42.032" E	30° 46' 11.391" N	1301 metre
10A/2	76° 54' 3.129" E	30° 45' 43.585" N	2327 metre
10A/3	76° 53' 55.616" E	30° 45' 34.673" N	2129 metre
10A/4	76° 53' 45.934" E	30° 45' 42.011" N	1862 metre
11A	76° 53' 30.142" E	30° 45' 38.376" N	1000 metre
12A	76° 53' 52.855" E	30° 44' 51.739" N	1000 metre
13A	76° 52' 46.294" E	30° 44' 28.126" N	1000 metre
14A	76° 52' 28.969" E	30° 44' 22.391" N	1000 metre
15A	76° 51' 37.105" E	30° 44' 6.716" N	1000 metre
16A	76° 50' 46.226" E	30° 44' 5.977" N	1000 metre
17A	76° 50' 19.551" E	30° 44' 30.679" N	1000 metre
18A	76° 50' 2.957" E	30° 44' 37.444" N	1000 metre

ANNEXURE-IV

LIST OF VILLAGES INSIDE THE ESZ AREA ALONGWITH GEO- COORDINATES (IN DMS FORMAT)

S. No.	Village name	Longitude	Latitude
(1)	(2)	(3)	(4)
1.	Prempura (Tehsil Kalka, District Panchkula)	76° 50' 54.917" E	30° 48' 25.164" N
2.	Sukhomajri (Tehsil Kalka, District Panchkula)	76° 52' 36.656" E	30° 48' 51.287" N
3.	Damla (Tehsil Kalka & District Panchkula)	76° 52' 46.111" E	30° 48' 32.996" N
4.	Lohgarh (Tehsil Kalka, District Panchkula)	76° 52' 52.806" E	30° 48' 3.862" N
5.	Manakpur, Thakardas (Tehsil Kalka, District Panchkula)	76° 53' 2.776" E	30° 47' 45.900" N
6.	Surajpur (Tehsil Kalka, District Panchkula)	76° 53' 25.241" E	30° 46' 42.880" N
7.	Rampur (Tehsil Kalka, District Panchkula)	76° 53' 53.841" E	30° 45' 48.277" N
8.	Chandimandir Kotla (Tehsil Kalka, District Panchkula)	76° 53' 44.730" E	30° 44' 55.689" N
9.	Dara Khanori (Tehsil Kalka, District Panchkula)	76° 52' 43.802" E	30° 44' 34.904" N
10.	Saketri/Mahadevpur (Tehsil, District Panchkula)	76° 50' 37.554" E	30° 44' 53.046" N

Annexure-V

Performa of Action Taken Report: - Eco-Sensitive Zone Monitoring Committee -

1. Number and date of Meetings.
2. Minutes of the meetings: Mention main noteworthy points. Attach Minutes of the meeting as separate Annexure.
3. Status of preparation of Zonal Master Plan including Tourism Master Plan.
4. Summary of cases dealt for rectification of error apparent on face of land record (Eco-sensitive Zone wise). Details may be attached as Annexure.
5. Summary of cases scrutinised for activities covered under the Environment Impact Assessment Notification, 2006. Details may be attached as separate Annexure.

6. Summary of cases scrutinised for activities not covered under the Environment Impact Assessment Notification, 2006. Details may be attached as separate Annexure.
7. Summary of complaints lodged Under Section 19 of the Environment (Protection) Act, 1986
8. Any other matter of importance.



**HARYANA STATE POLLUTION CONTROL BOARD
C-11, SECTOR-6, PANCHKULA**

Website – www.hspcb.gov.in E-Mail - hspcb.pkl@sifymail.com

Tele Fax No. – 0172-2577870-73

No. HSPCB/Consent/ : 2821216PANCTOHWM2517288

Dated:01/02/2016

To.

M/s :DLF Homes Panchkula Pvt. Ltd.

**Village Islam Nagar Bhagwanpur Sector 3 District Panchkula
PANCHKULA**

Subject: Grant of consent for emission of Air under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981, from 01/04/2016 to 31/03/2026

Please refer to your consent application received on dated **2015-12-23** in Regional Officer , Panchkula on the subject cited above.

With reference to your above application for consent for the emission/ continuation of emission of S.P.M. air pollutions into atmosphere under Air (Prevention & Control of Pollution) Act, 1981 hereinafter referred as the Act.

M/s **DLF Homes Panchkula Pvt. Ltd.** are authorized by the Haryana State Pollution Control Board to discharge their air pollution being emitted out of their factory premises in accordance with the condition as mentioned below:-

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. Two or more ducts with different nature of exhaust gases should neither be intermixed nor to be through a common chimney.
3. Adequate facilities should be provided for sampling viz sampling holes at specified locations and dimension. The platform of specified size and strengthful arrangements electric connection also be provided.
4. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
5. The disturbed condition in any of plant/plants of the factory which is likely to result in increased emission or result in violation of emission standards shall be forthwith reported to this Board under intimation to the Member Secretary, Haryana State Pollution Control Board.
6. The toxic chemicals materials should be handled with due safety. The storage of toxic chemicals should be such that in case of emergency the chemicals could be transferred to other empty tank automatically and which should be followed by an approved air pollution control equipment designed for worst conditions.
7. A green belt (having sufficient tall and dense tree) around the factory should be provided.

8. All the processes using toxic chemical/harmful gases should be equipped with an emergency siren system in working conditions for alarming the general public in case of untoward incident.
9. The applicant shall furnish to all visiting officer and/or the State Board, any information regarding the construction/installation or operation of the establishment or emission control system and such other particulars as may be pertinent to prevention and control of air pollution. The industry shall also maintain and make available inspection book to the officers of the Board during their visits.
10. The air pollution control equipment of such specification which shall keep the emissions within the emission standard as approved by the State Board from time to time shall be installed and operated in the premises where the industry is carrying on/proposed to carry on its business.
11. The existing air pollution control equipment if required shall be alerted or replaced in accordance with the direction of the Board.
12. All solid wastes arising in the factory premises shall be properly graded and disposed of by:-
 - (i) In case of Land fill material, care should be taken to ensure that the material does not give rise to leachate which may percolate in ground water or carried away with storm run off.
 - (ii) Composting in case of bio degradable materials.
 - (iii) If the method of incineration is used for the disposal of solid waste the consent application should be processed separately and it should be taken up which consent is granted.
13. The industry shall submit an undertaking to the effect that the above conditions shall be complied with by them.
14. The applicant shall ensure that the emission of the air pollutants shall remain within emission standards as approved by the State Board from time to time.
15. The applicant shall make an application for grant of fresh consent at least 90 days before the date of expiry of this consent.
16. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
17. The applicant shall either:-
 - a) Not later than 30 days from the date of consent order, certify in writing to the Member Secretary that the applicant had installed or provided for alternate electric power source sufficient to operate all the facilities installed by the applicant to maintain compliance with the terms and conditions of the consent.
 - b). Not later than 30 days from the date of this consent certify in writing to the Member Secretary that upon the reduction loss or failure of one or more of the primary source of electric power to any facilities installed by the application to maintain compliances with the term and conditions of this consent, the application shall proportionally reduce or otherwise control production and/or all emissions in order to maintain compliance with terms and conditions of this consent.
18. There should not be any fugitive emission from the premises.
19. The liquid effluent arising out of the operation of the air pollution control equipment shall also be treated in a manner and to the standards stipulated in the consent granted under Water (Prevention & Control of Pollution) Act, 1974 by this Board.
20. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.
21. If the industry fails to adhere to any of the condition of this consent order the consent so granted shall automatically lapse.
22. The unit shall obtain consent under Water (Prevention & Control of Pollution) Act, 1974 and authorization under HWTM Rules, 2008.

23. (a) The industry shall discharge all the gases through a stack of minimum height.
 (b) The height of stack shall conform to the following criteria:
 (i) $H = 14.Q^{0.3}$ Where sulphur-dioxide is emitted.
 Q = Sulphur dioxide emission as Kg/hr.
 (ii) $H = 74.Q^{0.27}$ where particulate matter is emitted.
 Q = particulate matter emission as tonne/hr. If by using the formula given above the stack height arrived is more than 9 m then this higher stack should be used.
 (iii) The minimum stack height should be 30 Mts.
24. Nothing in this consent shall be deemed to preclude the institution of any legal action nor relieve the applicant from any responsibility, liabilities or penalties to which the applicant is or may be subject.
25. The industry shall maintain the following record to the satisfaction of the Board.
 1. The industries shall install separate energy meter and maintain log books for running of all air pollution control devices or pumps/motors used for running of the same.
 2. Register showing the results of various tests conducted by industry for monitoring of stack emission and ambient air.
26. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
27. The consent being issued by the Board as above doesn't imply that unit performance conforms to law as required. The consent is being issued provisionally only with a view to accommodate the unit to provide it an opportunity to modify its operation immediately so as bring them in conformity with the law of the land.
28. The industry shall provide non-leachate storage facilities for proper disposal of Hazardous wastes.
29. The industry shall provide acoustic chambers on DG sets to control noise pollution and ensure noise level within the permissible limit.
30. The industry shall submit on site/off site emergency plan, if required.
31. The industry shall submit A/R within 3 months in case of 17 categories and once in 6 months, other categories L & M and keep all the parameters within limit.
32. The industry shall comply the public liability insurance Rule, 1991 as amended to date.
33. The industry shall submit Environmental Audit report once in a year.
34. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
35. The industry shall install ambient air station in case of 17 & other categories large & medium.
36. The industry shall obtain environmental clearance, if applicable as per MOEF notification.
37. The industry shall inform to HO/RO office immediately by FAX in case of failure of APCM.
38. In case of by passing the emissions, the consent shall be deemed revoked.
39. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.

Specific Conditions :

- 1 The unit shall not use any source of emission except DG set

Other Conditions :

1. 1. Unit will operate & maintain their STP efficiently & regularly. 2. Unit will keep the parameters within limit.3.Unit will comply with the conditions of the Environmental clearance and submit six monthly report to board.

Regional Officer, HQ
For and be'half of chairman
Haryana State Pollution Control Board,
Panchkula.

---It is system generated certificate no signature is required---



**HARYANA STATE POLLUTION CONTROL BOARD
C-11, SECTOR-6, PANCHKULA**

Website – www.hspcb.gov.in E-Mail - hspcb.pkl@sifymail.com

Tele Fax No. – 0172-2577870-73

No. HSPCB/Consent/ : 2821216PANCTO2517288

Dated:01/02/2016

To

M/s :DLF Homes Panchkula Pvt. Ltd.

Village Islam Nagar Bhagwanpur Sector 3 District Panchkula

PANCHKULA

Subject: Grant of Consent to operate for discharge of effluent under section 25/26 of the Water(Prevention & Control of Pollution) Act, 1974, from 01/04/2016 - 31/03/2026

Please refer to your consent application received on dated **2015-12-23** in Regional Officer, Panchkula on the subject cited above.

With reference to your above application for consent for the discharge of domestic effluent and trade effluent under Water (Prevention & Control of Pollution) Act, 1974 hereinafter referred as the Act M/s **DLF Homes Panchkula Pvt. Ltd.** is hereby authorized by the Haryana State Pollution Control Board, to discharge their effluent arising out of their premises in accordance with the terms and conditions as mentioned below:-

1. The daily quantity of domestic effluent from the factory shall not exceed **443 KLD**
2. The daily quantity of the industrial effluent (Process, floor & equipment wash, cooling and bleed water) from the factory shall not exceed **0 KLD**
3. **The industry has been assessed for the purpose of Consent to operate fee with investment cost (land, building, plant and machinery) of Rs. 893.52 Lakh. In case the investment cost varies as per the annual report for the years duly audited by the Chartered Accountant, the difference of Consent to operate fee, if any, arises, the industry shall pay the same amount within one month of the receipt of notice from the Board in this regard.**
4. The consent to operate shall be valid for the period from **01/04/2016 - 31/03/2026**
5. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.
6. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent.
In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.
7. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.
8. The industry shall not discharge any altered quantity/quality of the trade/domestic effluent without prior permission of the Board.

9. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.
10. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.
11. In case the industrial unit uses the Municipal/HUDA/Industrial Estate Sewerage system for disposal of effluent for the final disposal they will submit the sewerage connection certificate.
12. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.
13. The industry will plant minimum three varieties (Eucalyptus, Su Babul or any suitable variety) of trees in the vacant area.
14. The consent to operate under Air (Prevention & Control of Pollution) Act, 1981 should be obtained.
15. The industry shall obtain Authorization under Hazardous Waste (Management handling and transbonding movement) Rules, 2008 as amended to date.
16. The industry shall install separate Energy Meter for ETP and also maintain log book for energy and chemical consumption.
17. The industry shall obtain permission from Irrigation Department for discharging effluent into any drain/water bodies.
18. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.
19. The industry shall provide non-leachate storage facilities for storage of Hazardous Waste or dispose off same in the common facilities & will adhere to the norms laid down as per the amended notification under HWTM Rules, 2008
20. The industry shall submit A/R once in 3 months in case of 17 categories and other categories. The L&M shall submit A/R once in 6 months.
21. The industry shall comply the Public Liability Insurance Rules, 1991, as amended to date.
22. The industry shall submit Environmental Audit /Report once in a year.
23. The industry shall obtain Environmental Clearance, if applicable as per MOEF Notification.
24. The industry shall inform to HO/RO office immediately by FAX in case of failure of ETP.
25. In case of bye passing the effluent the consent to operate shall be deemed revoke.
26. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.

Specific Conditions :

Other Conditions :

1. 1. Unit will operate & maintain their STP efficiently & regularly. 2. Unit will keep the parameters within limit.3.Unit will comply with the conditions of the Environmental clearance and submit six monthly report to board.

*Regional Officer, HQ
For and be'half of chairman
Haryana State Pollution Control Board,
Panchkula.*



Regional Office, Panchkula Region
Haryana State Pollution Control Board
 SCO-115-116 (1st Floor), Sector -25, Panchkula
 Website - www.hspcb.org.in E-Mail - hspcbrookl@gmail.com

No. HSPCB/PKL/2024/2956

Dated: 19/03/2024

To

M/s DLF Homes Panchkula Pvt. Ltd,
 Vill. Islam Nagar, Bhagwanpur,
 Sec-3, Distt. Panchkula.

Sub: Revised Consent to Operate to M/s DLF Homes Panchkula Pvt. Ltd,
Vill. Islam Nagar, Bhagwanpur, Sec-3, Distt. Panchkula.

Ref: Head Office letter no. HSPCB-080002/318/2021-COORDINATION
CELL-HSPCB-I/245397/2024 Dated 14.03.2024.

Please refer to HSPCB public notice regarding fixing of effluent discharge standards for Sewage Treatment Plants (STPS) issued vide no. HSPCB/WC-2/2162-2199 dated 02.07.2020 and consent to operate granted by HSPCB through OCMMS vide letter No. HSPCB/Consent/I/2821216PANCTO2517288 Dated: 01/02/2016 is here by revised as per following standards specification/Terms and conditions.

Consent Under AIR and WATER	AIR and WATER
Period of consent	01.04.2016 to 31.03.2026
Industry Type	Building and construction projects having waste water generation more than 100 KLD irrespective of their built-up area.
Category	RED
Investment (In Lakh)	94956 lacs
Total Land Area (Sq.meter)	479803.3
Total Built up Area (Sq.meter)	881517.73
Quantity of effluent	
1. Trade	0.0 KL/Day
2. Domestic	443 KLD
Number of outlets	1.0
Mode of discharge	
1. Domestic	STP
2. Trade	NA
Domestic Effluent Parameters	
1. Total Phosphorous	1 PPM
2. BOD (mg/l)	10 mg/l
3. COD (mg/l)	50 mg/l
4. TSS (mg/l)	20 mg/l
5. Faecal Coliform (MPN/100ml)	Less than 100 mg/l
6. Total Nitrogen	10 PPM
1. NA	0
Trade Effluent Parameters	
1. NA	0
Number of stacks	9

Height of stack	
1. Chimney (D.G. Set)	6 Mtr.
Emission parameters	
1. NA	0
Product Details	
1. Residential plotted colony	118.562 Acres
Capacity of boiler	
1. NA	0
Type of Furnace	
1. NA	0 NA
Type of Fuel	
1. Diesel	0.5 KJ/annum
Raw Material Details	
Residential Plotted colony	118.562 Acres


Regional Officer
Panchkula Region,
Haryana State Pollution Control Board

Terms and conditions:

1. The applicants shall maintain good housekeeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.

2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives, issued at any time and or non compliance of the terms and conditions of his consent order.

3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.

4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.

5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.

6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.

7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.

8. The industry shall comply with all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.

9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.

10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.

11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.

12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.

13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.

14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.

15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.

16. The industry shall comply with all the Directions/ Rules/Instructions issued from time to time by the Board.

Specific Conditions:


1. The unit will keep all parameters within standards prescribed under Environment (Protection) Act, 1986 by running and maintaining pollution control measures regularly and effectively.
2. The unit will make agreement with authorized TSDF /Recycler for disposal of hazardous waste i.e. ETP sludge/used oil of DG set before start of operation of the unit and will submit the Annual report under HWM Rules, 2016 by 30th June every year.
3. The unit will submit the Environment Statement by 30th September every year.
4. Unit will utilize their treated effluent as declared in their application.
5. Unit will apply for renewal of Consent/Authorization at least 90 days before expiry date of the consent/authorization.
6. This CTO is in suppression of previously granted vide no. HSPCB/Consent/: 2821216PANCTO2517288 Dated: 01/02/2015.

Conditions of CTO:

1. The sewage shall be reutilized upto maximum extent.
2. Flow meters shall be installed at Inlet/Outlet by pass of the STP.
3. The flow meter data shall be displayed online with the system of HSPCB/CPCB.
4. The STP sludge shall be disposed scientifically and record shall be maintained about quantity and place of disposal. The details shall be recorded of the persons taking sludge for their use/disposal.
5. STP sludge should be disposed with Common Hazardous Waste Treatment Storage and Disposal Facility (CHWTSDF), if it falls in hazardous category as per Hazardous & Other Waste Management Rules.
6. STP sludge should conform to Standards laid for use as manure.
7. The new standards shall be followed by the unit and in case of non-compliance, Legal action shall be initiated.
8. Unit will comply with the conditions of the Environmental clearance and submit six monthly report.
9. This is a varied CTO issued after the approval of the Competent Authority received vide letter no. I/245397/2024 dated 14.03.2024.
10. Unit shall follow the MSW Rules.
11. Unit shall not be allowed to discharge any effluent outside the premises.
12. Unit shall maintain the STP and its operations



Regional Officer
Panchkula Region,
Haryana State Pollution Control Board.



Fw: Regarding six-monthly compliance report for period ending 31.03.2024 for "DLF Garden City" by M/s DLF Homes Panchkula Pvt. Ltd.

1 attachment (22 MB)

SMC Garden city 31.03.2024.pdf;

From: Anirudh Sharma <sharma-anirudh@dlf.in>

Sent: 31 May 2024 15:59

To: Compliance <compliance@ecoparyavaran.org>

Subject: Fwd: Regarding six-monthly compliance report for period ending 31.03.2024 for "DLF Garden City" by M/s DLF Homes Panchkula Pvt. Ltd.

Get [Outlook for iOS](#)

From: SONAWANE, ASIM <sonawane-asim@dlf.in>

Sent: Wednesday, May 29, 2024 7:47 PM

To: Environment Wing IRO Chandigarh <eccompliance-nro@gov.in>; ronz.chd-mef@nic.in <ronz.chd-mef@nic.in>

Cc: seiaa-21.env@hry.gov.in <seiaa-21.env@hry.gov.in>; hspcb@hry.nic.in <hspcb@hry.nic.in>; Anirudh Sharma <sharma-anirudh@dlf.in>

Subject: Regarding six-monthly compliance report for period ending 31.03.2024 for "DLF Garden City" by M/s DLF Homes Panchkula Pvt. Ltd.

Dear Sir,

Greetings of the day!!!

We are hereby submitting six-monthly compliance report for period ending 31.03.2024 for the project "DLF Garden City" located at Village Islam Nagar, Kalka-Pinjore Urban Complex, Sector 3, Panchkula, Haryana by M/s DLF Homes Panchkula Pvt. Ltd

Kindly acknowledge the receipt of the same.

Regards ,
Asim Sonawane

DLF HOMES PANCHKULA PRIVATE LIMITED

Regd. Office: 2nd Floor, DLF Gateway Tower, DLF City Phase III, NII-8, Gurugram-122002
CIN NO U45400HR2007PTC035443

Date: 23.05.2024

To
The Joint Director
Ministry of Environment, Forest & Climate Change,
Regional Office (North),
Government of India
Bay Nos. 24-25, Sector-31A
Chandigarh.
(Mail id: ecompliance-north@gov.in and ronz.chd-mef@nic.in)

Subject: Submission of Six Monthly Compliance Report for period ending 31.03.2024 for the project "DLF Garden City" located at Village Islam Nagar, Kalka-Pinjore Urban Complex, Sector 3, Distt. Panchkula, Haryana by M/s DLF Homes Panchkula Pvt. Ltd.

Sir,

With reference to the EIA Notification & its amendments regarding submission of six monthly compliance report. We are hereby submitting six monthly compliance report for period ending 31.03.2024 for the above said project through e-mail for your perusal.

Kindly acknowledge the receipt of the same.

Thanking you

Sincerely,
For M/s DLF Homes Panchkula Pvt. Ltd.

Rohit Sharma

(Authorized Signatory)
Name: Rohit Sharma
Contact No. 81469-90000
Designation: Executive Director
Email: sonawane-asim@dlf.in



CC to:

1. Member Secretary, SEIAA Haryana, Bay No. 55-58, Paryatan Bhawan, 1st Floor, Sector 2, Panchkula, Haryana-134109 (soft copy through CD and e-mail: seiaa-21.env@hry.gov.in)
- ✓ 2. The Chairman, HSPCB, C-11, Sector 6, Panchkula, Haryana-134109 (soft copy through CD and e-mail: hspcb@hry.nic.in)

DLF HOMES PANCHKULA PRIVATE LIMITED

Regd. Office, 2nd Floor, DLF Gateway Tower, DLF City Phase III, NH-3, Gurgaon-122002
CIN NO. U48900HR2007PTC008447

Date: 23.05.2024

To
The Joint Director
Ministry of Environment, Forest & Climate Change,
Regional Office (North),
Government of India
Bay Nos. 24-25, Sector-31A
Chandigarh.
(Mail id: ecompliance-north@gov.in and ronz.chd-mef@nic.in)

Subject: Submission of Six Monthly Compliance Report for period ending 31.03.2024 for the project "DLF Garden City" located at Village Islam Nagar, Kalna-Pinjore Urban Complex, Sector 3, Distt. Panchkula, Haryana by M/s DLF Homes Panchkula Pvt. Ltd.


Sir,

With reference to the EIA Notification & its amendments regarding submission of six monthly compliance report. We are hereby submitting six monthly compliance report for period ending 31.03.2024 for the above said project through e-mail for your perusal.

Kindly acknowledge the receipt of the same.

Thanking you

Sincerely,
For M/s DLF Homes Panchkula Pvt. Ltd.



(Authorized Signatory)
Name: Rohit Sharma
Contact No. 81469-90000
Designation: Executive Director
Email: sonawane-asim@dlf.in



CC to:

1. Member Secretary, SEIAA Haryana, Bay No. 55-58, Paryatan Bhawan, 1st Floor, Sector 2, Panchkula, Haryana-134109 (soft copy through CD and e-mail: seiaa-21.emva@hry.gov.in)
2. The Chairman, HSPCB, C-11, Sector 6, Panchkula, Haryana-134109 (soft copy through CD and e-mail: hspcb@hry.nic.in)

DLF HOMES PANCHKULA PRIVATE LIMITED

Regd. Office: 2nd Floor, DLF Gateway Tower, DLF City Phase III, NH-8, Gurugram-122002
CIN NO. U45400HR2007PTC031443

Date: 17.09.2024

To
The Member Secretary
Haryana State Pollution Control Board
C-11, Sec-6, Panchkula

Subject: Submission of Environment Audit Report (Form V) for the financial year 2023-2024 for the project namely "DLF Garden City" Village Islam Nagar, Pinjore Kalka Urban Complex, Sector 3, Panchkula, Haryana with area measuring 209.603 acres developed by M/s DLF Homes Panchkula Pvt. Ltd.

Sir,

We are hereby submitting the Environment Audit Report (Form V) for the financial year 2023-2024 for residential project measuring 209.603 acres namely "DLF Garden City" Village Islam Nagar, Pinjore Kalka Urban Complex, Sector 3, Panchkula, Haryana developed by M/s DLF Homes Panchkula Pvt. Ltd.

All relevant details/documents are enclosed as Annexures

Thanking you

Sincerely,

For M/s DLF Homes Panchkula Pvt. Ltd.

 Rohit Sharma

(Authorized Signatory of M/s DLF Homes Panchkula Pvt. Ltd.)

Name: Rohit Sharma

Contact No. 81469-90000

Email: sonawane-raj@dlfhomes.com

 30/9/24

Member Secretary

Haryana State Pollution Control Board
SCO 116, 1st and 2nd Floor, Sector-25,
Panchkula

CC to:

1. The Regional Officer; Haryana State Pollution Control Board (HSPCB) Panchkula
SCO 116, 1st & 2nd Floor, Sec 25, Panchkula